



<http://www.ebiz-tcf.eu>

DRAFT

IMPLEMENTATION GUIDE
TRANSACTION "SOCIAL AND ETHIC ACCOUNTABILITY
PRELIMINARY INFORMATION"

Version: draft

Date of release: 26/6/2023

Document code: TRC011

technical Documentation: <http://www.ebiz.enea.it>

XML Schemas repository: <http://www.ebiz.enea.it/moda-ml/repository/schema/draft/default.asp>

Guides repository: <http://www.ebiz.enea.it/moda-ml/repository/guide/draft/default.asp>

Guide filename: TRC011-eBIZ-SocialAndEthicAccountabilityPreliminaryInformation.pdf

0. PREMISE

This document contains a proposal for the updating and extension of eBIZ specifications starting from the eBIZ version 2018. Under the name of 'Draft version' it is reported the result of an extensive work of analysis and consultation aimed at developing and maintaining eBIZ specifications.

In particular, the content of this proposal is the result of various activities, mainly those carried out within the framework of the **TRICK project** funded by the European Commission: grant agreement 958352, call H2020-LOW-CARBON-CIRCULAR-INDUSTRIES-2020 / H2020-LCCI-2020-EASME-twostage.

The technical contents are backwards compatible with the latest official published version, with the exclusion of the totally new concepts added explicitly for the version that are thought as incremental evolution of the knowledge base.


1. BUSINESS DESCRIPTION

1.1 Scope

This guide aims to illustrate the standard XML format of the document type "Social and Ethic Accountability Preliminary Information", providing instructions for its use in the context of a TRANSPARENCY SYSTEM involving Fashion Manufacturers, their customers, third parties and in case customs authorities, eBusiness and eCommerce platforms. All the rules necessary for the construction and validation of the document are expressed through a specific XML schema, which is presented in detail in the paragraph "Implementation Guide".

1.2. Possible scenario

S4.1 Social and Ethical protection assessment service execution



2. IMPLEMENTATION GUIDE

2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema.

In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrences); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...)" is shown in square brackets.

Structure

SEpreliminaryinformation

@version [Optional] [Default= draft]

@useProfile [Optional]

```
| SRVheader 1-1
| | msgID 0-1
| | msgDate 0-1
| | @dateForm [Optional]
| | senderParty 1-1
| | @role [Optional]
| | @sender [Optional]
| | | id 1-1
| | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | receiverParty 1-1
| | @role [Optional]
| | @sender [Optional]
| | | id 1-1
| | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
```

- | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | | **platformServiceReference 1-1**
- | | | platformServiceCode 1-1
- | | | | @codeList [Optional]
- | | | serviceTicketID 0-1
- | | | serviceRequestedAction 1-1
- | | | | @codeList [Optional]

ProductIdentification 1-1

- | uniqueProductID 1-1
- | | @schemeID [Required]
- | objectTypeCode 1-1
- | description 0-9
- | | @In [Optional]

- choose -

rawCode 0-2

- | | @numberingOrg [Optional]
- | | | art 1-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | added 0-9
- | | | | @numberingOrg [Optional]
- | | | | @addType [Optional]
- | | | description 0-unbounded
- | | | | @In [Optional]

- or -

yarnCode 0-2

- | | @numberingOrg [Optional] [Default= CL]
- | | | art 1-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | added 0-9
- | | | | @numberingOrg [Optional]
- | | | | @addType [Optional]
- | | | description 0-unbounded
- | | | | @In [Optional]

- or -

texCode 0-2

- | | @numberingOrg [Optional]
- | | | art 1-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | pattern 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]

| | @codeList [Optional]
| | @listName [Optional]
| | @listVersion [Optional]
| | added 0-9
| | @numberingOrg [Optional]
| | @addType [Optional]
| | description 0-unbounded
| | @ln [Optional]

- or -

| | **acsCode 1-2**
| | @numberingOrg [Optional]
| | art 1-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | pattern 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | color 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | added 0-9
| | | @numberingOrg [Optional]
| | | @addType [Optional]
| | description 0-unbounded
| | @ln [Optional]

- or -

| | **garmentPartCode 0-2**
| | @numberingOrg [Optional]
| | gPart 1-1
| | mod 1-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | fabric 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | color 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | added 0-19
| | | @numberingOrg [Optional]
| | | @addType [Optional]
| | size 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | description 0-unbounded
| | @ln [Optional]

- or -

| | **garmentCode 0-2**
| | @numberingOrg [Optional]
| | - choose -
| | | **garmentCodeB 1-1**
| | | @numberingOrg [Optional]
| | | | mod 1-1
| | | | @numberingOrg [Optional]

```

| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | garmentVariant 0-9
| | | | variantType 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | variantCode 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | drop 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | artGroup 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | description 0-unbounded
| | | | @ln [Optional]
| | | - or -
| | | | garmentCodeA 1-1
| | | | | art 1-1
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @listName [Optional]
| | | | | | @listVersion [Optional]
| | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | - end choose -
| | | - end choose -
| | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| billOfComponents 1-1
| | @um [Required]
| | @limitedByDisclosureIndicator [Optional]
| | @exhaustiveInformation [Required]
| | @disclosureLevel [Required]
| | @storageAction [Required]
| | | productReferenceQty 0-1
| | | @um [Required]

```

```

| | productComponent 0-unbounded
| | @internallyPerformed [Required]
| | | uniqueProductID 1-1
| | | @schemeID [Required]
| | - choose -
| | | rawCode 0-2
| | | | @numberingOrg [Optional]
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | - or -
| | | yarnCode 0-2
| | | | @numberingOrg [Optional] [Default= CL]
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | - or -
| | | texCode 0-2
| | | | @numberingOrg [Optional]
| | | | | art 1-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | pattern 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | color 0-1
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @listName [Optional]
| | | | | @listVersion [Optional]
| | | | | added 0-9
| | | | | @numberingOrg [Optional]
| | | | | @addType [Optional]
| | | | | description 0-unbounded
| | | | | @ln [Optional]
| | - or -
| | | acsCode 0-2
| | | | @numberingOrg [Optional]
| | | | | art 1-1
| | | | | @numberingOrg [Optional]

```

```

| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | pattern 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | color 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | added 0-9
| | | @numberingOrg [Optional]
| | | @addType [Optional]
| | | description 0-unbounded
| | | @ln [Optional]

```

- or -

```

| | | garmentPartCode 0-2
| | | @numberingOrg [Optional]
| | | gPart 1-1
| | | mod 1-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | fabric 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | color 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | added 0-19
| | | @numberingOrg [Optional]
| | | @addType [Optional]
| | | size 0-1
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @listName [Optional]
| | | @listVersion [Optional]
| | | description 0-unbounded
| | | @ln [Optional]

```

- or -

```

| | | garmentCode 0-2
| | | @numberingOrg [Optional]
| | | - choose -

```

```

| | | | garmentCodeB 1-1
| | | | @numberingOrg [Optional]
| | | | mod 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]

```



```

| | | | garmentVariant 0-9
| | | | | variantType 1-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | variantCode 1-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | drop 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | size 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | artGroup 0-1
| | | | |   @numberingOrg [Optional]
| | | | |   @codeList [Optional]
| | | | |   @listName [Optional]
| | | | |   @listVersion [Optional]
| | | | | added 0-9
| | | | |   @numberingOrg [Optional]
| | | | |   @addType [Optional]
| | | | | description 0-unbounded
| | | | |   @ln [Optional]
| | | | - or -
| | | | | garmentCodeA 1-1
| | | | | | art 1-1
| | | | | |   @numberingOrg [Optional]
| | | | | |   @codeList [Optional]
| | | | | |   @listName [Optional]
| | | | | |   @listVersion [Optional]
| | | | | | description 0-unbounded
| | | | | |   @ln [Optional]
| | | | - end choose -
- end choose -
| | | | refDoc 0-9
| | | | | @docType [Required]
| | | | | | docID 1-2
| | | | | |   @numberingOrg [Optional]
| | | | | | docDate 0-1
| | | | | |   @dateForm [Optional]
| | | | | | season 0-1
| | | | | |   @numberingOrg [Optional]
| | | | | |   @codeList [Optional]
| | | | | |   @listName [Optional]
| | | | | |   @listVersion [Optional]
| | | | | | itemID 0-1
| | | | | | attachment 0-1
| | | | | |   @uid [Optional]
| | | | | | | fileName 0-1
| | | | | | |   @numberingOrg [Optional]
| | | | | | | binaryObject 0-1
| | | | | | |   @format [Optional]
| | | | | | |   @mime [Optional]
| | | | | | |   @encoding [Optional]
| | | | | | |   @characterSet [Optional]
| | | | | | | externalReference 0-99
| | | | | | | | uri 1-1
| | | | | | | |   @isURL [Optional] [Default= true]
| | | | | | | | mimeCode 0-1
| | | | | | | | formatCode 0-1

```

```

| | | | encodingCode 0-1
| | | | characterSetCode 0-1
| | | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | | certificate 0-9
| | | | | @docStatusCode [Required]
| | | | | @docValidity [Required]
| | | | | docID 1-1
| | | | | | @numberingOrg [Optional]
| | | | | certificateID 1-1
| | | | | | @schemeID [Optional]
| | | | | certificationStandardName 1-1
| | | | | | @standardOwner [Required]
| | | | | docDate 1-1
| | | | | | @dateForm [Optional]
| | | | | title 0-unbounded
| | | | | | @ln [Optional]
| | | | | description 0-unbounded
| | | | | | @ln [Optional]
| | | | | validityStart 0-1
| | | | | | @dateForm [Optional]
| | | | | validityEnd 0-1
| | | | | | @dateForm [Optional]
| | | | | validityExtensionDate 0-1
| | | | | | @dateForm [Optional]
| | | | | sustainabilityCharacteristicText 0-99
| | | | | | @ln [Optional]
| | | | | issuerParty 1-1
| | | | | | id 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | @geoRefSystem [Optional]
| | | | | | | | xGeoCoord 1-1
| | | | | | | | yGeoCoord 1-1
| | | | | | | | zGeoCoord 0-1
| | | | | | issuerAccreditationInfo 0-1
| | | | | certifiedParty 1-1
| | | | | | id 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1

```

```

| | | | postCode 0-1
| | | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | certifiedEntity 0-unbounded
| | | | | entityID 1-3
| | | | | @schemeID [Required]
| | | | | entityTypeCode 1-1
| | | | | description 0-9
| | | | | @ln [Optional]
| | | | attachment 0-1
| | | | | @uid [Optional]
| | | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | externalReference 0-99
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | mimeTypeCode 0-1
| | | | | formatCode 0-1
| | | | | encodingCode 0-1
| | | | | characterSetCode 0-1
| | | | | hashFootprint 0-1
| | | | | @schemeID [Optional]
| | | | | @hashMethod [Required]
| | | | blockChainReference 0-9
| | | | | uri 1-1
| | | | | @isURL [Optional] [Default= true]
| | | | | transactionReceipt 1-9
| | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | selfAssertion 0-99
| | | | | @disclosureLevel [Optional]
| | | | | @docStatusCode [Optional]
| | | | | sustainabilityCharacteristicText 0-99
| | | | | @ln [Optional]
| | | | | assertionCategory 1-1
| | | | | description 1-99
| | | | | @ln [Optional]
| | | | issuerParty 1-1
| | | | | id 0-1
| | | | | @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | | @email [Optional]
| | | | | @phone [Optional]
| | | | | @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | | @um [Optional] [Default= DEGD]
| | | | | @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1

```

```

| | | zGeoCoord 0-1
| | | issuerAccreditationInfo 0-1
| | selfAssertionEntity 0-unbounded
| | | entityID 1-3
| | |   @schemeID [Required]
| | | | entityTypeCode 1-1
| | | | description 0-9
| | | |   @ln [Optional]
| | | externalRefDoc 0-99
| | | | docID 1-1
| | | |   @numberingOrg [Optional]
| | | | docDate 0-1
| | | |   @dateForm [Optional]
| | | | title 0-unbounded
| | | |   @ln [Optional]
| | | | description 0-unbounded
| | | |   @ln [Optional]
| | | | validityStart 0-1
| | | |   @dateForm [Optional]
| | | | validityEnd 0-1
| | | |   @dateForm [Optional]
| | | | documentType 0-1
| | | issuerParty 0-1
| | | | id 0-1
| | | |   @numberingOrg [Optional]
| | | | legalName 0-1
| | | | dept 0-1
| | | | subDept 0-1
| | | | person 0-1
| | | |   @email [Optional]
| | | |   @phone [Optional]
| | | |   @fax [Optional]
| | | | street 0-1
| | | | city 0-1
| | | | subCountry 0-1
| | | | country 0-1
| | | | postCode 0-1
| | | | geoCoordinates 0-1
| | | |   @um [Optional] [Default= DEGD]
| | | |   @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| | | | issuerAccreditationInfo 0-1
| | | signatureInformation 0-1
| | | | signatureTypeCode 1-1
| | | | signatoryParty 0-unbounded
| | | | | id 0-1
| | | | |   @numberingOrg [Optional]
| | | | | legalName 0-1
| | | | | dept 0-1
| | | | | subDept 0-1
| | | | | person 0-1
| | | | |   @email [Optional]
| | | | |   @phone [Optional]
| | | | |   @fax [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1
| | | | | geoCoordinates 0-1
| | | | |   @um [Optional] [Default= DEGD]
| | | | |   @geoRefSystem [Optional]
| | | | | | xGeoCoord 1-1
| | | | | | yGeoCoord 1-1
| | | | | | zGeoCoord 0-1
| | attachment 0-1

```

| @uid [Optional]
 | | fileName 0-1
 | | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | | @format [Optional]
 | | | @mime [Optional]
 | | | @encoding [Optional]
 | | | @characterSet [Optional]
 | | | **externalReference 0-99**
 | | | | uri 1-1
 | | | | | @isURL [Optional] [Default= true]
 | | | | | mimeTypeCode 0-1
 | | | | | formatCode 0-1
 | | | | | encodingCode 0-1
 | | | | | characterSetCode 0-1
 | | | | hashFootprint 0-1
 | | | | | @schemeID [Optional]
 | | | | | @hashMethod [Required]
 | | | | | **blockChainReference 0-9**
 | | | | | | uri 1-1
 | | | | | | @isURL [Optional] [Default= true]
 | | | | | | transactionReceipt 1-9
 | | | note 0-99
 | | | | @numberingOrg [Optional]
 | | | | | @codeList [Optional]
 | | | | | @noteLabel [Optional]
 | | validityStart 0-1
 | | | @dateForm [Optional]
 | | validityEnd 0-1
 | | | @dateForm [Optional]
 | | validityExtensionDate 0-1
 | | | @dateForm [Optional]
 | objectTypeCode 0-1
 | qty 0-2
 | | @um [Required]
 | **supplier 0-9**
 | | @logo [Optional]
 | | @sender [Optional]
 | | | id 1-1
 | | | | @numberingOrg [Optional]
 | | | additionalIdentifier 0-9
 | | | | @numberingOrg [Optional]
 | | | | @idQualifier [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1

| **certificate 0-99**
 | | @docStatusCode [Required]
 | | @docValidity [Required]
 | | | docID 1-1
 | | | | @numberingOrg [Optional]
 | | certificateID 1-1

| @schemeID [Optional]
 | certificationStandardName 1-1
 | @standardOwner [Required]
 | docDate 1-1
 | @dateForm [Optional]
 | title 0-unbounded
 | @ln [Optional]
 | description 0-unbounded
 | @ln [Optional]
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | validityExtensionDate 0-1
 | @dateForm [Optional]
 | sustainabilityCharacteristicText 0-99
 | @ln [Optional]
issuerParty 1-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | issuerAccreditationInfo 0-1
certifiedParty 1-1
 | id 0-1
 | @numberingOrg [Optional]
 | legalName 0-1
 | dept 0-1
 | subDept 0-1
 | person 0-1
 | @email [Optional]
 | @phone [Optional]
 | @fax [Optional]
 | street 0-1
 | city 0-1
 | subCountry 0-1
 | country 0-1
 | postCode 0-1
geoCoordinates 0-1
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
certifiedEntity 0-unbounded
 | entityID 1-3
 | @schemeID [Required]
 | entityTypeCode 1-1
 | description 0-9
 | @ln [Optional]
attachment 0-1
 | @uid [Optional]

- | fileName 0-1
- | | @numberingOrg [Optional]
- | binaryObject 0-1
- | | @format [Optional]
- | | @mime [Optional]
- | | @encoding [Optional]
- | | @characterSet [Optional]
- | **externalReference 0-99**
- | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | mimeTypeCode 0-1
- | | formatCode 0-1
- | | encodingCode 0-1
- | | characterSetCode 0-1
- | hashFootprint 0-1
- | | @schemeID [Optional]
- | | @hashMethod [Required]
- | **blockChainReference 0-9**
- | | uri 1-1
- | | | @isURL [Optional] [Default= true]
- | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]

- | **selfAssertion 0-99**
- | | @disclosureLevel [Optional]
- | | @docStatusCode [Optional]
- | | sustainabilityCharacteristicText 0-99
- | | | @ln [Optional]
- | | assertionCategory 1-1
- | | description 1-99
- | | | @ln [Optional]
- | | **issuerParty 1-1**
- | | | id 0-1
- | | | | @numberingOrg [Optional]
- | | | legalName 0-1
- | | | dept 0-1
- | | | subDept 0-1
- | | | person 0-1
- | | | | @email [Optional]
- | | | | @phone [Optional]
- | | | | @fax [Optional]
- | | | street 0-1
- | | | city 0-1
- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | | **geoCoordinates 0-1**
- | | | | @um [Optional] [Default= DEGD]
- | | | | @geoRefSystem [Optional]
- | | | | | xGeoCoord 1-1
- | | | | | yGeoCoord 1-1
- | | | | | zGeoCoord 0-1
- | | | issuerAccreditationInfo 0-1
- | | **selfAssertionEntity 0-unbounded**
- | | | entityID 1-3
- | | | | @schemeID [Required]
- | | | entityTypeCode 1-1
- | | | description 0-9
- | | | | @ln [Optional]
- | | **externalRefDoc 0-99**
- | | | docID 1-1
- | | | | @numberingOrg [Optional]
- | | | docDate 0-1
- | | | | @dateForm [Optional]
- | | | title 0-unbounded

```

| @ln [Optional]
| description 0-unbounded
| @ln [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
| | id 0-1
| | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | @um [Optional] [Default= DEGD]
| | @geoRefSystem [Optional]
| | | xGeoCoord 1-1
| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| | issuerAccreditationInfo 0-1
| signatureInformation 0-1
| | signatureTypeCode 1-1
| | signatoryParty 0-unbounded
| | | id 0-1
| | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| | fileName 0-1
| | @numberingOrg [Optional]
| | binaryObject 0-1
| | @format [Optional]
| | @mime [Optional]
| | @encoding [Optional]
| | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | @isURL [Optional] [Default= true]
| | | mimeTypeCode 0-1
| | | formatCode 0-1
| | | encodingCode 0-1

```


- | | | | characterSetCode 0-1
- | | | | hashFootprint 0-1
- | | | | @schemeID [Optional]
- | | | | @hashMethod [Required]
- | | | | **blockChainReference 0-9**
- | | | | | uri 1-1
- | | | | | @isURL [Optional] [Default= true]
- | | | | transactionReceipt 1-9
- | | note 0-99
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @noteLabel [Optional]
- | validityStart 0-1
- | | @dateForm [Optional]
- | validityEnd 0-1
- | | @dateForm [Optional]
- | validityExtensionDate 0-1
- | | @dateForm [Optional]

assessmentStudyDocument 0-9

- | @disclosureLevel [Optional]
- | @docStatusCode [Optional]
- | @isStudyDataset [Required]

- | | docID 0-1
- | | | @numberingOrg [Optional]
- | | docDate 0-1
- | | | @dateForm [Optional]

ProductIdentification 0-99

- | | uniqueProductID 1-1
- | | | @schemeID [Required]
- | | objectTypeCode 1-1
- | | description 0-9
- | | | @ln [Optional]

- choose -

rawCode 0-2

- | | | @numberingOrg [Optional]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | added 0-9
- | | | | @numberingOrg [Optional]
- | | | | @addType [Optional]
- | | | description 0-unbounded
- | | | | @ln [Optional]

- or -

yarnCode 0-2

- | | | @numberingOrg [Optional] [Default= CL]
- | | | | art 1-1
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @listName [Optional]
- | | | | | @listVersion [Optional]
- | | | color 0-1
- | | | | @numberingOrg [Optional]
- | | | | @codeList [Optional]
- | | | | @listName [Optional]
- | | | | @listVersion [Optional]
- | | | added 0-9
- | | | | @numberingOrg [Optional]
- | | | | @addType [Optional]
- | | | description 0-unbounded

| | | @ln [Optional]
 - or -
 | | | **texCode 0-2**
 | | | @numberingOrg [Optional]
 | | | art 1-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | pattern 0-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | color 0-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | added 0-9
 | | | @numberingOrg [Optional]
 | | | @addType [Optional]
 | | | description 0-unbounded
 | | | @ln [Optional]

- or -
 | | | **acsCode 1-2**
 | | | @numberingOrg [Optional]
 | | | art 1-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | pattern 0-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | color 0-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | added 0-9
 | | | @numberingOrg [Optional]
 | | | @addType [Optional]
 | | | description 0-unbounded
 | | | @ln [Optional]

- or -
 | | | **garmentPartCode 0-2**
 | | | @numberingOrg [Optional]
 | | | gPart 1-1
 | | | mod 1-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | fabric 0-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | color 0-1
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @listName [Optional]
 | | | @listVersion [Optional]
 | | | added 0-19
 | | | @numberingOrg [Optional]

```

| | | | @addType [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
- or -
| | | | garmentCode 0-2
| | | | @numberingOrg [Optional]
- choose -
| | | | garmentCodeB 1-1
| | | | @numberingOrg [Optional]
| | | | mod 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | fabric 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | color 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | garmentVariant 0-9
| | | | variantType 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | variantCode 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | drop 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | size 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | artGroup 0-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | added 0-9
| | | | @numberingOrg [Optional]
| | | | @addType [Optional]
| | | | description 0-unbounded
| | | | @ln [Optional]
- or -
| | | | garmentCodeA 1-1
| | | | art 1-1
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | description 0-unbounded

```

```

| | | | @In [Optional]
| | | | - end choose -
| | | | - end choose -
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| year 0-1
| title 0-unbounded
| | @In [Optional]
| description 0-unbounded
| | @In [Optional]
| publishableAbstract 0-99
| | @In [Optional]
| author 0-1
| | @email [Optional]
| | @phone [Optional]
| | @fax [Optional]
| reviewerParty 0-9
| | id 1-1
| | | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| reviewDate 0-1
| | @dateForm [Optional]
| issuerParty 0-1
| | id 0-1
| | | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | issuerAccreditationInfo 0-1
| validityStart 0-1
| | @dateForm [Optional]
| validityEnd 0-1
| | @dateForm [Optional]
| signatureInformation 0-1

```

- | signatureTypeCode 1-1
- | **signatoryParty 0-unbounded**
 - | id 0-1
 - | @numberingOrg [Optional]
 - | legalName 0-1
 - | dept 0-1
 - | subDept 0-1
 - | person 0-1
 - | @email [Optional]
 - | @phone [Optional]
 - | @fax [Optional]
 - | street 0-1
 - | city 0-1
 - | subCountry 0-1
 - | country 0-1
 - | postCode 0-1
 - | **geoCoordinates 0-1**
 - | @um [Optional] [Default= DEGD]
 - | @geoRefSystem [Optional]
 - | xGeoCoord 1-1
 - | yGeoCoord 1-1
 - | zGeoCoord 0-1
- | **attachment 0-1**
 - | @uid [Optional]
 - | fileName 0-1
 - | @numberingOrg [Optional]
 - | binaryObject 0-1
 - | @format [Optional]
 - | @mime [Optional]
 - | @encoding [Optional]
 - | @characterSet [Optional]
 - | **externalReference 0-99**
 - | uri 1-1
 - | @isURL [Optional] [Default= true]
 - | mimeTypeCode 0-1
 - | formatCode 0-1
 - | encodingCode 0-1
 - | characterSetCode 0-1
 - | hashFootprint 0-1
 - | @schemeID [Optional]
 - | @hashMethod [Required]
 - | **blockChainReference 0-9**
 - | uri 1-1
 - | @isURL [Optional] [Default= true]
 - | transactionReceipt 1-9
- | note 0-99
 - | @numberingOrg [Optional]
 - | @codeList [Optional]
 - | @noteLabel [Optional]

- | **organisationDescriptor 0-1**
 - | id 1-1
 - | @numberingOrg [Optional]
 - | legalName 1-1
 - | **organisationAddress 1-1**
 - | street 0-1
 - | city 0-1
 - | subCountry 0-1
 - | country 0-1
 - | postCode 0-1
 - | **geoCoordinates 0-1**
 - | @um [Optional] [Default= DEGD]
 - | @geoRefSystem [Optional]
 - | xGeoCoord 1-1
 - | yGeoCoord 1-1
 - | zGeoCoord 0-1
 - | person 1-99
 - | @email [Optional]

| @phone [Optional]
 | @fax [Optional]
 | activityStatisticalCode 0-1
 | @schemeID [Optional] [Default= NACE]
 | **certificate 0-99**
 | @docStatusCode [Required]
 | @docValidity [Required]
 | | docID 1-1
 | | | @numberingOrg [Optional]
 | | certificateID 1-1
 | | | @schemeID [Optional]
 | | certificationStandardName 1-1
 | | | @standardOwner [Required]
 | | docDate 1-1
 | | | @dateForm [Optional]
 | | title 0-unbounded
 | | | @In [Optional]
 | | description 0-unbounded
 | | | @In [Optional]
 | | validityStart 0-1
 | | | @dateForm [Optional]
 | | validityEnd 0-1
 | | | @dateForm [Optional]
 | | validityExtensionDate 0-1
 | | | @dateForm [Optional]
 | | sustainabilityCharacteristicText 0-99
 | | | @In [Optional]
 | | **issuerParty 1-1**
 | | | id 0-1
 | | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | | issuerAccreditationInfo 0-1
 | | **certifiedParty 1-1**
 | | | id 0-1
 | | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1

```

| | | yGeoCoord 1-1
| | | zGeoCoord 0-1
| certifiedEntity 0-unbounded
| | entityID 1-3
| | | @schemeID [Required]
| | | entityTypeCode 1-1
| | | description 0-9
| | | @ln [Optional]
| attachment 0-1
| | @uid [Optional]
| | | fileName 0-1
| | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | | @isURL [Optional] [Default= true]
| | | | mimeTypeCode 0-1
| | | | formatCode 0-1
| | | | encodingCode 0-1
| | | | characterSetCode 0-1
| | | hashFootprint 0-1
| | | | @schemeID [Optional]
| | | | @hashMethod [Required]
| | blockChainReference 0-9
| | | uri 1-1
| | | | @isURL [Optional] [Default= true]
| | | transactionReceipt 1-9
| note 0-99
| | @numberingOrg [Optional]
| | @codeList [Optional]
| | @noteLabel [Optional]
| selfAssertion 0-99
| | @disclosureLevel [Optional]
| | @docStatusCode [Optional]
| | sustainabilityCharacteristicText 0-99
| | | @ln [Optional]
| | | assertionCategory 1-1
| | | description 1-99
| | | @ln [Optional]
| issuerParty 1-1
| | id 0-1
| | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | | issuerAccreditationInfo 0-1
| selfAssertionEntity 0-unbounded
| | entityID 1-3
| | | @schemeID [Required]

```

```

| entityTypeCode 1-1
| description 0-9
| @ln [Optional]
| externalRefDoc 0-99
| docID 1-1
| @numberingOrg [Optional]
| docDate 0-1
| @dateForm [Optional]
| title 0-unbounded
| @ln [Optional]
| description 0-unbounded
| @ln [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| xGeoCoord 1-1
| yGeoCoord 1-1
| zGeoCoord 0-1
| issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| xGeoCoord 1-1
| yGeoCoord 1-1
| zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]

```


- | | | | @mime [Optional]
- | | | | @encoding [Optional]
- | | | | @characterSet [Optional]
- | | | | **externalReference 0-99**
- | | | | | uri 1-1
- | | | | | | @isURL [Optional] [Default= true]
- | | | | | | mimeTypeCode 0-1
- | | | | | | formatCode 0-1
- | | | | | | encodingCode 0-1
- | | | | | | characterSetCode 0-1
- | | | | | hashFootprint 0-1
- | | | | | | @schemeID [Optional]
- | | | | | | @hashMethod [Required]
- | | | | | **blockChainReference 0-9**
- | | | | | | uri 1-1
- | | | | | | | @isURL [Optional] [Default= true]
- | | | | | | transactionReceipt 1-9
- | | | | note 0-99
- | | | | | @numberingOrg [Optional]
- | | | | | @codeList [Optional]
- | | | | | @noteLabel [Optional]
- | | | | validityStart 0-1
- | | | | | @dateForm [Optional]
- | | | | validityEnd 0-1
- | | | | | @dateForm [Optional]
- | | | | validityExtensionDate 0-1
- | | | | | @dateForm [Optional]
- | | | | **socialAndEthicalSpecificInformation 0-1**
- | | | | | @limitedByDisclosureIndicator [Optional]
- | | | | | @exhaustiveInformation [Required]
- | | | | | @disclosureLevel [Required]
- | | | | | @storageAction [Required]
- | | | | | **certificate 0-99**
- | | | | | | @docStatusCode [Required]
- | | | | | | @docValidity [Required]
- | | | | | | docID 1-1
- | | | | | | | @numberingOrg [Optional]
- | | | | | | certificateID 1-1
- | | | | | | | @schemeID [Optional]
- | | | | | | certificationStandardName 1-1
- | | | | | | | @standardOwner [Required]
- | | | | | | docDate 1-1
- | | | | | | | @dateForm [Optional]
- | | | | | | title 0-unbounded
- | | | | | | | @in [Optional]
- | | | | | | description 0-unbounded
- | | | | | | | @in [Optional]
- | | | | | | validityStart 0-1
- | | | | | | | @dateForm [Optional]
- | | | | | | validityEnd 0-1
- | | | | | | | @dateForm [Optional]
- | | | | | | validityExtensionDate 0-1
- | | | | | | | @dateForm [Optional]
- | | | | | | sustainabilityCharacteristicText 0-99
- | | | | | | | @in [Optional]
- | | | | | | **issuerParty 1-1**
- | | | | | | | id 0-1
- | | | | | | | | @numberingOrg [Optional]
- | | | | | | | legalName 0-1
- | | | | | | | dept 0-1
- | | | | | | | subDept 0-1
- | | | | | | | person 0-1
- | | | | | | | | @email [Optional]
- | | | | | | | | @phone [Optional]
- | | | | | | | | @fax [Optional]
- | | | | | | | street 0-1
- | | | | | | | city 0-1
- | | | | | | | subCountry 0-1

- | country 0-1
- | postCode 0-1
- | **geoCoordinates 0-1**
- | | @um [Optional] [Default= DEGD]
- | | @geoRefSystem [Optional]
- | | | xGeoCoord 1-1
- | | | yGeoCoord 1-1
- | | | zGeoCoord 0-1
- | issuerAccreditationInfo 0-1
- | **certifiedParty 1-1**
- | | id 0-1
- | | | @numberingOrg [Optional]
- | | legalName 0-1
- | | dept 0-1
- | | subDept 0-1
- | | person 0-1
- | | | @email [Optional]
- | | | @phone [Optional]
- | | | @fax [Optional]
- | | street 0-1
- | | city 0-1
- | | subCountry 0-1
- | | country 0-1
- | | postCode 0-1
- | | **geoCoordinates 0-1**
- | | | @um [Optional] [Default= DEGD]
- | | | @geoRefSystem [Optional]
- | | | | xGeoCoord 1-1
- | | | | yGeoCoord 1-1
- | | | | zGeoCoord 0-1
- | **certifiedEntity 0-unbounded**
- | | entityID 1-3
- | | | @schemeID [Required]
- | | entityTypeCode 1-1
- | | description 0-9
- | | | @ln [Optional]
- | **attachment 0-1**
- | | @uid [Optional]
- | | fileName 0-1
- | | | @numberingOrg [Optional]
- | | binaryObject 0-1
- | | | @format [Optional]
- | | | @mime [Optional]
- | | | @encoding [Optional]
- | | | @characterSet [Optional]
- | | **externalReference 0-99**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | mimeTypeCode 0-1
- | | | formatCode 0-1
- | | | encodingCode 0-1
- | | | characterSetCode 0-1
- | | hashFootprint 0-1
- | | | @schemeID [Optional]
- | | | @hashMethod [Required]
- | | **blockChainReference 0-9**
- | | | uri 1-1
- | | | | @isURL [Optional] [Default= true]
- | | | transactionReceipt 1-9
- | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]
- | **selfAssertion 0-99**
- | | @disclosureLevel [Optional]
- | | @docStatusCode [Optional]
- | | sustainabilityCharacteristicText 0-99
- | | | @ln [Optional]

| assertionCategory 1-1
 | description 1-99
 | @ln [Optional]
 | **issuerParty 1-1**
 | | id 0-1
 | | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | | issuerAccreditationInfo 0-1
 | **selfAssertionEntity 0-unbounded**
 | | entityID 1-3
 | | | @schemeID [Required]
 | | entityTypeCode 1-1
 | | description 0-9
 | | | @ln [Optional]
 | **externalRefDoc 0-99**
 | | docID 1-1
 | | | @numberingOrg [Optional]
 | | docDate 0-1
 | | | @dateForm [Optional]
 | | title 0-unbounded
 | | | @ln [Optional]
 | | description 0-unbounded
 | | | @ln [Optional]
 | | validityStart 0-1
 | | | @dateForm [Optional]
 | | validityEnd 0-1
 | | | @dateForm [Optional]
 | | documentType 0-1
 | | **issuerParty 0-1**
 | | | id 0-1
 | | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | issuerAccreditationInfo 0-1
 | **signatureInformation 0-1**

signatureTypeCode 1-1
signatoryParty 0-unbounded
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1

attachment 0-1

@uid [Optional]
 fileName 0-1
 @numberingOrg [Optional]
 binaryObject 0-1
 @format [Optional]
 @mime [Optional]
 @encoding [Optional]
 @characterSet [Optional]
externalReference 0-99
 uri 1-1
 @isURL [Optional] [Default= true]
 mimeTypeCode 0-1
 formatCode 0-1
 encodingCode 0-1
 characterSetCode 0-1
 hashFootprint 0-1
 @schemeID [Optional]
 @hashMethod [Required]
blockChainReference 0-9
 uri 1-1
 @isURL [Optional] [Default= true]
 transactionReceipt 1-9

note 0-99
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]

validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 validityExtensionDate 0-1
 @dateForm [Optional]

assessmentStudyDocument 0-9

@disclosureLevel [Optional]
 @docStatusCode [Optional]
 @isStudyDataset [Required]

docID 0-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]

ProductIdentification 0-99

uniqueProductID 1-1
 @schemeID [Required]
 objectTypeCode 1-1
 description 0-9

| | | | | |
|--|--|--|--|----------------|
| | | | | @In [Optional] |
| | | | - choose - | |
| | | | rawCode 0-2 | |
| | | | @numberingOrg [Optional] | |
| | | | art 1-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | color 0-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | added 0-9 | |
| | | | @numberingOrg [Optional] | |
| | | | @addType [Optional] | |
| | | | description 0-unbounded | |
| | | | @In [Optional] | |
| | | | - or - | |
| | | | yarnCode 0-2 | |
| | | | @numberingOrg [Optional] [Default= CL] | |
| | | | art 1-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | color 0-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | added 0-9 | |
| | | | @numberingOrg [Optional] | |
| | | | @addType [Optional] | |
| | | | description 0-unbounded | |
| | | | @In [Optional] | |
| | | | - or - | |
| | | | texCode 0-2 | |
| | | | @numberingOrg [Optional] | |
| | | | art 1-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | pattern 0-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | color 0-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |
| | | | added 0-9 | |
| | | | @numberingOrg [Optional] | |
| | | | @addType [Optional] | |
| | | | description 0-unbounded | |
| | | | @In [Optional] | |
| | | | - or - | |
| | | | acsCode 1-2 | |
| | | | @numberingOrg [Optional] | |
| | | | art 1-1 | |
| | | | @numberingOrg [Optional] | |
| | | | @codeList [Optional] | |
| | | | @listName [Optional] | |
| | | | @listVersion [Optional] | |

| | | | | |
|--|--|--|------------|---|
| | | | | pattern 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] |
| | | | - or - | garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional] |
| | | | - or - | garmentCode 0-2 @numberingOrg [Optional] |
| | | | - choose - | garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] |
| | | | | garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] |

```

| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | variantCode 1-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | drop 0-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | size 0-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | artGroup 0-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | added 0-9
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @addType [Optional]
| | | | | | | | | | description 0-unbounded
| | | | | | | | | | @ln [Optional]

```

- or -

```

| | | | | | | | | | garmentCodeA 1-1
| | | | | | | | | | art 1-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @listName [Optional]
| | | | | | | | | | @listVersion [Optional]
| | | | | | | | | | description 0-unbounded
| | | | | | | | | | @ln [Optional]

```

- end choose -

- end choose -

```

| | | | | | | | | | note 0-99
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | @codeList [Optional]
| | | | | | | | | | @noteLabel [Optional]
| | | | | | | | | | year 0-1
| | | | | | | | | | title 0-unbounded
| | | | | | | | | | @ln [Optional]
| | | | | | | | | | description 0-unbounded
| | | | | | | | | | @ln [Optional]
| | | | | | | | | | publishableAbstract 0-99
| | | | | | | | | | @ln [Optional]
| | | | | | | | | | author 0-1
| | | | | | | | | | @email [Optional]
| | | | | | | | | | @phone [Optional]
| | | | | | | | | | @fax [Optional]
| | | | | | | | | | reviewerParty 0-9
| | | | | | | | | | id 1-1
| | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | legalName 0-1
| | | | | | | | | | dept 0-1
| | | | | | | | | | subDept 0-1
| | | | | | | | | | person 0-1
| | | | | | | | | | @email [Optional]
| | | | | | | | | | @phone [Optional]
| | | | | | | | | | @fax [Optional]
| | | | | | | | | | street 0-1
| | | | | | | | | | city 0-1
| | | | | | | | | | subCountry 0-1
| | | | | | | | | | country 0-1

```

| postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | reviewDate 0-1
 | @dateForm [Optional]
 | **issuerParty 0-1**
 | | id 0-1
 | | @numberingOrg [Optional]
 | | legalName 0-1
 | | dept 0-1
 | | subDept 0-1
 | | person 0-1
 | | @email [Optional]
 | | @phone [Optional]
 | | @fax [Optional]
 | | street 0-1
 | | city 0-1
 | | subCountry 0-1
 | | country 0-1
 | | postCode 0-1
 | | **geoCoordinates 0-1**
 | | @um [Optional] [Default= DEGD]
 | | @geoRefSystem [Optional]
 | | | xGeoCoord 1-1
 | | | yGeoCoord 1-1
 | | | zGeoCoord 0-1
 | | issuerAccreditationInfo 0-1
 | validityStart 0-1
 | @dateForm [Optional]
 | validityEnd 0-1
 | @dateForm [Optional]
 | **signatureInformation 0-1**
 | | signatureTypeCode 1-1
 | | **signatoryParty 0-unbounded**
 | | | id 0-1
 | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
 | **externalReference 0-99**

- | uri 1-1
- | | *@isURL [Optional] [Default= true]*
- | mimeCode 0-1
- | formatCode 0-1
- | encodingCode 0-1
- | characterSetCode 0-1
- | hashFootprint 0-1
- | | *@schemeID [Optional]*
- | | *@hashMethod [Required]*
- | | **blockChainReference 0-9**
- | | uri 1-1
- | | | *@isURL [Optional] [Default= true]*
- | | transactionReceipt 1-9
- | note 0-99
- | | *@numberingOrg [Optional]*
- | | *@codeList [Optional]*
- | | *@noteLabel [Optional]*
- | | **socialAccountabilityEvidence 1-unbounded**
- | | *@socialAccountabilityMethod [Optional]*
- | | socialAccountabilityEvidenceCategory 1-1
- | | description 0-99
- | | | *@ln [Optional]*
- | | evidenceValue 0-1
- | | | *@um [Optional]*
- | | | **selfAssertion 0-99**
- | | | | *@disclosureLevel [Optional]*
- | | | | *@docStatusCode [Optional]*
- | | | sustainabilityCharacteristicText 0-99
- | | | | *@ln [Optional]*
- | | | assertionCategory 1-1
- | | | description 1-99
- | | | | *@ln [Optional]*
- | | | **issuerParty 1-1**
- | | | | id 0-1
- | | | | | *@numberingOrg [Optional]*
- | | | | legalName 0-1
- | | | | dept 0-1
- | | | | subDept 0-1
- | | | | person 0-1
- | | | | | *@email [Optional]*
- | | | | | *@phone [Optional]*
- | | | | | *@fax [Optional]*
- | | | | street 0-1
- | | | | city 0-1
- | | | | subCountry 0-1
- | | | | country 0-1
- | | | | postCode 0-1
- | | | | **geoCoordinates 0-1**
- | | | | | *@um [Optional] [Default= DEGD]*
- | | | | | *@geoRefSystem [Optional]*
- | | | | | | xGeoCoord 1-1
- | | | | | | yGeoCoord 1-1
- | | | | | | zGeoCoord 0-1
- | | | issuerAccreditationInfo 0-1
- | | | **selfAssertionEntity 0-unbounded**
- | | | | entityID 1-3
- | | | | | *@schemeID [Required]*
- | | | | entityTypeCode 1-1
- | | | | description 0-9
- | | | | | *@ln [Optional]*
- | | | | **externalRefDoc 0-99**
- | | | | docID 1-1
- | | | | | *@numberingOrg [Optional]*
- | | | | docDate 0-1
- | | | | | *@dateForm [Optional]*
- | | | | title 0-unbounded
- | | | | | *@ln [Optional]*
- | | | | description 0-unbounded

```

| @In [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
|   issuerAccreditationInfo 0-1
| signatureInformation 0-1
| signatureTypeCode 1-1
| signatoryParty 0-unbounded
|   id 0-1
|   @numberingOrg [Optional]
|   legalName 0-1
|   dept 0-1
|   subDept 0-1
|   person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
|   street 0-1
|   city 0-1
|   subCountry 0-1
|   country 0-1
|   postCode 0-1
|   geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     xGeoCoord 1-1
|     yGeoCoord 1-1
|     zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| fileName 0-1
| @numberingOrg [Optional]
| binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]
| externalReference 0-99
|   uri 1-1
|   @isURL [Optional] [Default= true]
|   mimeTypeCode 0-1
|   formatCode 0-1
|   encodingCode 0-1
|   characterSetCode 0-1
| hashFootprint 0-1

```

| | @schemeID [Optional]
 | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | | note 0-99
 | | @numberingOrg [Optional]
 | | @codeList [Optional]
 | | @noteLabel [Optional]
 | | validityStart 0-1
 | | @dateForm [Optional]
 | | validityEnd 0-1
 | | @dateForm [Optional]
 | | validityExtensionDate 0-1
 | | @dateForm [Optional]
 | | **externalRefDoc 0-99**
 | | docID 1-1
 | | @numberingOrg [Optional]
 | | docDate 0-1
 | | @dateForm [Optional]
 | | title 0-unbounded
 | | @ln [Optional]
 | | description 0-unbounded
 | | @ln [Optional]
 | | validityStart 0-1
 | | @dateForm [Optional]
 | | validityEnd 0-1
 | | @dateForm [Optional]
 | | documentType 0-1
 | | **issuerParty 0-1**
 | | | id 0-1
 | | | @numberingOrg [Optional]
 | | | legalName 0-1
 | | | dept 0-1
 | | | subDept 0-1
 | | | person 0-1
 | | | @email [Optional]
 | | | @phone [Optional]
 | | | @fax [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | @um [Optional] [Default= DEGD]
 | | | @geoRefSystem [Optional]
 | | | | xGeoCoord 1-1
 | | | | yGeoCoord 1-1
 | | | | zGeoCoord 0-1
 | | | issuerAccreditationInfo 0-1
 | | **signatureInformation 0-1**
 | | | signatureTypeCode 1-1
 | | | **signatoryParty 0-unbounded**
 | | | | id 0-1
 | | | | @numberingOrg [Optional]
 | | | | legalName 0-1
 | | | | dept 0-1
 | | | | subDept 0-1
 | | | | person 0-1
 | | | | @email [Optional]
 | | | | @phone [Optional]
 | | | | @fax [Optional]
 | | | | street 0-1
 | | | | city 0-1
 | | | | subCountry 0-1
 | | | | country 0-1

| postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | | @format [Optional]
 | | | @mime [Optional]
 | | | @encoding [Optional]
 | | | @characterSet [Optional]
 | | **externalReference 0-99**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | | mimeTypeCode 0-1
 | | | | formatCode 0-1
 | | | | encodingCode 0-1
 | | | | characterSetCode 0-1
 | | | hashFootprint 0-1
 | | | | @schemeID [Optional]
 | | | | @hashMethod [Required]
 | | **blockChainReference 0-9**
 | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | transactionReceipt 1-9
 | note 0-99
 | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | note 0-9
 | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | **listOfFacilities 0-1**
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Required]
 | @storageAction [Required]
 | | **facilityDescriptor 0-unbounded**
 | | | **facilityLocation 1-1**
 | | | | location 1-1
 | | | | | @LRI [Optional]
 | | | | street 0-1
 | | | | city 0-1
 | | | | subCountry 0-1
 | | | | country 0-1
 | | | | postCode 0-1
 | | | | **geoCoordinates 0-1**
 | | | | | @um [Optional] [Default= DEGD]
 | | | | | @geoRefSystem [Optional]
 | | | | | | xGeoCoord 1-1
 | | | | | | yGeoCoord 1-1
 | | | | | | zGeoCoord 0-1
 | | description 0-2
 | | | @ln [Optional]
 | | **processStepsList 0-1**
 | | @limitedByDisclosureIndicator [Optional]
 | | @exhaustiveInformation [Required]
 | | @disclosureLevel [Required]
 | | @storageAction [Required]
 | | | **processStep 1-unbounded**
 | | | | @progr [Required]
 | | | | | @internallyPerformed [Optional]

processStepID 1-1
 manufacturingOperationCode 1-1
 description 0-9
 @ln [Optional]
activityLocation 0-99
 @part [Optional] [Default= 100]
 location 0-1
 @LRI [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 note 0-99
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]

certificate 0-99

@docStatusCode [Required]
 @docValidity [Required]
 docID 1-1
 @numberingOrg [Optional]
 certificateID 1-1
 @schemeID [Optional]
 certificationStandardName 1-1
 @standardOwner [Required]
 docDate 1-1
 @dateForm [Optional]
 title 0-unbounded
 @ln [Optional]
 description 0-unbounded
 @ln [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 validityExtensionDate 0-1
 @dateForm [Optional]
 sustainabilityCharacteristicText 0-99
 @ln [Optional]
issuerParty 1-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1

geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1
 issuerAccreditationInfo 0-1

certifiedParty 1-1
 id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1

geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 | xGeoCoord 1-1
 | yGeoCoord 1-1
 | zGeoCoord 0-1

certifiedEntity 0-unbounded
 entityID 1-3
 @schemeID [Required]
 entityTypeCode 1-1
 description 0-9
 @ln [Optional]

attachment 0-1
 @uid [Optional]
 fileName 0-1
 @numberingOrg [Optional]
 binaryObject 0-1
 @format [Optional]
 @mime [Optional]
 @encoding [Optional]
 @characterSet [Optional]

externalReference 0-99
 | uri 1-1
 | @isURL [Optional] [Default= true]
 | mimeTypeCode 0-1
 | formatCode 0-1
 | encodingCode 0-1
 | characterSetCode 0-1
 hashFootprint 0-1
 @schemeID [Optional]
 @hashMethod [Required]

blockChainReference 0-9
 | uri 1-1
 | @isURL [Optional] [Default= true]
 | transactionReceipt 1-9

note 0-99
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]

selfAssertion 0-99
 @disclosureLevel [Optional]
 @docStatusCode [Optional]
 sustainabilityCharacteristicText 0-99
 @ln [Optional]
 assertionCategory 1-1
 description 1-99

```

| | | | | @In [Optional]
| | | | | issuerParty 1-1
| | | | | | id 0-1
| | | | | | | @numberingOrg [Optional]
| | | | | | legalName 0-1
| | | | | | dept 0-1
| | | | | | subDept 0-1
| | | | | | person 0-1
| | | | | | | @email [Optional]
| | | | | | | @phone [Optional]
| | | | | | | @fax [Optional]
| | | | | | street 0-1
| | | | | | city 0-1
| | | | | | subCountry 0-1
| | | | | | country 0-1
| | | | | | postCode 0-1
| | | | | | geoCoordinates 0-1
| | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | @geoRefSystem [Optional]
| | | | | | | | xGeoCoord 1-1
| | | | | | | | yGeoCoord 1-1
| | | | | | | | zGeoCoord 0-1
| | | | | | issuerAccreditationInfo 0-1
| | | | | | selfAssertionEntity 0-unbounded
| | | | | | | entityID 1-3
| | | | | | | | @schemeID [Required]
| | | | | | | entityTypeCode 1-1
| | | | | | | description 0-9
| | | | | | | @In [Optional]
| | | | | | | externalRefDoc 0-99
| | | | | | | docID 1-1
| | | | | | | | @numberingOrg [Optional]
| | | | | | | docDate 0-1
| | | | | | | | @dateForm [Optional]
| | | | | | | title 0-unbounded
| | | | | | | | @In [Optional]
| | | | | | | description 0-unbounded
| | | | | | | | @In [Optional]
| | | | | | | validityStart 0-1
| | | | | | | | @dateForm [Optional]
| | | | | | | validityEnd 0-1
| | | | | | | | @dateForm [Optional]
| | | | | | | documentType 0-1
| | | | | | | issuerParty 0-1
| | | | | | | | id 0-1
| | | | | | | | | @numberingOrg [Optional]
| | | | | | | | legalName 0-1
| | | | | | | | dept 0-1
| | | | | | | | subDept 0-1
| | | | | | | | person 0-1
| | | | | | | | | @email [Optional]
| | | | | | | | | @phone [Optional]
| | | | | | | | | @fax [Optional]
| | | | | | | | street 0-1
| | | | | | | | city 0-1
| | | | | | | | subCountry 0-1
| | | | | | | | country 0-1
| | | | | | | | postCode 0-1
| | | | | | | | geoCoordinates 0-1
| | | | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | | | @geoRefSystem [Optional]
| | | | | | | | | | xGeoCoord 1-1
| | | | | | | | | | yGeoCoord 1-1
| | | | | | | | | | zGeoCoord 0-1
| | | | | | | | issuerAccreditationInfo 0-1
| | | | | | | | signatureInformation 0-1
| | | | | | | | | signatureTypeCode 1-1
| | | | | | | | | signatoryParty 0-unbounded

```

```

| id 0-1
|   @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| geoCoordinates 0-1
|   @um [Optional] [Default= DEGD]
|   @geoRefSystem [Optional]
|     | xGeoCoord 1-1
|     | yGeoCoord 1-1
|     | zGeoCoord 0-1
| attachment 0-1
|   @uid [Optional]
|     | fileName 0-1
|     |   @numberingOrg [Optional]
|     | binaryObject 0-1
|     |   @format [Optional]
|     |   @mime [Optional]
|     |   @encoding [Optional]
|     |   @characterSet [Optional]
|     | externalReference 0-99
|     |   | uri 1-1
|     |   |   @isURL [Optional] [Default= true]
|     |   | mimeTypeCode 0-1
|     |   | formatCode 0-1
|     |   | encodingCode 0-1
|     |   | characterSetCode 0-1
|     |   | hashFootprint 0-1
|     |   |   @schemeID [Optional]
|     |   |   @hashMethod [Required]
|     |   | blockChainReference 0-9
|     |   |   | uri 1-1
|     |   |   |   @isURL [Optional] [Default= true]
|     |   |   | transactionReceipt 1-9
|     | note 0-99
|     |   @numberingOrg [Optional]
|     |   @codeList [Optional]
|     |   @noteLabel [Optional]
| validityStart 0-1
|   @dateForm [Optional]
| validityEnd 0-1
|   @dateForm [Optional]
| validityExtensionDate 0-1
|   @dateForm [Optional]
| assessmentStudyDocument 0-9
|   @disclosureLevel [Optional]
|   @docStatusCode [Optional]
|   @isStudyDataset [Required]
|   | docID 0-1
|   |   @numberingOrg [Optional]
|   | docDate 0-1
|   |   @dateForm [Optional]
|   | ProductIdentification 0-99
|   |   | uniqueProductID 1-1
|   |   |   @schemeID [Required]
|   |   | objectTypeCode 1-1
|   |   | description 0-9
|   |   |   @ln [Optional]

```

- choose -

rawCode 0-2

@numberingOrg [Optional]
| art 1-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
color 0-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
added 0-9
| @numberingOrg [Optional]
| @addType [Optional]
description 0-unbounded
| @In [Optional]

- or -

yarnCode 0-2

@numberingOrg [Optional] [Default= CL]
| art 1-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
color 0-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
added 0-9
| @numberingOrg [Optional]
| @addType [Optional]
description 0-unbounded
| @In [Optional]

- or -

texCode 0-2

@numberingOrg [Optional]
| art 1-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
pattern 0-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
color 0-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
added 0-9
| @numberingOrg [Optional]
| @addType [Optional]
description 0-unbounded
| @In [Optional]

- or -

acsCode 1-2

@numberingOrg [Optional]
| art 1-1
| @numberingOrg [Optional]
| @codeList [Optional]
| @listName [Optional]
| @listVersion [Optional]
pattern 0-1
| @numberingOrg [Optional]

| | | | | | | |
|--|--|--|--|--|------------|---|
| | | | | | | <ul style="list-style-type: none"> @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-9 @numberingOrg [Optional] @addType [Optional] description 0-unbounded @ln [Optional] |
| | | | | | - or - | <ul style="list-style-type: none"> garmentPartCode 0-2 @numberingOrg [Optional] gPart 1-1 mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] added 0-19 @numberingOrg [Optional] @addType [Optional] size 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] description 0-unbounded @ln [Optional] |
| | | | | | - or - | <ul style="list-style-type: none"> garmentCode 0-2 @numberingOrg [Optional] |
| | | | | | - choose - | <ul style="list-style-type: none"> garmentCodeB 1-1 @numberingOrg [Optional] mod 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] fabric 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] color 0-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] @listVersion [Optional] garmentVariant 0-9 variantType 1-1 @numberingOrg [Optional] @codeList [Optional] @listName [Optional] |


```

| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
reviewDate 0-1
| @dateForm [Optional]
| issuerParty 0-1
| | id 0-1
| | | @numberingOrg [Optional]
| | legalName 0-1
| | dept 0-1
| | subDept 0-1
| | person 0-1
| | | @email [Optional]
| | | @phone [Optional]
| | | @fax [Optional]
| | street 0-1
| | city 0-1
| | subCountry 0-1
| | country 0-1
| | postCode 0-1
| | geoCoordinates 0-1
| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1
| | issuerAccreditationInfo 0-1
validityStart 0-1
| @dateForm [Optional]
validityEnd 0-1
| @dateForm [Optional]
| signatureInformation 0-1
| | signatureTypeCode 1-1
| | signatoryParty 0-unbounded
| | | id 0-1
| | | | @numberingOrg [Optional]
| | | legalName 0-1
| | | dept 0-1
| | | subDept 0-1
| | | person 0-1
| | | | @email [Optional]
| | | | @phone [Optional]
| | | | @fax [Optional]
| | | street 0-1
| | | city 0-1
| | | subCountry 0-1
| | | country 0-1
| | | postCode 0-1
| | | geoCoordinates 0-1
| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1
| attachment 0-1
| @uid [Optional]
| | fileName 0-1
| | | @numberingOrg [Optional]
| | binaryObject 0-1
| | | @format [Optional]
| | | @mime [Optional]
| | | @encoding [Optional]
| | | @characterSet [Optional]
| | externalReference 0-99
| | | uri 1-1
| | | @isURL [Optional] [Default= true]

```

- | mimeCode 0-1
- | formatCode 0-1
- | encodingCode 0-1
- | characterSetCode 0-1
- | hashFootprint 0-1
 - | @schemeID [Optional]
 - | @hashMethod [Required]
- | **blockChainReference 0-9**
 - | uri 1-1
 - | @isURL [Optional] [Default= true]
 - | transactionReceipt 1-9
- | note 0-99
 - | @numberingOrg [Optional]
 - | @codeList [Optional]
 - | @noteLabel [Optional]
- | **facilityYearlyProductionMass 0-9**
 - | objectTypeCode 0-1
 - | declaredQty 0-2
 - | @um [Required]
 - | @validationMethod [Optional]
 - | @referenceYear [Optional]
 - | year 0-1
- | **facilitySustainabilityCharacteristics 0-1**
 - | **billOfUsedWater 0-9**
 - | @limitedByDisclosureIndicator [Optional]
 - | @exhaustiveInformation [Required]
 - | @disclosureLevel [Optional]
 - | @storageAction [Required]
 - | productReferenceQty 0-1
 - | @um [Required]
 - | year 0-1
 - | **facilityLocation 0-1**
 - | location 1-1
 - | @LRI [Optional]
 - | street 0-1
 - | city 0-1
 - | subCountry 0-1
 - | country 0-1
 - | postCode 0-1
 - | **geoCoordinates 0-1**
 - | @um [Optional] [Default= DEGD]
 - | @geoRefSystem [Optional]
 - | xGeoCoord 1-1
 - | yGeoCoord 1-1
 - | zGeoCoord 0-1
- | **usedWaterDescriptor 0-99**
 - | @indirectIncluded [Required]
 - | usedWaterType 1-1
 - | description 0-99
 - | @In [Optional]
 - | declaredQty 0-9
 - | @um [Required]
 - | @validationMethod [Optional]
 - | @referenceYear [Optional]
 - | productReferenceQty 0-1
 - | @um [Required]
 - | note 0-9
 - | @numberingOrg [Optional]
 - | @codeList [Optional]
 - | @noteLabel [Optional]
- | **externalRefDoc 0-99**
 - | docID 1-1
 - | @numberingOrg [Optional]
 - | docDate 0-1
 - | @dateForm [Optional]
 - | title 0-unbounded
 - | @In [Optional]
 - | description 0-unbounded

```

| @In [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1
| issuerParty 0-1
|   id 0-1
|   | @numberingOrg [Optional]
|   | legalName 0-1
|   | dept 0-1
|   | subDept 0-1
|   | person 0-1
|   | @email [Optional]
|   | @phone [Optional]
|   | @fax [Optional]
|   | street 0-1
|   | city 0-1
|   | subCountry 0-1
|   | country 0-1
|   | postCode 0-1
|   | geoCoordinates 0-1
|   | @um [Optional] [Default= DEGD]
|   | @geoRefSystem [Optional]
|   |   xGeoCoord 1-1
|   |   yGeoCoord 1-1
|   |   zGeoCoord 0-1
|   | issuerAccreditationInfo 0-1
| signatureInformation 0-1
|   signatureTypeCode 1-1
|   | signatoryParty 0-unbounded
|   |   id 0-1
|   |   | @numberingOrg [Optional]
|   |   | legalName 0-1
|   |   | dept 0-1
|   |   | subDept 0-1
|   |   | person 0-1
|   |   | @email [Optional]
|   |   | @phone [Optional]
|   |   | @fax [Optional]
|   |   | street 0-1
|   |   | city 0-1
|   |   | subCountry 0-1
|   |   | country 0-1
|   |   | postCode 0-1
|   |   | geoCoordinates 0-1
|   |   | @um [Optional] [Default= DEGD]
|   |   | @geoRefSystem [Optional]
|   |   |   xGeoCoord 1-1
|   |   |   yGeoCoord 1-1
|   |   |   zGeoCoord 0-1
| attachment 0-1
|   @uid [Optional]
|   | fileName 0-1
|   | | @numberingOrg [Optional]
|   | | binaryObject 0-1
|   | | @format [Optional]
|   | | @mime [Optional]
|   | | @encoding [Optional]
|   | | @characterSet [Optional]
|   | externalReference 0-99
|   |   uri 1-1
|   |   | @isURL [Optional] [Default= true]
|   |   | mimeTypeCode 0-1
|   |   | formatCode 0-1
|   |   | encodingCode 0-1
|   |   | characterSetCode 0-1
|   | hashFootprint 0-1

```


- or -

energy 1-1
@um [Required]
@validationMethod [Optional]
@referenceYear [Optional]

- end choose -

productReferenceQty 0-1
@um [Required]
description 1-1
@ln [Optional]
note 0-99
@numberingOrg [Optional]
@codeList [Optional]
@noteLabel [Optional]

auxSystemsConsumptionPerc 0-2
@isElectric [Optional]

externalRefDoc 0-99

docID 1-1
@numberingOrg [Optional]
docDate 0-1
@dateForm [Optional]
title 0-unbounded
@ln [Optional]
description 0-unbounded
@ln [Optional]
validityStart 0-1
@dateForm [Optional]
validityEnd 0-1
@dateForm [Optional]
documentType 0-1

issuerParty 0-1

id 0-1
@numberingOrg [Optional]
legalName 0-1
dept 0-1
subDept 0-1
person 0-1
@email [Optional]
@phone [Optional]
@fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1

geoCoordinates 0-1

@um [Optional] [Default= DEGD]
@geoRefSystem [Optional]
xGeoCoord 1-1
yGeoCoord 1-1
zGeoCoord 0-1

issuerAccreditationInfo 0-1

signatureInformation 0-1

signatureTypeCode 1-1

signatoryParty 0-unbounded

id 0-1
@numberingOrg [Optional]
legalName 0-1
dept 0-1
subDept 0-1
person 0-1
@email [Optional]
@phone [Optional]
@fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1

| postCode 0-1
 | **geoCoordinates 0-1**
 | @um [Optional] [Default= DEGD]
 | @geoRefSystem [Optional]
 | | xGeoCoord 1-1
 | | yGeoCoord 1-1
 | | zGeoCoord 0-1
 | **attachment 0-1**
 | @uid [Optional]
 | | fileName 0-1
 | | @numberingOrg [Optional]
 | | binaryObject 0-1
 | | @format [Optional]
 | | @mime [Optional]
 | | @encoding [Optional]
 | | @characterSet [Optional]
 | | **externalReference 0-99**
 | | | uri 1-1
 | | | @isURL [Optional] [Default= true]
 | | | mimeTypeCode 0-1
 | | | formatCode 0-1
 | | | encodingCode 0-1
 | | | characterSetCode 0-1
 | | | hashFootprint 0-1
 | | | @schemeID [Optional]
 | | | @hashMethod [Required]
 | | | **blockChainReference 0-9**
 | | | | uri 1-1
 | | | | @isURL [Optional] [Default= true]
 | | | | transactionReceipt 1-9
 | | note 0-99
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | | note 0-9
 | | | @numberingOrg [Optional]
 | | | @codeList [Optional]
 | | | @noteLabel [Optional]
 | **billOfWaste 0-9**
 | @limitedByDisclosureIndicator [Optional]
 | @exhaustiveInformation [Required]
 | @disclosureLevel [Optional]
 | @storageAction [Required]
 | | productReferenceQty 0-1
 | | | @um [Required]
 | | year 0-1
 | | **facilityLocation 0-1**
 | | | location 1-1
 | | | | @LRI [Optional]
 | | | street 0-1
 | | | city 0-1
 | | | subCountry 0-1
 | | | country 0-1
 | | | postCode 0-1
 | | | **geoCoordinates 0-1**
 | | | | @um [Optional] [Default= DEGD]
 | | | | @geoRefSystem [Optional]
 | | | | | xGeoCoord 1-1
 | | | | | yGeoCoord 1-1
 | | | | | zGeoCoord 0-1
 | | **wasteDescriptor 0-99**
 | | | @indirectIncluded [Required]
 | | | | EWCWasteCode 1-1
 | | | | wasteTypeCode 0-9
 | | | | @schemeID [Required]
 | | | description 0-99
 | | | | @In [Optional]
 | | | declaredQty 0-1

@um [Required]
 @validationMethod [Optional]
 @referenceYear [Optional]
 productReferenceQty 0-1
 @um [Required]
 routeLength 0-1
 @um [Required]
 wasteFinalTreatmentType 0-9
 @part [Optional]
 @recyclingProcessEfficiency [Optional]
 note 0-9
 @numberingOrg [Optional]
 @codeList [Optional]
 @noteLabel [Optional]

externalRefDoc 0-99

docID 1-1
 @numberingOrg [Optional]
 docDate 0-1
 @dateForm [Optional]
 title 0-unbounded
 @ln [Optional]
 description 0-unbounded
 @ln [Optional]
 validityStart 0-1
 @dateForm [Optional]
 validityEnd 0-1
 @dateForm [Optional]
 documentType 0-1

issuerParty 0-1

id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1
 @um [Optional] [Default= DEGD]
 @geoRefSystem [Optional]
 xGeoCoord 1-1
 yGeoCoord 1-1
 zGeoCoord 0-1
 issuerAccreditationInfo 0-1

signatureInformation 0-1

signatureTypeCode 1-1
signatoryParty 0-unbounded

id 0-1
 @numberingOrg [Optional]
 legalName 0-1
 dept 0-1
 subDept 0-1
 person 0-1
 @email [Optional]
 @phone [Optional]
 @fax [Optional]
 street 0-1
 city 0-1
 subCountry 0-1
 country 0-1
 postCode 0-1
geoCoordinates 0-1

| | | @um [Optional] [Default= DEGD]
| | | @geoRefSystem [Optional]
| | | | xGeoCoord 1-1
| | | | yGeoCoord 1-1
| | | | zGeoCoord 0-1

| | | **attachment 0-1**

| | | @uid [Optional]
| | | | fileName 0-1
| | | | | @numberingOrg [Optional]
| | | | binaryObject 0-1
| | | | | @format [Optional]
| | | | | @mime [Optional]
| | | | | @encoding [Optional]
| | | | | @characterSet [Optional]
| | | | **externalReference 0-99**
| | | | | uri 1-1
| | | | | | @isURL [Optional] [Default= true]
| | | | | | mimeTypeCode 0-1
| | | | | | formatCode 0-1
| | | | | | encodingCode 0-1
| | | | | | characterSetCode 0-1
| | | | | hashFootprint 0-1
| | | | | | @schemeID [Optional]
| | | | | | @hashMethod [Required]
| | | | | **blockChainReference 0-9**
| | | | | | uri 1-1
| | | | | | | @isURL [Optional] [Default= true]
| | | | | | | transactionReceipt 1-9
| | | | note 0-99
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]

| | | note 0-9
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]

| | | **billOfWasteWater 0-9**

| | | @limitedByDisclosureIndicator [Optional]
| | | @exhaustiveInformation [Required]
| | | @disclosureLevel [Optional]
| | | @storageAction [Required]
| | | | productReferenceQty 0-1
| | | | | @um [Required]
| | | | year 0-1

| | | **facilityLocation 0-1**

| | | | location 1-1
| | | | | @LRI [Optional]
| | | | | street 0-1
| | | | | city 0-1
| | | | | subCountry 0-1
| | | | | country 0-1
| | | | | postCode 0-1

| | | **geoCoordinates 0-1**

| | | | @um [Optional] [Default= DEGD]
| | | | @geoRefSystem [Optional]
| | | | | xGeoCoord 1-1
| | | | | yGeoCoord 1-1
| | | | | zGeoCoord 0-1

| | | **wasteWaterDescriptor 1-99**

| | | @hazardous [Required]
| | | @indirectIncluded [Required]
| | | | description 1-99
| | | | | @In [Optional]
| | | | | declaredQty 0-1
| | | | | @um [Required]
| | | | | @validationMethod [Optional]
| | | | | @referenceYear [Optional]
| | | | productReferenceQty 0-1

| @um [Required]
| wasteWaterFinalTreatmentType 0-9
| @part [Optional]
| wasteWaterContaminantType 0-99
| note 0-9
| @numberingOrg [Optional]
| @codeList [Optional]
| @noteLabel [Optional]

| **externalRefDoc 0-99**

| docID 1-1
| @numberingOrg [Optional]
| docDate 0-1
| @dateForm [Optional]
| title 0-unbounded
| @In [Optional]
| description 0-unbounded
| @In [Optional]
| validityStart 0-1
| @dateForm [Optional]
| validityEnd 0-1
| @dateForm [Optional]
| documentType 0-1

| **issuerParty 0-1**

| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| **geoCoordinates 0-1**
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| xGeoCoord 1-1
| yGeoCoord 1-1
| zGeoCoord 0-1
| issuerAccreditationInfo 0-1

| **signatureInformation 0-1**

| signatureTypeCode 1-1

| **signatoryParty 0-unbounded**

| id 0-1
| @numberingOrg [Optional]
| legalName 0-1
| dept 0-1
| subDept 0-1
| person 0-1
| @email [Optional]
| @phone [Optional]
| @fax [Optional]
| street 0-1
| city 0-1
| subCountry 0-1
| country 0-1
| postCode 0-1
| **geoCoordinates 0-1**
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
| xGeoCoord 1-1
| yGeoCoord 1-1
| zGeoCoord 0-1

| **attachment 0-1**

```

| | | | | @uid [Optional]
| | | | | | fileName 0-1
| | | | | | @numberingOrg [Optional]
| | | | | binaryObject 0-1
| | | | | | @format [Optional]
| | | | | | @mime [Optional]
| | | | | | @encoding [Optional]
| | | | | | @characterSet [Optional]
| | | | | | externalReference 0-99
| | | | | | | uri 1-1
| | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | mimeTypeCode 0-1
| | | | | | | | formatCode 0-1
| | | | | | | | encodingCode 0-1
| | | | | | | | characterSetCode 0-1
| | | | | | hashFootprint 0-1
| | | | | | | @schemeID [Optional]
| | | | | | | @hashMethod [Required]
| | | | | | | blockChainReference 0-9
| | | | | | | | uri 1-1
| | | | | | | | | @isURL [Optional] [Default= true]
| | | | | | | | | transactionReceipt 1-9
| | | | | note 0-99
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | note 0-9
| | | | | | @numberingOrg [Optional]
| | | | | | @codeList [Optional]
| | | | | | @noteLabel [Optional]
| | | | | billOfDirectEmissions 0-9
| | | | | | @limitedByDisclosureIndicator [Optional]
| | | | | | @exhaustiveInformation [Required]
| | | | | | @disclosureLevel [Optional]
| | | | | | @storageAction [Required]
| | | | | | | productReferenceQty 0-1
| | | | | | | | @um [Required]
| | | | | | | year 0-1
| | | | | | | facilityLocation 0-1
| | | | | | | | location 1-1
| | | | | | | | | @LRI [Optional]
| | | | | | | | | street 0-1
| | | | | | | | | city 0-1
| | | | | | | | | subCountry 0-1
| | | | | | | | | country 0-1
| | | | | | | | | postCode 0-1
| | | | | | | | | geoCoordinates 0-1
| | | | | | | | | | @um [Optional] [Default= DEGD]
| | | | | | | | | | @geoRefSystem [Optional]
| | | | | | | | | | | xGeoCoord 1-1
| | | | | | | | | | | yGeoCoord 1-1
| | | | | | | | | | | zGeoCoord 0-1
| | | | | | | directEmissionDescriptor 1-99
| | | | | | | | @releasedOn [Required]
| | | | | | | | @indirectIncluded [Required]
| | | | | | | | | directEmissionType 1-1
| | | | | | | | | description 0-99
| | | | | | | | | | @ln [Optional]
| | | | | | | | | | declaredQty 0-1
| | | | | | | | | | | @um [Required]
| | | | | | | | | | | @validationMethod [Optional]
| | | | | | | | | | | @referenceYear [Optional]
| | | | | | | | | | | productReferenceQty 0-1
| | | | | | | | | | | | @um [Required]
| | | | | | | | | | | note 0-9
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]

```

```

externalRefDoc 0-99
| docID 1-1
|   @numberingOrg [Optional]
docDate 0-1
|   @dateForm [Optional]
title 0-unbounded
|   @ln [Optional]
description 0-unbounded
|   @ln [Optional]
validityStart 0-1
|   @dateForm [Optional]
validityEnd 0-1
|   @dateForm [Optional]
documentType 0-1
issuerParty 0-1
| id 0-1
|   @numberingOrg [Optional]
legalName 0-1
dept 0-1
subDept 0-1
person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1
geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
|   xGeoCoord 1-1
|   yGeoCoord 1-1
|   zGeoCoord 0-1
issuerAccreditationInfo 0-1
signatureInformation 0-1
signatureTypeCode 1-1
signatoryParty 0-unbounded
| id 0-1
|   @numberingOrg [Optional]
legalName 0-1
dept 0-1
subDept 0-1
person 0-1
|   @email [Optional]
|   @phone [Optional]
|   @fax [Optional]
street 0-1
city 0-1
subCountry 0-1
country 0-1
postCode 0-1
geoCoordinates 0-1
| @um [Optional] [Default= DEGD]
| @geoRefSystem [Optional]
|   xGeoCoord 1-1
|   yGeoCoord 1-1
|   zGeoCoord 0-1
attachment 0-1
@uid [Optional]
| fileName 0-1
|   @numberingOrg [Optional]
binaryObject 0-1
| @format [Optional]
| @mime [Optional]
| @encoding [Optional]
| @characterSet [Optional]

```

```

| | | | | | | | | | externalReference 0-99
| | | | | | | | | | | uri 1-1
| | | | | | | | | | |   @isURL [Optional] [Default= true]
| | | | | | | | | | | mimeTypeCode 0-1
| | | | | | | | | | |   formatCode 0-1
| | | | | | | | | | |   encodingCode 0-1
| | | | | | | | | | |   characterSetCode 0-1
| | | | | | | | | | | hashFootprint 0-1
| | | | | | | | | | |   @schemeID [Optional]
| | | | | | | | | | |   @hashMethod [Required]
| | | | | | | | | | | blockChainReference 0-9
| | | | | | | | | | | | uri 1-1
| | | | | | | | | | | |   @isURL [Optional] [Default= true]
| | | | | | | | | | | | transactionReceipt 1-9
| | | | | | | | | | | note 0-99
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]
| | | | | | | | | | | note 0-9
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]
| | | | | | | | | | | note 0-99
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]

| | | | | | | | | | | note 0-9
| | | | | | | | | | | | @numberingOrg [Optional]
| | | | | | | | | | | | @codeList [Optional]
| | | | | | | | | | | | @noteLabel [Optional]

```

2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, data type and syntax constraints; 2) information about use of the element in a particular position in the document: xpath and possible associated notes.

2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs).Complex elements are alphabetically ordered.

| | |
|---------------------------------------|---|
| <p>acsCode</p> | <p>full codification identifying an accessory product usually coupled with garment or other fashion product (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode) 1-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode) 1-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode) 1-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/ProductIdentification/acsCode) 1-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i></p> |
| <p>activityLocation</p> | <p>data relating to a place where activities take places (indicate at least element location or address, city and country) - base type: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation) 0-99 - note: <i>Here filling location, country and subcountry is enough. When the activity is carried out in more than one location, indicate what percentage of the total is carried out at each one</i></p> |
| <p>assessmentStudyDocument</p> | <p>resulting study document (e.g. an LCA study). It can be related to a component or a product. It can be a dataset (in any format) or a report according to isStudyDataset flag). In the case of PEF study, prefer PEFStudyDocument if possible. - base type: , (XPath SEpreliminaryinformation/assessmentStudyDocument) 0-9 - note: <i>any existing pre-existent useful study</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument) 0-9 - note: <i>any existing pre-existent useful study</i></p> |
| <p>attachment</p> | <p>an attached document. An attachment can refer to an external document or be included with the document being exchanged (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment) 0-1 - note: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment) 0-1 - note: <i>indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)</i></p> |

nd option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/certificate/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/certificate/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 selfAssertion/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/certificate/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/refDoc/attachment) 0-1
 (XPath SEpreliminaryinformation/organisationDescriptor/
 certificate/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/certificate/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment)
 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/selfAssertion/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)
 (XPath
 SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment) 0-1
 - note: indicates where to find the document or contains it as a binary object (the second option is not recommended for practical reasons)

| | |
|------------------------------|--|
| | <p><i>nd option is not recommended for practical reasons)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment) 0-1 - note: <i>indicates where to find the document or contains it as a binary object (the seco nd option is not recommended for practical reasons)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment) 0 -1 - note: <i>indicates where to find the document or contains it as a binary object (the seco nd option is not recommended for practical reasons)</i></p> |
| billOfComponents | <p>bill of components used to create the product. (XPath SEpreliminaryinformation/billOfComponents) 1-1 - note: <i>mandatory supplier country if externally produced</i></p> |
| billOfDirectEmissions | <p>bill of direct emissions generated to make the product, excluding waste water, relating to quantities of the reference product or to yearly data of a facility/plant - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions) 0-9 - note: <i>quantity related to the yearly outputs of the facility</i></p> |
| billOfEnergy | <p>breakdown of used or produced energy relating to quantities of the reference product o r to yearly data of a facility/plant - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy) 0-9 - note: <i>quantity related to the yearly consumption of the facility</i></p> |
| billOfUsedWater | <p>breakdown of used water relating to quantities of the reference product or to yearly dat a of a facility/plant - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water) 0-9 - note: <i>quantity related to the yearly consumption of the facility</i></p> |
| billOfWaste | <p>list of waste generated to make the product, excluding waste water, relating to quanti ties of the reference product or to yearly data of a facility/plant - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste) 0-9 - note: <i>quantity related to the yearly consumption of the facility</i></p> |
| billOfWasteWater | <p>breakdown of waste water generated to make the product relating to quantities of the r eference product or to yearly data of a facility/plant - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water) 0-9 - note: <i>quantity related to the yearly outputs of the facility</i></p> |
| blockChainReference | <p>blockchain reference - base type: string, max length: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChain Reference) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/blockChainReference) 0-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainRefer ence) 0-9</p> |

| | |
|------------------------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference) 0-9</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/blockChainReference) 0-9</p> |
| certificate | <p>Reference and details relating to a document containing a certification issued by a third party who is entitled to issue it</p> <p>- base type: ,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate) 0-99</p> <p>- note: <i>certificates that apply to the whole organisation</i></p> <p>(XPath SEpreliminaryinformation/certificate) 0-99</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate) 0-9</p> <p>- note: <i>scope certificate of the component</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate) 0-99</p> <p>- note: <i>certificates related to the facility</i></p> |
| certifiedEntity | <p>The entity (organisation, process, product..) for which the certification is valid.</p> <p>- base type: ,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity) 0-unbounded</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity) 0-unbounded</p> |

| | |
|------------------------------------|---|
| certifiedParty | <p>identification and details of the party to whom the certificate has been issued</p> <ul style="list-style-type: none"> - base type: Nad, (XPath SEpreliminaryinformation/certificate/certifiedParty) 1-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty) 1-1 |
| directEmissionDescriptor | <p>descriptor of direct emission (emissions that come from sources that are owned or controlled by the producer and produced by the manufacturing process)</p> <ul style="list-style-type: none"> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor) 1-99 |
| energyConsumptionDescriptor | <p>descriptor of a quantity of used energy with the indication of its characteristics</p> <ul style="list-style-type: none"> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor) 1-99 |
| energySupplyDescriptor | <p>descriptor of a quantity of supplied or produced energy with the indication of its characteristics</p> <ul style="list-style-type: none"> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor) 1-99 |
| externalRefDoc | <p>external document, used to refer generic office documents (like pdf, docx, xls, for example shop window instructions)</p> <ul style="list-style-type: none"> - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc) 0-99 - note: <i>Any type of supporting documentation</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc) 0-99 - note: <i>any supporting information</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc) 0-99 - note: <i>any supporting information</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc) 0-99 - note: <i>any supporting information</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc) 0-99 - note: <i>any supporting information</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc) 0-99 - note: <i>Any type of supporting documentation</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc) 0-99 - note: <i>any supporting information</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc) 0-99 - note: <i>Any type of supporting documentation</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc) 0-99 - note: <i>Any type of supporting documentation</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc) 0-99 - note: <i>Any type of supporting documentation</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc) 0-99 - note: <i>Any type of supporting documentation</i> (XPath SEpreliminaryinformation/organisationDescriptor/ |

| | |
|---------------------------|---|
| | <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc) 0-99 - note: <i>supporting documents</i></p> |
| externalReference | <p>details about an external object, such as a document stored at a remote location (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference) 0-99</p> |
| facilityDescriptor | <p>descriptor of a company facility (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor) 0-unbounded</p> |
| facilityLocation | <p>data relating to a place of a facility (indicate at least element location or address, city and country) - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation) 0-1 Best Practice</p> |

| | |
|---------------------------------------|--|
| | <p>- note: when filled indicates that collected figures are related to a specific facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fDirectEmissions/facilityLocation) 0-1 Best Practice</p> <p>- note: when filled indicates that collected figures are related to a specific facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWaste/facilityLocation) 0-1 Best Practice</p> <p>- note: when filled indicates that collected figures are related to a specific facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWasteWater/facilityLocation) 0-1 Best Practice</p> <p>- note: when filled indicates that collected figures are related to a specific facility. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fUsedWater/facilityLocation) 0-1 Best Practice</p> <p>- note: when filled indicates that collected figures are related to a specific facility.</p> |
| facilitySustainabilityCharacteristics | <p>facility sustainability characteristics (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics) 0-1</p> |
| facilityYearlyProductionMass | <p>rough mass of production (by product type) and not by single article in a specific facility. Usually expressed as weight. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass) 0-9</p> <p>- note: when more instances are present, they must differ for value of object type code</p> |
| garmentCode | <p>codification of the garment product (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode) 0-2</p> <p>- note: this element can have two instances only if the numbering organisations are different (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode) 0-2</p> <p>- note: this element can have two instances only if the numbering organisations are different (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode) 0-2</p> <p>- note: this element can have two instances only if the numbering organisations are different (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode) 0-2</p> <p>- note: this element can have two instances only if the numbering organisations are different (XPath SEpreliminaryinformation/ProductIdentification/garmentCode) 0-2</p> <p>- note: this element can have two instances only if the numbering organisations are different</p> |
| garmentCodeA | <p>codification of the garment product- type A (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1</p> <p>- note: here the barcode EAN-13 or EAN-8 should be specified (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA) 1-1</p> <p>- note: here the barcode EAN-13 or EAN-8 should be specified (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA) 1-1</p> <p>- note: here the barcode EAN-13 or EAN-8 should be specified (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA) 1-1</p> <p>- note: here the barcode EAN-13 or EAN-8 should be specified (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA) 1-1</p> <p>- note: here the barcode EAN-13 or EAN-8 should be specified</p> |

| | |
|------------------------|---|
| garmentCodeB | <p>codification of the garment product - type B (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB) 1-1</p> |
| garmentPartCode | <p>codification of the component or part of a fashion article (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i></p> |
| garmentVariant | <p>garment product variant (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant) 0-9</p> |
| geoCoordinates | <p>geographical coordinates (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/</p> |

| | |
|--|--|
| | <p>productComponent/supplier/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geo Coordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordina tes) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates) 0- 1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/facilityLocation/geoCoordinates) 0-1</p> |
|--|--|

| | |
|--------------------|---|
| | <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/ geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC oordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi nates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCo ordinates) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates) 0-1</p> |
| issuerParty | <p>Details of the party that issued the document. - base type: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty) 1-1</p> |

| | |
|-------------------------------|--|
| | <p>- note: <i>Indicate at least the legalname</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicate at least the legalname</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicate at least the legalname</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicate at least the legalname</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty) 1-1</p> <p>- note: <i>Indicate at least the legalname</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty) 1-1</p> <p>- note: <i>Indicate at least the legalname</i></p> |
| listOfFacilities | list of facilities of the organisation (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities) 0-1 |
| organisationAddress | organisation legal address - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/organisationAddress) 1-1 |
| organisationDescriptor | organisation description |

| | |
|---------------------------------|---|
| | (XPath SEpreliminaryinformation/organisationDescriptor) 0-1 - note: <i>list of facilities is mandatory</i> |
| platformServiceReference | service instruction and reference - base type: string, (XPath SEpreliminaryinformation/SRVheader/platformServiceReference) 1-1 |
| processStep | single manufacturing operation needed to produce the product (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep) 1-unbounded - note: <i>inserting in the correct sequence is recommended</i> |
| processStepsList | List of manufacturing operations required to produce the product (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList) 0-1 - note: <i>activities performed there</i> |
| productComponent | descriptor of one of the elements used to create the product, it indicates the codes of the component, the quantity for final product unit, supplier and any documentation (XPath SEpreliminaryinformation/billOfComponents/productComponent) 0-unbounded |
| ProductIdentification | Identifies the product whose transparency and sustainability characteristics are reported (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification) 0-99 - note: <i>indicate the product(s) to whom this study is related</i> (XPath SEpreliminaryinformation/ProductIdentification) 1-1 - note: <i>indicate object type code</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification) 0-99 - note: <i>indicate the product(s) to whom this study is related</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification) 0-99 - note: <i>indicate the product(s) to whom this study is related</i> |
| rawCode | full codification of a raw material (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/ProductIdentification/rawCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> |
| receiverParty | Details of the party receiving the document. - base type: Nad, (XPath SEpreliminaryinformation/SRVheader/receiverParty) 1-1 |
| refDoc | identification of a document and of an item thereof, to which the message makes reference (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc) 0-9 |
| reviewerParty | Details of the party that reviewed the conformance of the adopted methodology. - base type: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty) 0-9 |

| | |
|----------------------------|--|
| | (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty) 0-9 |
| selfAssertion | A self declared statement that issuer is able to support with detailed descriptions or do documentation. It might comply with standards about assertions (it is the case for exampl e of ISO14021 for environmental assertions). (XPath SEpreliminaryinformation/selfAssertion) 0-99 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion) 0-99 - note: <i>selfassertions related to the facility</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion) 0-99 - note: <i>supporting assertion(s)</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion) 0-99 - note: <i>selfassertions that apply to the whole organisation</i> |
| selfAssertionEntity | The entity (organisation, process, product..) referred by the self assertion - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/selfAssertionEntity) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity) 0-unbou nded |
| senderParty | Details of the party sending the document. - base type: Nad, (XPath SEpreliminaryinformation/SRVheader/senderParty) 1-1 |
| signatoryParty | Details of the party that signed the document. - base type: Nad, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty) 0-unbounded (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbunde d (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed |

| | |
|--|---|
| | <p>Water/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty) 0-unbounded (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty) 0-unbounded</p> |
| signatureInformation | <p>information about the document signature (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation) 0-1</p> |
| socialAccountabilityEvidence | <p>Evidence of the conformance to the social responsibility requirements - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence) 1-unbounded</p> |
| socialAndEthicalSpecificInformation | <p>social and ethical specific information list (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation) 0-1</p> |

| | |
|-----------------------------|--|
| SRVheader | header of documents supporting ePlatform services (XPath SEpreliminaryinformation/SRVheader) 1-1 |
| supplier | details of the Supplier (party that supplies the good or service that is object of the current collaborative process) - base type: Nad, (XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier) 0-9 - note: <i>it is the supplier of the entire component when internallyPerformed=FALSE</i> |
| texCode | full codification of the textile product (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/ProductIdentification/texCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> |
| usedWaterDescriptor | descriptor of the used water produced (with the indication of the quantity) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor) 0-99 - note: <i>Different descriptors must be used for different types of water</i> |
| wasteDescriptor | describes a type of waste generated by the activities to which it is associated and possibly its quantity in relation to a reference quantity of product (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor) 0-99 |
| wasteWaterDescriptor | descriptor of the waste water produced (with the indication of the quantity, their treatment and the possible presence of contaminants) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor) 1-99 - note: <i>Different descriptors must be used for different types of waste water</i> |
| yarnCode | full codification of a yarn product (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode) 0-2 - note: <i>this element can have two instances only if the numbering organisations are different</i></p> |
|--|--|

2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

| | |
|-------------------------|---|
| activePower | <p>active power (used or produced; use kW or W) - base type: , (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower) 1-1 - note: <i>when a precise energy measure is lacking, here we could give an estimator: indicate the estimated average produced power related to a duration period. W or kW</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower) 1-1 - note: <i>when a precise energy measure is lacking, give an estimator: indicate the estimated average load related to a duration period. Use W or kW</i></p> |
| activityStatisticalCode | <p>statistical classification of economic activity (NACE is suggested) - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/activityStatisticalCode) 0-1</p> |
| added | <p>additional code of the product (complementing the formers) - base type: string, max length: 80, (XPath SEpreliminaryinformation/ProductIdentification/texCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added) 0-9 (XPath SEpreliminaryinformation/ProductIdentification/rawCode/added) 0-9 (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added) 0-19 (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/added) 0-9 - note: <i>here an additional codification (see table T44) can be specified</i> (XPath SEpreliminaryinformation/billOfComponents/</p> |

| | |
|----------------------|---|
| | <p>productComponent/texCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/added) 0-9</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/added) 0-9</p> <p>- note: here an additional codification (see table T44) can be specified (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/added) 0-9</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/added) 0-9</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/added) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/added) 0-19</p> |
| additionalIdentifier | <p>additional identification code of a Party, for example customs registries or others</p> <p>- base type: string, max length: 15, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/additionalIdentifier) 0-9</p> <p>- note: identifiers for example for exports, such as MID (Manufacturer Identification Co de), REX (identifier in EU Registered Exporter system)</p> |
| @addType | <p>qualifier of the additional coding of a product</p> <p>- base type: string, cod. table: T44 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Option al]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p> |

| | |
|--|--|
| | <p>ication/yarnCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/ProductIdentification/rawCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional]</p> <p>- nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|-----|---|
| | <p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always. (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/added/@addType) [Optional] - nota: addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</p> |
| art | <p>article number of the product - base type: string, max length: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art) 1-1 - note: can be used either for the base-article (excluding pattern/colour) or for the SKU (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p> |

| | |
|-------------------|---|
| | <p>ication/acsCode/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/rawCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/art) 1-1 - note: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/art) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art) 1-1 - note: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/art) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/art) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/art) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/art) 1-1 - note: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> (XPath SEpreliminaryinformation/ProductIdentification/ texCode/art) 1-1 - note: <i>can be used either for the base-article (excluding pattern/colour) or for the SKU</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/art) 1-1</p> |
| artGroup | <p>code identifying a class of products - base type: string, max length: 40, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/artGroup) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/artGroup) 0-1</p> |
| assertionCategory | <p>assertion category, indicates the object of the assertion - base type: string, cod. table: NT323 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/assertionCategory) 1-1 (XPath SEpreliminaryinformation/billOfComponents/</p> |

| | |
|---------------------------|--|
| | <p>productComponent/selfAssertion/assertionCategory) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/assertionCategory) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /assertionCategory) 1-1 (XPath SEpreliminaryinformation/selfAssertion/assertionCategory) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/assertionCategory) 1-1</p> |
| author | <p>textual indication of the authors, one or more - base type: string, max length: 40, (XPath SEpreliminaryinformation/assessmentStudyDocument/author) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author) 0-1</p> |
| auxSystemsConsumptionPerc | <p>auxiliary system consumption estimated percentage on total consumption - base type: decimal, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc) 0-2 - note: <i>synthetic indicator for the whole bill of energy. Might be referred to the only electric energy, or thermal or both if isElectric is unspecified</i></p> |
| binaryObject | <p>a binary large object containing an attached document, Coding 'base64Binary' is recommended. - base type: base64Binary, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|---------------------------|---|
| | <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject) 0-1</p> |
| certificateID | <p>Identifier of the certificate assigned by the issuer - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificateID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certificateID) 1-1 (XPath SEpreliminaryinformation/certificate/certificateID) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certificateID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certificateID) 1-1</p> |
| certificationStandardName | <p>it indicates the specification that has been used as normative basis of the certificate. (examples: 'GRS—global recycling standard' or 'Standard 100 OEKO-TEX') - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certificationStandardName) 1-1 (XPath SEpreliminaryinformation/certificate/certificationStandardName) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certificationStandardName) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certificationStandardName) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certificationStandardName) 1-1</p> |
| @characterSet | <p>the character set of the binary object (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,..) - base type: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/certificate/attachment/ binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject/@characterSet) [Optional]</p> |

| | |
|------------------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@c haraacterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] all] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/binaryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/bi naryObject/@characterSet) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/binaryObject/@characterSet) [Optional]</p> |
| characterSetCode | <p>the character set of an external document (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,...) - base type: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/characterSetCod e) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalRef erence/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/chara cterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/e xternalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReferenc e/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion</p> |

| | |
|------|--|
| | <p>/externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/c characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/externalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/characterSetCode) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/exter nalReference/characterSetCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/extern alReference/characterSetCode) 0-1</p> |
| city | <p>name of the city (town, village) - base type: string, max length: 40, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/ci ty) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/facilityLocation/city) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ city) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/city) 0-1</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/city) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/city) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/city) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/city) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/city) 0 -1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ -</p> |
|--|--|

| | |
|------------------|--|
| | <p>issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/city) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/city) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/city) 0-1</p> |
| <p>@codeList</p> | <p>it specifies the URL where the list of codes used to make an instance of the element c an be found - base type: string, max length: 255, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/mod/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/size/@codeList) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/fabric/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/fabric/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/art/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/mod/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/certificate/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati</p> |

| | |
|--|--|
| | <p>on/garmentPartCode/size/@codeList) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentifi- cation/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optiona- l]</p> <p>- nota: <i>always at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati- on/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati- on/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentifi- cation/garmentCode/garmentCodeB/mod/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati- on/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentifi- cation/garmentCode/garmentCodeB/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe- rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe- rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentifi- cation/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/art/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati- on/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati- on/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: <i>always at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentifi- cation/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Option- al]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati-</p> |
|--|--|

| | |
|--|---|
| | <p>on/acsCode/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/art/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/pattern/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@codeList) [Optional] - nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/ProductIdentification/ note/@codeList) [Optional] - nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste</p> |
|--|---|

Water/wasteWaterDescriptor/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/rawCode/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/organisationDescriptor/
selfAssertion/externalRefDoc/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion
/externalRefDoc/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/rawCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath
SEpreliminaryinformation/SRVheader/platformServiceReference/serviceRequestedAction/@codeList) [Optional]
- nota: *Insert URL codelist of the platform services actions available.*
(XPath SEpreliminaryinformation/organisationDescriptor/
certificate/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@codeList
) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentPartCode/fabric/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentPartCode/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/fabric/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentPartCode/size/@codeList) [Optional]
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/mod/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/pattern/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef
Doc/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentPartCode/mod/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

| | |
|--|---|
| | <p>(XPath SEpreliminaryinformation/SRVheader/platformServiceReference/platformServiceCode/@codeList) [Optional]</p> <p>- nota: indicate the URL of the platform supplying the service</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/art/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@codeList) [Optional]</p> <p>- nota: must be used to provide (URL) the list of codes used in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/color/@codeList) [Optional]</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: must be used to provide (URL) the list of codes used in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: must be used to provide (URL) the list of codes used in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/color/@codeList) [Optional]</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@codeList) [Optional]</p> <p>- nota: must be used to provide (URL) the list of codes used in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/art/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@codeList) [Optional]</p> <p>- nota: at least one out of this attribute and "numberingOrg" should be set</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional]</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]</p> |
|--|---|

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/certificate/note/@codeList) [Optional]

- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/ProductIdentification/
rawCode/color/@codeList) [Optional]

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]

- nota: *always at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/artGroup/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/drop/@codeList) [Optional]

(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/size/@codeList) [Optional]

(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@codeList) [Optional]

- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/color/@codeList) [Optional]

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/fabric/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/fabric/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/color/@codeList) [Optional]

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/size/@codeList) [Optional]

(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/mod/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/note/@codeList) [Optional]

- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]

- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@codeList) [Optional]

- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@codeList) [Optional]

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

rsion"
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/note/@codeList) [Optional]
- nota: *must be used to provide (URL) the list of codes used in "noteLabel"*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/size/@codeList) [Optional]
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/texCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]
- nota: *always at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/fabric/@codeList) [Optional]
]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/texCode/pattern/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/mod/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@codeList) [Optional]
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/acsCode/pattern/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/acsCode/art/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/texCode/color/@codeList) [Optional]
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/mod/@codeList) [Optional]
- nota: *at least one out of this attribute and "numberingOrg" should be set*
(XPath SEpreliminaryinformation/organisationDescriptor/

| | |
|--|--|
| | <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/@codeList) [Optional]</p> <p>- nota: <i>always at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@codeList) [Optional]</p> |
|--|--|

| | |
|-------|--|
| | <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/drop/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/size/@codeList) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/art/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/season/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/note/@codeList) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/color/@codeList) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@codeList) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> |
| color | <p>colour number of the product, when not included in the model or fabric code</p> <p>- base type: string, max length: 15, (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/color) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color) 0-1</p> <p>- note: <i>when a garment component, it should be the code assigned to the garment article</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color) 0-1</p> |

| | |
|---------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/color) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/color) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/color) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/color) 0-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/color) 0-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ texCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/color) 0-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/color) 0-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/color) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/color) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/color) 0-1</p> |
| country | <p>code of the nation - base type: string, cod. table: T10 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion</p> |

| | |
|--|---|
| | <p>/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/country) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed</p> |
|--|---|

| | |
|--|---|
| | <p>Water/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInfor mation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ country) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/country) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/country) 0-1</p> |
|--|---|

| | |
|-----------|--|
| @dateForm | <p>format used for the date - base type: string, cod. table: NT29 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityEnd/@ dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityStart/ @dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewDate/ @dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|-----------|--|

| | |
|--|--|
| | <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]</p> |
|--|--|

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/validityEnd/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/msgDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/validityExtensionDate/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/validityStart/@dateForm) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityStart/@dateForm) [Optional]</p> |
|--|--|

| | |
|-------------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityExtensionDate/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityStart/@dateForm) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityEnd/@dateForm) [Optional] (XPath SEpreliminaryinformation/certificate/validityEnd/@dateForm) [Optional]</p> |
| declaredQty | <p>declared net quantity (might be referred to a year; could be measured, estimated or derived from literature or other sources, as specified by the appropriate attribute) - base type: , min inclusive: 0, fraction digits: 2, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty) 0-2 - note: <i>this element can have two instances only if the units of measure are different</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty) 0-9 - note: <i>needed water quantity to obtain the product quantity indicated in referenceProductQuantity</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/declaredQty) 0-1 - note: <i>resulting waste water quantity to obtain the product quantity indicated in referenceProductQuantity</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty) 0-1 - note: <i>resulting emission quantity to obtain the product quantity indicated in referenceProductQuantity</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty) 0-1 - note: <i>resulting waste quantity to obtain the product quantity indicated in referenceProductQuantity</i></p> |
| dept | <p>name or code of a department - base type: string, max length: 40, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/dept) 0-1</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|-------------|---|
| | <p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/dept) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/dept) 0-1</p> |
| description | <p>free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language).</p> <ul style="list-style-type: none"> - base type: string, max length: 250, (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/description) 0-unbounded - note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/description) 0-unbounded - note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded - note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/description) 0-unbounded - note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/description) 0-unbounded - note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description) 0-9 - note: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'ln' attribute (language)</i> (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/description) 0-unbounded - note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description) 0-9 |

| | |
|--|---|
| | <p>- note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: Product description (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: Product description (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: Product description (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/description) 0-99</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: Product description (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/description) 0-unbounded</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/certificate/certifiedEntity/description) 0-9</p> <p>- note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded</p> <p>- note: Product part description (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description) 0-99</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: Product description (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/description) 0-9</p> <p>- note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/description) 1-99</p> <p>- note: in case insert here reference to existing standard/certification or assertion standards, like ISO14021. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/description) 1-99</p> <p>- note: in case insert here reference to existing standard/certification or assertion standards, like ISO14021. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/billOfComponents/</p> |
|--|---|

| | |
|--|--|
| | <p>productComponent/yarnCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/description) 0-99</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/description) 0-unbounded</p> <p>- note: <i>Product part description</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/description) 0-unbounded</p> <p>- note: <i>Raw material description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/description) 0-99</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/selfAssertion/description) 1-99</p> <p>- note: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/ on/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/ garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/certificate/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /description) 1-99</p> <p>- note: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/ProductIdentification/ rawCode/description) 0-unbounded</p> <p>- note: <i>Raw material description</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/description) 1-99</p> <p>- note: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> |
|--|--|

| | |
|--|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded - note: Product part description</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/description) 0-9 - note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded - note: Raw material description</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description) 1-1 - note: Also indicate in the description whether it is used by auxiliary systems or direct processes or both</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description) 0-9 - note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description) 0-unbounded - note: Product part description</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/description) 0-9 - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description) 0-unbounded - note: Product description</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded - note: Product description</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description) 1-99 - note: For example water or sludge... and indicate the operation that is producing it. Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description) 0-unbounded - note: Product description</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/description) 0-unbounded - note: Product description</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/description) 0-unbounded - note: Product description</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/description) 0-9</p> |
|--|---|

| | |
|--|--|
| | <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description) 0-9</p> <p>- note: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: <i>Raw material description</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description) 0-99</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/description) 1-99</p> <p>- note: <i>in case insert here reference to existing standard/certification or assertion standards, like ISO14021.</i> <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/description) 0-9</p> <p>- note: <i>Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/description) 0-9</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/description) 0-unbounded</p> <p>- note: <i>Raw material description</i> (XPath SEpreliminaryinformation/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/description) 0-unbounded</p> <p>- note: <i>Product description</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/description) 0-unbounded</p> <p>- note: <i>Only one instance of this element for each different value of 'In' attribute (language)</i></p> |
|--|--|

| | |
|--------------------|--|
| | <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/description) 0-9 - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/description) 0-unbounded - note: Product description</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/description) 0-unbounded - note: Product part description</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/description) 0-9 - note: Name or short textual description of the entity. Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/description) 0-2 (XPath SEpreliminaryinformation/ProductIdentification/description) 0-9 - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/description) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> |
| directEmissionType | <p>type of direct emission generated for the realization of the product (examples: in air CO₂, NO_x, PO₄, PM₁₀, PM_{2.5}; in water SO₂; in soil PO₄ ...) - base type: string, max length: 40, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/directEmissionType) 1-1</p> |
| @disclosureLevel | <p>indicates the level of disclosure permitted for the information it is associated with - base type: decimal, cod. table: NT311 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/@disclosureLevel) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/selfAssertion/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@disclosureLevel) [Required]] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/billOfComponents/@disclosureLevel) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/@disclosureLevel) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/@disclosureLevel) [Required] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/@disclosureLevel) [Optional]</p> |

| | |
|---------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/@disclosureLevel) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@disclosureLevel) [Optional]</p> |
| docDate | <p>date of issue of the referenced document, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/docDate) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docDate) 1-1</p> |
| docID | <p>identification number of the referenced document</p> <p>- base type: string, max length: 80,</p> |

| | |
|----------------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/docID) 0-1 (XPath SEpreliminaryinformation/certificate/docID) 1-1 - note: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/docID) 1-2 Best Practice (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fDirectEmissions/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docID) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWaste/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWasteWater/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docID) 1-1 - note: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docID) 1-1 - note: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fEnergy/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfA ssertion/externalRefDoc/docID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/docID) 1-1 - note: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docID) 1-1 - note: <i>reference to the internal certificate to the systems of the participants in the supply chain</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/exter nalRefDoc/docID) 1-1</p> |
| @docStatusCode | <p>current status of the document - base type: decimal, cod. table: NT313 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/billOfComponents/</p> |

| | |
|--------------|--|
| | <p>productComponent/certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/@docStatusCode) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/@docStatus Code) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/@docStatusCode) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/@docStatusCode) [Required]</p> |
| @docType | <p>type or class to which the referenced document belongs - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/@docType) [Required]</p> |
| documentType | <p>type or class to which the document belongs - base type: string, cod. table: T21 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/documentType) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/documentType) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/documentTy pe) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/documentType) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/documentType) 0-1</p> |
| @docValidity | <p>document current validity indicator - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/@docValidity) [Required] (XPath SEpreliminaryinformation/certificate/@docValidity) [Required]</p> |
| drop | drop number of the garment |

| | |
|--------|---|
| | <p>- base type: string, max length: 15, (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1</p> <p>- note: Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1</p> <p>- note: Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1</p> <p>- note: Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/drop) 0-1</p> <p>- note: Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/drop) 0-1</p> <p>- note: Fill this element if the drop is the same for all the sizes of the model. Otherway specify it within the csRange element</p> |
| @email | <p>electronic mail address of the contact person within a Party</p> <p>- base type: string, max length: 250, (XPath SEpreliminaryinformation/certificate/certifiedParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/person/@email) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--|---|
| | <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/</p> |
|--|---|

| | |
|-----------|--|
| | <p>productComponent/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/author/@email) [Optional] (XPath SEpreliminaryinformation/selfAssertion/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/certificate/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/person/@email) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@email) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@email) [Optional]</p> |
| @encoding | <p>specifies the decoding algorithm of the binary object - base type: normalizedString, (XPath SEpreliminaryinformation/certificate/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional]</p> |

| | |
|--------------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@encoding) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@encoding) [Optional]</p> |
| encodingCode | <p>the encoding/decoding algorithm used with the external object (example is 'base64Binary')</p> <p>- base type: normalizedString,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> |

| | |
|------------------|--|
| | <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/encodingCode) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference/encodingCode) 0-1</p> |
| energy | <p>Quantity of Energy measured (produced or consumed; use Wh or kWh)</p> <p>- base type: ,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy) 1-1</p> <p>- note: when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy) 1-1</p> <p>- note: when used to describe the energy related to a facility please refer to its yearly production. Use Wh or kWh</p> |
| energySourceType | <p>type of energy source</p> <p>- base type: string, cod. table: NT320</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energySourceType) 0-1</p> <p>- note: specify this information especially for renewable sources</p> |
| entityID | <p>unique identification number assigned to an entity.</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID) 1-3</p> |

| | |
|------------------------|--|
| | <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value) (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value) (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value) (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value) (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/entityID) 1-3</p> <p>- note: Identifier of the entity. More values are allowed as long as they refer to the same entity according to different identification schemes (different schemeID value)</p> |
| entityTypeCode | <p>code that indicates the type of entity to which we refer</p> <p>- base type: string, cod. table: NT201 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/entityTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity/entityTypeCode) 1-1</p> |
| evidenceValue | <p>value of the specified indicator which constitutes evidence of the criterion</p> <p>- base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/evidenceValue) 0-1</p> <p>- note: any unit of measurement is indicated by the socialAccountabilityEvidenceCategory</p> |
| EWCWasteCode | <p>code of the waste according to the European Waste Catalogue (CER or EWC) classification. Refer to table NT315 or directly to the standard if the code you are looking for is not present.</p> <p>- base type: string, max length: 9, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/EWCWasteCode) 1-1</p> |
| @exhaustiveInformation | <p>indicates that the provided information is guaranteed as exhaustive (all the information are mentioned – with the only limitations due to the access rights-) or non-exhaustive (the list contains just some elements): value true=exhaustive</p> <p>- base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--------|--|
| | <p>listOfFacilities/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/billOfComponents/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements). (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/@exhaustiveInformation) [Required] - nota: When TRUE the sender guarantees as exhaustive the supplied information (all the information are explicited – with the only limitations due to the access rights-) When FALSE, non-exhaustive (the list contains only some foreseen elements).</p> |
| fabric | <p>fabric number of the garment - base type: string, max length: 15, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/fabric) 0-1 - note: when a garment component, it should be the code assigned to the garment article (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/fabric) 0-1 - note: when a garment component, it should be the code assigned to the garment article (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric) 0-1</p> |

| | |
|------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1 - note: when a garment component, it should be the code assigned to the garment article</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1 - note: when a garment component, it should be the code assigned to the garment article</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric) 0-1 - note: when a garment component, it should be the code assigned to the garment article</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/fabric) 0-1</p> |
| @fax | <p>fax number of the contact person within a Party - base type: string, max length: 35,</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--|---|
| | <p>socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/author/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/certificate/certifiedParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/selfAssertion/issuerParty/person/@fax) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/person/@fax) [Optional]</p> |
|--|---|

| | |
|----------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@fax) [Optional]</p> <p>]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@fax) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person/@fax) [Optional]</p> |
| fileName | <p>unique identifier (name) of the file - base type: string, max length: 255,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/fileName) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|---------|---|
| | <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/fileName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/fileName) 0-1 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/fileName) 0-1</p> |
| @format | <p>the format of the binary content (examples xml, pdf, doc,...) - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/certificate/attachment/ binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|---------------|--|
| | <p>selfAssertion/externalRefDoc/attachment/binaryObject/@format) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@format) [Optional]</p> |
| formatCode | <p>the format of the external object (examples xml, pdf, doc,...) - base type: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/formatCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/formatCode) 0-1</p> |
| @geoRefSystem | <p>georeference system adopted for the coordinate (in example wgs84 with decimal degree 0 degree with minute and seconds) - base type: string, (XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--|--|
| | <p>socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/SRVheader/senderParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|--|--|
| | <p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/SRVheader/receiverParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/organisationAddress/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|---------------|--|
| | <p>socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@geoRefSystem) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@geoRefSystem) [Optional]</p> |
| gPart | <p>code specifying the type of component or part of a fashion product (sleeve, neck, ...) - base type: string, cod. table: T48 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/gPart) 1-1</p> |
| hashFootprint | <p>footprint obtained by applying an hashing alorythm - base type: string, max length: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--------------------|---|
| | <p>listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/hashFootpr int) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hash Footprint) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint) 0- 1</p> |
| <p>@hashMethod</p> | <p>type of used hashing algorithym - base type: string, max length: 80, cod. table: NT333 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@hashMe thod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@has hMethod) [Required] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/hashFootpr int/@hashMethod) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@ hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/certificate/attachment/ hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashF ootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hash Footprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|-------------------|---|
| | <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required]</p> <p>red] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/hashFootprint/@hashMethod) [Required]</p> <p>red] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/hashFootprint/@hashMethod) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/hashFootprint/@hashMethod) [Required]</p> |
| @hazardous | <p>qualification as 'hazardous' for the object to which it refers (if true it is dangerous) - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/@hazardous) [Required]</p> |
| id | <p>primary identification code of a Party; it is recommended to use an EORI number (with @numberingOrg= "EO") or the format: nation code (ISO 3166) + national tax code (i.e. VAT identification number) with @numberingOrg= "MF" - base type: string, max length: 15, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/id) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/id) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/id) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/id) 0-1</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/id) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/id) 0- 1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/id) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/id) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/id) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|---------------------------|--|
| | <p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/id) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/id) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/id) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/id) 0-1</p> |
| @idQualifier | <p>Qualification of the identifier. - base type: string, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/additionalIdentifier/@idQualifier) [Optional] - nota: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i></p> |
| @indirectIncluded | <p>indicates that also indirect consumptions or emissions or impacts (for example energy consumption of auxiliary systems) have been considered. False value = direct impacts only, true value also indirect impacts. - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/@indirectIncluded) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/@indirectIncluded) [Required]</p> |
| @internalEnergyProduction | <p>indicates if the energy is supplied by an internal energy production (TRUE) or from me xternal source (for example electricity grid) - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energySupplyDescriptor/@internalEnergyProduction) [Required]</p> |
| @internallyPerformed | <p>indicates that the operation is carried out internally (value TRUE) of the organization a nd not at a subcontractor or other subject (value FALSE) - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/@internallyPerf ormed) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/@internallyPerformed) [Required] - nota: <i>information relating to the entire component</i></p> |
| @isElectric | <p>indicates whether it is electricity ('true' value) or thermal energy ('false' value). When a bsent refer to both. - base type: boolean,</p> |

| | |
|-------------------------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/@isElectric) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/auxSystemsConsumptionPerc/@isElectric) [Optional]</p> |
| @isStudyDataset | <p>if 'true' the element to which it is associated is the dataset of a study to be treated as a binary dataset, otherwise it is a report</p> <p>- base type: boolean,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/@isStudyDataset) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/@isStudyDataset) [Required]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/@isStudyDataset) [Required]</p> |
| issuerAccreditationInfo | <p>accrediting information of the issuer of the document</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p> |

| | |
|--------|--|
| | <p>externalRefDoc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/issuerAccr editationInfo) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/issuerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/is suerAccreditationInfo) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/issuerAccreditati onInfo) 0-1</p> |
| @isURL | <p>it indicates if the referred element is an URL (true) or not (false) - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/exter nalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/certificate/attachment/ blockChainReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/uri/@isURL) [Option al] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference/uri/@isURL) [Opti onal] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Def ault= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= tru e] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChain Reference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true] - nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--|--|
| | <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|-----------|---|
| | <p>listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/blockChainReference/uri/@isURL) [Optional] [Default= true]</p> <p>- nota: <i>usage of URLs is recommended</i></p> |
| itemID | <p>number of the line/item of the referenced document</p> <p>- base type: string, max length: 40, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/itemID) 0-1</p> |
| legalName | <p>legal name</p> <p>- base type: string, max length: 250, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/legalName)</p> |

| | |
|--|--|
| | <p>0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/legalName) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed</p> |
|--|--|

| | |
|--------------------------------------|---|
| | <p>Water/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ egalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/leg alName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/legalName) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/legalName) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/legalName) 0-1</p> |
| <p>@limitedByDisclosureIndicator</p> | <p>indicates whether the content has been restricted by the enforcement of accessibility ri ghts (i.e. it may not be complete): true = restricted, false = not restricted - base type: boolean, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> |

| | |
|-----------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>(XPath SEpreliminaryinformation/billOfComponents/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@limitedByDisclosureIndicator) [Optional] - nota: use when you want to indicate that the content provided is only a part of what is actually stored</p> |
| @listName | <p>the name of the list of codes used to make an instance of the element (it might be thought as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264") - base type: string, max length: 40,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/rawCode/color/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/art/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional] - nota: this attribute should always be used coupled with "numberingOrg"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif</p> |

| | |
|--|---|
| | <p>ication/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/size/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/pattern/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/mod/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Option al] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/artGroup/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/size/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/fabric/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/artGroup/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/drop/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> |
|--|---|

| | |
|--|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/drop/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/pattern/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/size/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/size/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/mod/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/artGroup/@listName) [Optio nal]</p> |
|--|---|

- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/yarnCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/yarnCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/
@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/
acsCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/mod/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
on/yarnCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/drop/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/
@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/fabric/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/mod/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/artGroup/@listName) [Opti
onal]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeA/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/size/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/pattern/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/texCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/artGroup/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/mod/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/

| | |
|--|--|
| | <p>ProductIdentification/garmentCode/garmentCodeB/fabric/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/season/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/fabric/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/pattern/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/art/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/ProductIdentification/texCode/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/fabric/@listName) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i></p> |
|--|--|

(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/drop/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/acsCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/size/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/mod/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/color/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listName) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg”*
(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/mod/@listName) [Optional]

| | |
|--------------|---|
| | <ul style="list-style-type: none"> - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/fabric/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/color/@listName) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg”</i> |
| @listVersion | <p>it specifies the version of the list of codes used to make an instance of the element</p> <ul style="list-style-type: none"> - base type: string, max length: 6, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> |

| | |
|--|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Optional] - nota: this attribute should always be used coupled with "numberingOrg" and "listName"</p> |
|--|---|

e”
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
 on/yarnCode/color/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
 on/garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/garmentCode/garmentCodeA/art/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
 on/garmentCode/garmentCodeB/drop/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/organisationDescriptor/
 listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati
 on/yarnCode/art/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/acsCode/art/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/organisationDescriptor/
 socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
 ication/yarnCode/color/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/acsCode/pattern/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 ProductIdentification/garmentPartCode/mod/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/refDoc/season/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/ProductIdentification/
 garmentPartCode/mod/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/billOfComponents/
 productComponent/garmentCode/garmentCodeA/art/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 ProductIdentification/acsCode/pattern/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/assessmentStudyDocument/
 ProductIdentification/acsCode/art/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam
 e”
 (XPath SEpreliminaryinformation/ProductIdentification/
 rawCode/art/@listVersion) [Optional]
 - nota: this attribute should always be used coupled with “numberingOrg” and “listNam

e”
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/acsCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
ication/yarnCode/art/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/acsCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/texCode/art/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
ication/texCode/pattern/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/garmentVariant/variantCode/@listVersion) [Opti
onal]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optiona
l]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
ication/texCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentCode/garmentCodeB/fabric/@listVersion) [Option
al]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/texCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/ProductIdentification/
rawCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/color/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif
ication/texCode/art/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/garmentPartCode/size/@listVersion) [Optional]
- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

e”
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/texCode/pattern/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentPartCode/fabric/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/drop/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/rawCode/art/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/rawCode/color/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/size/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/assessmentStudyDocument/
ProductIdentification/yarnCode/art/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/mod/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/color/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/
@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/size/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/ProductIdentification/
garmentCode/garmentCodeB/drop/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/ProductIdentification/
texCode/color/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/
@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/ProductIdentification/
acsCode/art/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/garmentPartCode/fabric/@listVersion) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/pattern/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/mod/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/size/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/art/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/color/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/yarnCode/art/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/mod/@listVersion) [Optional] - nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> |
|--|--|

| | |
|--|---|
| | <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/size/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/drop/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ texCode/pattern/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@listVersion) [Optional]</p> |
|--|---|

| | |
|-----|--|
| | <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType /@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/fabric/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/color/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/art/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/art/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCod e/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantType/@listVersion) [Optio nal]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/color/@listVersion) [Option al]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/size/@listVersion) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i> e”</p> |
| @In | <p>Language code. - base type: string, cod. table: NT60 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/description/ @In) [Optional] (XPath SEpreliminaryinformation/selfAssertion/sustainabilityCharacteristicText/@In) [O ptional]</p> <p>- nota: <i>Indicates the language of the text</i></p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>]</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/title/@In) [Optional]</p> <p>]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>Indicates the language of the text</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>Indicates the language of the text</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText/</p> |
|--|--|

| | |
|--|--|
| | <p>@In) [Optional] - nota: <i>Indicates the language of the text</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/title/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/sustainabilityCharacteristicText/@In) [Optional] - nota: <i>Indicates the language of the text</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/description/ @In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/certificate/sustainabilityCharacteristicText/@In) [Opti onal] - nota: <i>Indicates the language of the text</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /sustainabilityCharacteristicText/@In) [Optional] - nota: <i>Indicates the language of the text</i> (XPath SEpreliminaryinformation/certificate/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/description/@In) [Optional] (XPath SEpreliminaryinformation/certificate/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ texCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/description/@ In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/title/@In) [Opt ional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableA bstract/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect</p> |
|--|--|

| | |
|--|---|
| | <p>Emissions/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/rawCode/description/@In) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/sustainabilityCharacteristicText/@In) [Optional] - nota: <i>Indicates the language of the text</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/description/@In) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/yarnCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/description/@In) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/description/@In) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|---|

| | |
|--|---|
| | <p>listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>Indicates the language of the text</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/publishableAbstract/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>Indicates the language of the text</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/title/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText/@In) [Optional]</p> <p>- nota: <i>Indicates the language of the text</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/description/@In) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/</p> |
|--|---|

| | |
|----------|---|
| | <p>productComponent/acsCode/description/@In) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/title/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/description/@In) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedEntity/description/@In) [Optional]</p> |
| location | <p>specification of a location. It can be represented by an identification code (preferable) or a short text (not recommended). For example a GLN code that requires to assign the value "GLN" to the attribute @LRI. - base type: string, max length: 128, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/location) 1-1 - note: Use this element only to indicate an identification code of this place. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/location) 1-1 - note: Use this element only to indicate an identification code of this place. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/location) 1-1 - note: Use this element only to indicate an identification code of this place. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/location) 1-1 - note: Use this element only to indicate an identification code of this place. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ location) 0-1 - note: Use this element only to indicate an identification code of this place. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/location) 1-1 - note: Use this element only to indicate an identification code of this place. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ facilityLocation/location) 1-1 - note: Use this element only to indicate an identification code of this place.</p> |
| @logo | <p>company logo (URL of the image jpeg or gif). It is recommended that the width of the image does not exceed 640 pixel. - base type: string, max length: 255, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/@logo) [Optional]</p> |
| @LRI | <p>issuer of the identifier (or identification system) of a location. - base type: string, cod. table: NT3 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/location/@LRI) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ location/@LRI) [Optional]</p> |

| | |
|----------------------------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/location/@LRI) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/location/@LRI) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/location/@LRI) [Optional]</p> |
| manufacturingOperationCode | <p>single manufacturing operation type</p> <p>- base type: string, cod. table: T305</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/manufacturingOperationCode) 1-1</p> |
| @mime | <p>the mime type of the binary object</p> <p>- base type: normalizedString,</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/binaryObject/@mime) [Optional]</p> |

| | |
|----------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/binaryObject/@mime) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/binaryObject/@mime) [Optional]</p> |
| mimeCode | <p>mime type of the external object - base type: normalizedString,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/externalReference/mimeCode) 0-1 Best Practice</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attach</p> |

| | |
|---------|---|
| | ment/externalReference/mimeCode) 0-1 Best Practice |
| mod | <p>model number of the garment</p> <ul style="list-style-type: none"> - base type: string, max length: 15, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/mod) 1-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/mod) 1-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/mod) 1-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/mod) 1-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/mod) 1-1 - note: <i>when a garment component, it should be the code assigned to the garment arti cle</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/mod) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/mod) 1-1 |
| msgDate | <p>date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <ul style="list-style-type: none"> - base type: string, (XPath SEpreliminaryinformation/SRVheader/msgDate) 0-1 |
| msgID | <p>key identifier of the business document in the information system of the issuing Party. I n case of more despatches of the same business document, it is unchanged.</p> <ul style="list-style-type: none"> - base type: string, max length: 35, (XPath SEpreliminaryinformation/SRVheader/msgID) 0-1 |
| note | <p>free text or structured (computer processing) note. For note structuring use the attribut es "noteLabel" and "codelist"</p> <ul style="list-style-type: none"> - base type: string, max length: 350, (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note) 0-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ note) 0-9 |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/note) 0-9</p> <p>(XPath SEpreliminaryinformation/certificate/note) 0-99</p> <p>(XPath SEpreliminaryinformation/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/note) 0-99</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /energyConsumptionDescriptor/note) 0-99</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/note) 0-99</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /energySupplyDescriptor/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/note) 0-9</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/note) 0-99</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect</p> |
|--|--|

| | |
|-------------------|--|
| | <p>Emissions/directEmissionDescriptor/note) 0-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/note) 0-99</p> |
| <p>@noteLabel</p> | <p>subject qualifier of a note</p> <ul style="list-style-type: none"> - base type: string, max length: 35, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@noteL abel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@note Label) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/ProductIdentification/ note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note/@noteLabel) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ |

| | |
|--|---|
| | <p>wasteDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/certificate/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/note/@noteLabel) [Optional]</p> |
|--|---|

| | |
|---------------|--|
| | <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/note/@noteLabel) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> |
| @numberingOrg | <p>code specifying the organisation who has created or owns the coding or numbering system</p> <p>- base type: string, cod. table: NT6 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/id/@ numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/acsCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/acsCode/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> |
|--|--|

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/docID/@numberin gOrg) [Optional] - nota: here can be specified whose document numbering is used (e.g.: Client, Supplie r, ..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in " noteLabel"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeA/art/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/yarnCode/added/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/fileNa me/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/rawCode/art/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/texCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/color/@numberingOrg) [Op tional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/art/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optio nal] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/rawCode/added/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in " noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/note/@numberin gOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in " noteLabel"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [O ptional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [O ptional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [O ptional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [O ptional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [O ptional] - nota: this attribute should be used either single or coupled with "listName" and "listVe rsion"</p> |
|--|--|

| | |
|--|---|
| | <p>ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> |
|--|---|

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/ProductIdentification/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/rawCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/pattern/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentPartCode/mod/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/season/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/certificate/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "</i></p> |
|--|--|

| | |
|--|---|
| | <p><i>noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeA/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/additionalIdentifier/@numberingOrg) [Optional]</p> <p>- nota: <i>here the issuer of the identifier must be specified</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/certificate/attachment/ fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "</i></p> |
|--|---|

| | |
|--|---|
| | <p><i>noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/ id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ acsCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Suppliers, ..)</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Suppliers, ..)</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "</i></p> |
|--|---|

| | |
|--|---|
| | <p><i>noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "</i> <i>noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/fileName/@numberingOrg) [Optional]] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "</i> <i>noteLabel"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "</i> <i>noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/size/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> |
|--|---|

| | |
|--|---|
| | <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ...)</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/rawCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/fabric/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/mod/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ...)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/acsCode/color/@numberingOrg) [Optional]</p> |
|--|---|

| | |
|--|--|
| | <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/size/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/ProductIdentification/ acsCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> |
|--|--|

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: here can be specified whose document numbering is used (e.g.: Client, Suppliers, ...)</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/acsCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/size/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in "noteLabel"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification</p> |
|--|--|

| | |
|--|--|
| | <p>on/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentPartCode/size/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/fileName/ @numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optio nal] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/id/@numb eringOrg) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantType/ @numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ texCode/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optio nal] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/acsCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/@numberingOrg) [Optional] [Default= CL] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/fileName/@numberingOr g) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> |
|--|--|

| | |
|--|--|
| | <p><i>rsion</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/fabric/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/fileName/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/id/@numberingO rg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [O ptional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/mod/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/pattern/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/size/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentPartCode/size/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "</i> <i>noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "</i> <i>noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/i d/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|--|--|
| | <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/artGroup/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/docID/@numberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ rawCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ rawCode/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/ id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/art/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef</p> |
|--|--|

| | |
|--|--|
| | <p>Doc/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/art/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in "noteLabel" (XPath SEpreliminaryinformation/SRVheader/senderParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in "noteLabel" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in "noteLabel" (XPath SEpreliminaryinformation/ProductIdentification/rawCode/color/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/added/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeA/art/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/ProductIdentification/rawCode/added/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/color/@numberingOrg) [Optional] - nota: this attribute should be used either single or coupled with "listName" and "listVersion" (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/note/@numberingOrg) [Optional] - nota: must be used to specify the organization that created the list of codes used in "noteLabel"</p> |
|--|--|

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /id/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/fileName/@numberingOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/texCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/color/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/docID/@num beringOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplie r, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/drop/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/fileName/@numberi ngOrg) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/note/@num beringOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/note/@numberingOrg) [Optional]</p> <p>- nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i></p> <p>(XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/added/@numberingOrg) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVe rsion"</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/docID/@nu mberingOrg) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplie r, ..)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion</p> |
|--|--|

| | |
|--|--|
| | <p>/externalRefDoc/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/fabric/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/mod/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCode/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/ProductIdentification/ yarnCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/id/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/art/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/yarnCode/@numberingOrg) [Optional] [Default= CL] (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|----------------|--|
| | <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/filename/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/added/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/rawCode/color/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType/@numberingOrg) [Optional] - nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/docID/@numberingOrg) [Optional] - nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/@numberingOrg) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/note/@numberingOrg) [Optional] - nota: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/id/@numberingOrg) [Optional]</p> |
| objectTypeCode | <p>code that identifies the type of object - base type: string, cod. table: T302 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/objectTypeCode) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/objectTypeCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/objectTypeCode) 0-1</p> |
| @part | <p>percent fraction - base type: decimal, min inclusive: 1, max inclusive: 100, fraction digits: 2, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/@part) [Optional] [Default= 100] - nota: <i>percentage of activities performed at the location</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType/@part) [Optional] - nota: <i>Indicates the percentage of waste water destined for this treatment (referred to relatedQuantity units), if absent it is assumed to be 100%</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p> |

| | |
|-----------------------|--|
| | <p>wasteDescriptor/wasteFinalTreatmentType/@part) [Optional] - nota: Indicates the percentage of waste destined for this treatment (referred to relate dQuantity units), if absent it is assumed to be 100%.</p> |
| pattern | <p>pattern/design number of the product, when not included in the article code - base type: string, max length: 15, (XPath SEpreliminaryinformation/billOfComponents/productComponent/acsCode/pattern) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/texCode/pattern) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/acsCode/pattern) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/acsCode/pattern) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/texCode/pattern) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/texCode/pattern) 0-1</p> |
| @percSourcesRenewable | <p>indicates the percentage of renewable sources - base type: decimal, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/@percSourcesRenewable) [Optional] - nota: percentage of renewable energy calculated on the total energy of the energySupply Descriptor element to which it belongs</p> |
| person | <p>name of a person (e.g. contact person within an organization) - base type: string, max length: 40, (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/person) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/person) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/person) 0-1</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/per son) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/perso n) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/person) 1-99</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/p erson) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/person) 0-1</p> |
|--|--|

| | |
|--------|--|
| | <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/person) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/person) 0-1</p> |
| @phone | <p>phone number of the contact person within a Party</p> <p>- base type: string, max length: 35,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/person/@phone) [Optional]</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/person/@p hone) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/person/@ph one) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/author/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/ person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/person/@phone) [Opti onal]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/person/@phone) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|---------------------|---|
| | <p>socialAndEthicalSpecificInformation/selfAssertion/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/SRVheader/senderParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/author/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/author/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/person/@phone) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/person/@phone) [Optional]</p> |
| platformServiceCode | <p>code of the available service - base type: string, cod. table: TRK01 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml (XPath SEpreliminaryinformation/SRVheader/platformServiceReference/platformServiceCode) 1-1</p> |
| postCode | <p>code defining the postal zone - base type: string, max length: 10, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> |

| | |
|--|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/organisationAddress/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/issuerParty/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/postCode) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si</p> |
|--|---|

| | |
|---------------|--|
| | <p>gnatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/post Code) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/postCode) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/ signatoryParty/postCode) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/postCode) 0-1</p> |
| processStepID | <p>internal identifier of the single manufacturing operation needed to produce the product - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/processStepID) 1-1 - note: <i>internal identifier of the single manufacturing operation</i></p> |

| | |
|---------------------|---|
| productReferenceQty | <p>net reference quantity of the product</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ productReferenceQty) 0-1 Best Practice</p> <p>- note: when present, each contained input/output figure refers to this quantity of product / material (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWasteWater/wasteWaterDescriptor/productReferenceQty) 0-1</p> <p>- note: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWaste/wasteDescriptor/productReferenceQty) 0-1</p> <p>- note: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fUsedWater/usedWaterDescriptor/productReferenceQty) 0-1</p> <p>- note: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fDirectEmissions/directEmissionDescriptor/productReferenceQty) 0-1</p> <p>- note: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fEnergy/energyConsumptionDescriptor/productReferenceQty) 0-1</p> <p>- note: this element can be omitted if is contained in a bill in which the quantity of the functional unit of reference is already known (for example PEFProductionPrimaryDataSet) or if it is referred to a facility (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fDirectEmissions/productReferenceQty) 0-1 Best Practice</p> <p>- note: when present, each contained input/output figure refers to this quantity of product / material (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fWasteWater/productReferenceQty) 0-1 Best Practice</p> <p>- note: when present, each contained input/output figure refers to this quantity of product / material (XPath SEpreliminaryinformation/billOfComponents/productReferenceQty) 0-1</p> <p>- note: when filled, all the quantities indicated in product Component are relative to the realization of thi s quantity of product. (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fEnergy/productReferenceQty) 0-1 Best Practice</p> <p>- note: when present, each contained input/output figure refers to this quantity of product / material (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billO fUsedWater/productReferenceQty) 0-1 Best Practice</p> <p>- note: when present, each contained input/output figure refers to this quantity of product / material</p> |
| @progr | <p>progressive number in the sequence</p> <p>- base type: positiveInteger, min inclusive: 1, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/@progr) [Required]</p> <p>- nota: Indicates the sequence of operations necessary to make the product. In the case of repeated operations, assign different values of progr.</p> |
| publishableAbstract | <p>publishable abstract of the study</p> <p>- base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/publishableAbstract) 0-99</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/publishableAbstract) 0-99</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/publishableAbstract) 0-99</p> <p>- note: Only one instance of this element for each different value of 'In' attribute (language)</p> |

| | |
|-----------------------------|--|
| qty | <p>net quantity of the article or object correlated, qualified by the function of the document (ordering, delivering, ..) and by the context</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath SEpreliminaryinformation/billOfComponents/productComponent/qty) 0-2</p> <p>- note: <i>this value is referred to the unit of measure of the product declared in the billOfComponents</i></p> |
| @recyclingProcessEfficiency | <p>recycling process efficiency rate (percentage by weight).</p> <p>- base type: decimal, min inclusive: 0, max inclusive: 100, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteFinalTreatmentType/@recyclingProcessEfficiency) [Optional]</p> <p>- nota: <i>efficiency of the recycling process adopted on the waste</i></p> |
| @referenceYear | <p>reference year of the element to whom is associated</p> <p>- base type: positiveInteger, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/Water/wasteWaterDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/energy/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/declaredQty/@referenceYear) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@referenceYear) [Optional]</p> |
| @releasedOn | <p>indicates the possible destinations of direct emissions with which it is associated</p> <p>- base type: string, cod. table: NT317 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/@releasedOn) [Required]</p> <p>- nota: <i>when using the attribute consider the value 'soil' only for Animal fibers, Plant fibres, Synthetic fibres</i></p> |
| reviewDate | <p>date of accomplishment of the document review, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewDate) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewDate) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewDate) 0-1</p> |
| @role | <p>Third Party role qualifier</p> <p>- base type: string, cod. table: NT2 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml (XPath SEpreliminaryinformation/SRVheader/receiverParty/@role) [Optional]</p> <p>- nota: <i>The use of this attribute is mandatory when the element to which it is associated has TRCHeader as its parent.</i> (XPath SEpreliminaryinformation/SRVheader/senderParty/@role) [Optional]</p> |

| | |
|-------------|---|
| | <p>- nota: <i>The use of this attribute is mandatory when the element to which it is associated has TRCHeader as its parent.</i></p> |
| routeLength | <p>length of a route</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/routeLength) 0-1</p> <p>- note: <i>length of the path taken to bring the waste to the final treatment (kilometers as unit of measure are preferred)</i></p> |
| @schemeID | <p>identifier of an identification scheme</p> <p>- base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certificateID/@schemeID) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required] (XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i> (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required] (XPath SEpreliminaryinformation/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/certificate/certificateID/@schemeID) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: <i>specify for which system this hash footprint might be used as identifier (for example HDFS system..)</i></p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/activityStatisticalCode/@schemeID) [Optional] [Default= NACE]</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certificateID/@schemeID) [Optional]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]]</p> <p>- nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/wasteTypeCode/@schemeID) [Required] - nota: indicates the adopted classification, a URI is recommended</p> <p>(XPath SEpreliminaryinformation/certificate/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional] - nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/hashFootprint/@schemeID) [Optional]</p> |
|--|--|

| | |
|------------------------|--|
| | <p>- nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/uniqueProductID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/selfAssertionEntity/entityID/@schemeID) [Required]</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/hashFootprint/@schemeID) [Optional]</p> <p>- nota: specify for which system this hash footprint might be used as identifier (for example HDFS system..)</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedEntity/entityID/@schemeID) [Required]</p> |
| season | <p>sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc.</p> <p>- base type: string, max length: 15,</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/refDoc/season) 0-1</p> <p>- note: here indicates the season to which the referenced document belongs</p> |
| @sender | <p>qualifier that specifies the Party issuing of the document</p> <p>- base type: boolean,</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/@sender) [Optional]</p> <p>- nota: This attribute is mandatory when the STYLESHEET must be used (XPath SEpreliminaryinformation/SRVheader/receiverParty/@sender) [Optional]</p> <p>- nota: This attribute is mandatory when the STYLESHEET must be used. (XPath SEpreliminaryinformation/SRVheader/senderParty/@sender) [Optional]</p> <p>- nota: This attribute is mandatory when the STYLESHEET must be used.</p> |
| serviceRequestedAction | <p>requested service action</p> <p>- base type: string, cod. table: TRK02</p> <p>http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml</p> <p>(XPath SEpreliminaryinformation/SRVheader/platformServiceReference/serviceRequestedAction) 1-1</p> |
| serviceTicketID | <p>service ticket identifier</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/SRVheader/platformServiceReference/serviceTicketID) 0-1</p> <p>- note: mandatory after activation</p> |
| signatureTypeCode | <p>indicator of existing and type of signature</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|--------------------------------------|--|
| | <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatureTypeCode) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatureTypeCode) 1-1</p> |
| size | <p>size number of a fashion product (knitwear, clothing, ..) - base type: string, max length: 15, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentPartCode/size) 0-1 (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/size) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/size) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentPartCode/size) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/size) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentPartCode/size) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentCode/garmentCodeB/size) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/garmentPartCode/size) 0-1</p> |
| socialAccountabilityEvidenceCategory | <p>Category of Social Accountability Requirements (according to SA8000 description) - base type: string, cod. table: NT326 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml (XPath SEpreliminaryinformation/organisationDescriptor/</p> |

| | |
|-----------------------------|--|
| | <p>socialAndEthicalSpecificInformation/socialAccountabilityEvidence/socialAccountabilityEvidenceCategory) 1-1</p> |
| @socialAccountabilityMethod | <p>applied social accountability assessment method (might be SA8000 or a specialisation/adaptation of it) - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/@socialAccountabilityMethod) [Optional]</p> |
| @standardOwner | <p>standard owner is the organisation that owns and manages the standard specifications (for example Textile exchange or OEKO-TEX) - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certificationStandardName/@standardOwner) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certificationStandardName/@standardOwner) [Required] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certificationStandardName/@standardOwner) [Required] (XPath SEpreliminaryinformation/certificate/certificationStandardName/@standardOwner) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certificationStandardName/@standardOwner) [Required]</p> |
| @storageAction | <p>indicates how to insert the information to which it refers into an archive, also specifying what should happen to the pre-existing information. - base type: string, cod. table: NT312 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/@storageAction) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/@storageAction) [Required] (XPath SEpreliminaryinformation/billOfComponents/@storageAction) [Required]</p> |
| street | <p>street and building number identifying a location - base type: string, max length: 80, (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf</p> |

| | |
|--|--|
| | <p>ormation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/street) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/facilityLocation/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/street) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/street) 0-1</p> |
|--|--|

| | |
|------------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/certifiedParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/supplier/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/street) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/street) 0-1</p> |
| subCountry | <p>short name or code of the sub-country entity</p> <p>- base type: string, max length: 9,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/subCountry) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/</p> |

| | |
|--|---|
| | <p>productComponent/certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/SRVheader/receiverParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/subCo untry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/s ubCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/</p> |
|--|---|

| | |
|--|--|
| | <p>issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/selfAssertion/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnerg y/externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/sub Country) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/subC ountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/subCountry) 0-1</p> |
|--|--|

| | |
|---------|---|
| | (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/subCountry) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/subCountry) 0-1 |
| subDept | name or code of a department - base type: string, max length: 40, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/subD ept) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/subDept) 0-1 (XPath SEpreliminaryinformation/certificate/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/s ubDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/subDept) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/subDept) 0-1 |

| | |
|----------------------------------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/subDept) 0 -1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/subDe pt) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/sub Dept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/subDept) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/subDept) 0-1</p> |
| sustainabilityCharacteristicText | text that describes a single sustainability characteristic (for example a claim). The content of the element must be unique, it might be translated and repeated into more langu |

| | |
|--------------|--|
| | <p>ages (thus no more than one instance for each language). - base type: string, min length: 1, (XPath SEpreliminaryinformation/certificate/sustainabilityCharacteristicText) 0-99 (XPath SEpreliminaryinformation/selfAssertion/sustainabilityCharacteristicText) 0-99 - note: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/sustainabilityCharacteristicText) 0-99 - note: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/sustainabilityCharacteristicText) 0-99 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/sustainabilityCharacteristicText) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/sustainabilityCharacteristicText) 0-99 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/sustainabilityCharacteristicText) 0-99 - note: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/sustainabilityCharacteristicText) 0-99 - note: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/sustainabilityCharacteristicText) 0-99 - note: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/sustainabilityCharacteristicText) 0-99 - note: Describe the assertion. It could be a public claim. Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/sustainabilityCharacteristicText) 0-99</p> |
| timeDuration | <p>duration time in days, hours, possibly also indicating minutes and seconds (format nnnD:nnnH: nnM: nnS) - base type: duration, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/timeDuration) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/timeDuration) 1-1</p> |
| title | <p>document title - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/certificate/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (language)</p> |

| | |
|--|--|
| | <p>age) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/assessmentStudyDocument/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/title) 0-unbou nded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/title) 0-unbo unded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/title) 0-unbounded - note: Only one instance of this element for each different value of 'In' attribute (langu age)</p> |
|--|--|

| | |
|--------------------|---|
| transactionReceipt | <p>transaction receipt on blockchain - base type: string, max length: 80, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/certificate/attachment/ blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/transactionReceipt) 1-9</p> |
| typeOfEnergyVector | <p>type of energy vector - base type: string, cod. table: NT319 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/typeOfEnergyVector) 1-1</p> |
| @uid | <p>unique element identifier within the xml document</p> |

| | |
|-----|--|
| | <p>- base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/@uid) [Opti onal] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/ @uid) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/ @uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/assessmentStudyDocument/ attachment/@uid) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/@uid) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/attachment/@uid) [Optional]</p> |
| @um | <p>specification of the unit of measure - base type: string, cod. table: NT7 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optiona l] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/@um) [Option al] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ </p> |

| | |
|--|---|
| | <p>listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/directEmissionDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/ @um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@u m) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/usedWaterDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/qty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/wasteWaterDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DE GD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geo Coordinates/@um) [Optional] [Default= DEGD] - nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|---|

| | |
|--|---|
| | <p>listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/directEmissionDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/SRVheader/receiverParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty/@um) [Required]</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/productReferenceQty/@um) [Required]</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> |
|--|---|

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g
eoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [De
fault= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef
Doc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/
wasteDescriptor/routeLength/@um) [Required]

(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed
Water/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/selfAssertion/externalRefDoc/signatureInformation/signator
yParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste
Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Op
tional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/
energySupplyDescriptor/energy/@um) [Required]

(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/
@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste
Water/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/billOfComponents/@um) [Required]

- nota: *this unit of measure is the reference unit for the quantities of each component; i
f it is 'piece', each quantity is referred to the quantity of the component needed for 1 pi
ece.*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf
ormation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/
facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/
productReferenceQty/@um) [Required]

(XPath SEpreliminaryinformation/organisationDescriptor/
listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect
Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um)
[Optional] [Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/
socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion
/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional]
[Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/billOfComponents/
productComponent/selfAssertion/issuerParty/geoCoordinates/@um) [Optional]
[Default= DEGD]

- nota: *when not specified assume decimal DEGREES*
(XPath SEpreliminaryinformation/organisationDescriptor/

| | |
|--|--|
| | <p>listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/evidenceValue/@um) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energySupplyDescriptor/activePower/@um) [Required] (XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/declaredQty/@um) [Required] (XPath SEpreliminaryinformation/SRVheader/senderParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/energy/@um) [Required] (XPath SEpreliminaryinformation/billOfComponents/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/wasteDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/productReferenceQty/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/certificate/issuerParty/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/energyConsumptionDescriptor/activePower/@um) [Required] (XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/@um) [Optional] [Default= DEGD]</p> |
|--|--|

| | |
|-----------------|---|
| | <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC oordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ geoCoordinates/@um) [Optional] [Default= DEGD]</p> <p>- nota: <i>when not specified assume decimal DEGREES</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/productReferenceQty/@um) [Required]</p> |
| uniqueProductID | <p>Unique product identifier. It identifies the product completely, differentiating any variants, sizes, colors, etc. It should be unique throughout the whole value chain. (It can be the GTIN)</p> <p>- base type: string, max length: 80, (XPath SEpreliminaryinformation/ProductIdentification/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentification/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/uniqueProductID) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentification/uniqueProductID) 1-1</p> |
| uri | <p>Uniform Resource Identifier (URI) that identifies the external object as an Internet resource</p> <p>- base type: normalizedString, (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/block ChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/blockChain Reference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/uri) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1</p> <p>- note: <i>reference to the used blockchain (example: url https://etherscan.io/ of ethereum)</i></p> |
|--|--|

| | |
|-------------------|--|
| | <p><i>m</i>) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/blockChainReference/uri) 1-1 - note: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) <i>m</i>) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) <i>m</i>) (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/blockChainReference/uri) 1-1 - note: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) <i>m</i>) (XPath SEpreliminaryinformation/certificate/attachment/ externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) <i>m</i>) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/blockChainReference/uri) 1-1 - note: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) <i>m</i>) (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/certificate/attachment/ blockChainReference/uri) 1-1 - note: reference to the used blockchain (example: url https://etherscan.io/ of ethereum) <i>m</i>) (XPath SEpreliminaryinformation/billOfComponents/ productComponent/refDoc/attachment/externalReference/uri) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/attachment/externalReference/uri) 1-1</p> |
| usedWaterType | <p>origin of the used water - base type: string, cod. table: NT318 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/usedWaterDescriptor/usedWaterType) 1-1</p> |
| @useProfile | <p>use profile to which the present document is compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile. - base type: string, (XPath SEpreliminaryinformation/@useProfile) [Optional]</p> |
| @validationMethod | <p>type of method used to validate the quantity to which it refers. For example, it indicates whether it was measured in the field, estimated indirectly, approved by an expert or taken from the literature - base type: string, cod. table: NT329 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect</p> |

| | |
|--------------------|--|
| | <p>Emissions/directEmissionDescriptor/declaredQty/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/declaredQty/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energySupplyDescriptor/energy/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energySupplyDescriptor/activePower/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/activePower/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ Water/wasteWaterDescriptor/declaredQty/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ energyConsumptionDescriptor/energy/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed/ Water/usedWaterDescriptor/declaredQty/@validationMethod) [Optional] (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/declaredQty/@va lidationMethod) [Optional]</p> |
| <p>validityEnd</p> | <p>date by which the validity ends, according to one of the patterns YYYY-MM-DD, YYYY -MM-DD:HH-MM or YYYY-WW. - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/certificate/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityEnd) 0 -1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/validityEnd) 0-1 (XPath SEpreliminaryinformation/selfAssertion/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityEnd) 0-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityEnd) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/validityEnd) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/validityEnd) 0-1</p> |

| | |
|-----------------------|---|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/validityEnd) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityEnd) 0-1</p> |
| validityExtensionDate | <p>end date of validity resulting from extension, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/certificate/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/certificate/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityExtensionDate) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/validityExtensionDate) 0-1</p> |
| validityStart | <p>date by which the validity starts, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/validityStart) 0-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/validityStart) 0-1</p> |

| | |
|-------------|---|
| | <p>y/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/certificate/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/validityStart) 0-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/validityStart) 0-1 (XPath SEpreliminaryinformation/selfAssertion/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/validityStart) 0-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/validityStart) 0-1</p> |
| variantCode | <p>Code of variant used for fashion product. - base type: string, (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantCod e) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantCode) 1-1</p> |
| variantType | <p>Type of variant used for fashion product (examples: 'treatment', 'washing type', 'size cl ass',...) - base type: string, (XPath SEpreliminaryinformation/ProductIdentification/ garmentCode/garmentCodeB/garmentVariant/variantType) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ ProductIdentification/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/ProductIdentif ication/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/ProductIdentificati on/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/garmentCode/garmentCodeB/garmentVariant/variantType) 1-1</p> |
| @version | Dictionary version from which the instance has been created |

| | |
|------------------------------|--|
| | <p>- base type: string, cod. table: NT100 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml (XPath SEpreliminaryinformation/@version) [Optional] [Default= draft]</p> |
| wasteFinalTreatmentType | <p>indicates the final treatment of the waste (in whole or in part) - base type: string, cod. table: NT316 http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/wasteFinalTreatmentType) 0-9</p> |
| wasteTypeCode | <p>indicates a code of the type of waste according to a classification that can be of various kinds, usually of greater detail than the EWC one; the classification is identified by SchemeID - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ wasteDescriptor/wasteTypeCode) 0-9</p> |
| wasteWaterContaminantType | <p>type of contaminant in the waste water produced (textile and leather examples: BOD, solids, sulfates and chromium; other sectors: Chlorinated organic compounds, COD, mineral oils, phenols, organic chemicals, heavy metals, SS, cyanide, Fluorine) - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterContaminantType) 0-99 - note: indicates the presence of contaminant in the wastewater stream described by current element</p> |
| wasteWaterFinalTreatmentType | <p>type of final treatment of the waste water produced (examples: none, septic tank, activated sludge treatment, etc.) - base type: string, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/wasteWaterDescriptor/wasteWaterFinalTreatmentType) 0-9</p> |
| xGeoCoord | <p>geographical coordinate x , corresponding to latitude - base type: decimal, (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/SRVheader/senderParty/ geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|--|

| | |
|------|--|
| | <p>socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/xGeoCoord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/xGeoCoord) 1-1</p> |
| year | <p>reference year - base type: integer, min inclusive: 1800, max inclusive: 2100, (XPath SEpreliminaryinformation/assessmentStudyDocument/year) 0-1 - note: <i>indicate the year to whom the study is referred</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/</p> |

| | |
|-----------|--|
| | <p>year) 0-1 - note: <i>when filled indicates that collected figures are related to a specific year</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/year) 0-1 - note: <i>indicate the year to whom the study is referred</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/year) 0-1 - note: <i>when filled indicates that collected figures are related to a specific year</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityYearlyProductionMass/year) 0-1 - note: <i>year of production to which the data refers</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/year) 0-1 - note: <i>when filled indicates that collected figures are related to a specific year</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/year) 0-1 - note: <i>indicate the year to whom the study is referred</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/year) 0-1 - note: <i>when filled indicates that collected figures are related to a specific year</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/year) 0-1 - note: <i>when filled indicates that collected figures are related to a specific year</i></p> |
| yGeoCoord | <p>geographical coordinate y , corresponding to longitude - base type: decimal, (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy /facilityLocation/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeo Coord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g eoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/yGeoCoord) 1- 1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoor d) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/ yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/y GeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1 (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/yGeoCo ord) 1-1 (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> |

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/ externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/receiverParty/ geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/ externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCo ordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformati on/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC oordinates/yGeoCoord) 1-1</p> |
|--|--|

| | |
|-----------|--|
| | <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/organisationAddress/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/billOfComponents/productComponent/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/yGeoCoord) 1-1</p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/geoCoordinates/yGeoCoord) 1-1</p> |
| zGeoCoord | <p>geographical coordinate z , corresponding to altitude</p> <p>- base type: decimal,</p> <p>(XPath SEpreliminaryinformation/SRVheader/senderParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> |

| | |
|--|---|
| | <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/certifiedParty/geoCoordinates/z GeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/issuerParty/geoCoordinates/ zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/reviewerParty /geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/signatureInf ormation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/certificate/issuerParty/geoCoordinates/zG eoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/issuerParty/g eoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/issuerParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/assessmentStudyDocument/signatureInfor mation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion /externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/signatureInformation/signator yParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste Water/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoor d) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/externalRefDoc/issuerParty/geoCoordinates/ zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsed Water/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/supplier/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/</p> |
|--|---|

| | |
|--|---|
| | <p>listOfFacilities/facilityDescriptor/assessmentStudyDocument/reviewerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/assessmentStudyDocument/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/certificate/issuerParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/billOfComponents/ productComponent/certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/selfAssertion/issuerParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> |
|--|---|

| | |
|--|---|
| | <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/processStepsList/processStep/activityLocation/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ certificate/certifiedParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ selfAssertion/externalRefDoc/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/SRVheader/receiverParty/ geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/externalRefDoc/issuerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRef Doc/signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/issuerParty/geoCoordinates/zGeoCo ord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirect Emissions/facilityLocation/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ reviewerParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/signatureInformat ion/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/issuerParty/geoCoordi nates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/selfAssertion/externalRefDoc/signatureInformation/si gnatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/issuerParty/geoC ordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ organisationAddress/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/certificate/certifiedParty/geoCoordinates/zGeo Coord) 0-1</p> <p>- note: <i>altitude might be omitted</i> (XPath SEpreliminaryinformation/assessmentStudyDocument/ signatureInformation/signatoryParty/geoCoordinates/zGeoCoord) 0-1</p> <p>- note: <i>altitude might be omitted</i></p> |
|--|---|

| | |
|--|--|
| | <p>(XPath SEpreliminaryinformation/assessmentStudyDocument/ issuerParty/geoCoordinates/zGeoCoord) 0-1 - note: <i>altitude might be omitted</i></p> <p>(XPath SEpreliminaryinformation/organisationDescriptor/ listOfFacilities/facilityDescriptor/selfAssertion/issuerParty/geoCoordinates/zGeoCoord) 0-1 - note: <i>altitude might be omitted</i></p> |
|--|--|

2.3 Suggested best practices

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/facilityLocation (data relating to a place of a facility (indicate at least element location or address, city and country))

Usually indicate the reference year for the collected figures. On the other side productReferenceQty should be ignored when figures are related to a facility.

SEpreliminaryinformation/billOfComponents/

productComponent/refDoc/docID (identification number of the referenced document)

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg)

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/socialAccountabilityEvidence/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/billOfComponents/

productComponent/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/assessmentStudyDocument/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/billOfComponents/

productComponent/refDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/certificate/attachment/

externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/socialAccountabilityEvidence/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/selfAssertion/externalRefDoc/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/assessmentStudyDocument/

attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/billOfComponents/

productComponent/certificate/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

socialAndEthicalSpecificInformation/assessmentStudyDocument/attachment/externalReference/mimeType (mime type of the external object)

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWaste/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfDirectEmissions/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfWasteWater/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfEnergy/productReferenceQty (net reference quantity of the product)

Might be ignored when facilityLocation is filled

SEpreliminaryinformation/organisationDescriptor/

listOfFacilities/facilityDescriptor/facilitySustainabilityCharacteristics/billOfUsedWater/productReferenceQty
(net reference quantity of the product)

Might be ignored when facilityLocation is filled

2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find all the tables with the corresponding codes at:
<http://www.ebiz.enea.it/eBIZ/imple/eBIZTCU-draft.asp?lingua=en&pag=6>

NT100 - eBIZ TCFUpstream version
NT2 - third party qualifier
NT201 - entity type
NT29 - format of a date
NT3 - issuer of the identifier (or identification system) of a location.
NT311 - information disclosure level
NT312 - storage action
NT313 - status of the document
NT316 - waste final treatment type
NT317 - emission to
NT318 - water type
NT319 - Type of energy vector
NT320 - type of energy source
NT323 - category of the object of a declaration
NT326 - Evidence type on Social Accountability Requirements
NT329 - type of validation method of the value
NT333 - type of hashing algorithm
NT6 - coding system owner/issuer
NT60 - language, codes from ISO 639-1 (subset)
NT7 - unit of measure
T10 - ISO3166 - Country
T21 - type of document
T302 - type of object
T305 - table of manufacturing operation types
T44 - additional code type
T48 - garment part type
TRK01 - list of available services
TRK02 - list of services functions

(the most relevant tables are detailed in the following Annexes too)

ACKNOWLEDGEMENT



This action is part of the TRICK project, which has received funding from Horizon 2020 research and innovation programme under grant agreement No. 958352 of the European Union.




DISCLAIMER

The content of this document represents the views of the authors only and is their sole responsibility; it cannot be considered to reflect the views of the European Commission or any other body of the European Union.

The European Commission does not accept any responsibility for use that may be made of the information it contains.


Annex A

Representative images of the principal complex elements' structure.




energySupplyDescriptor

energy supply descriptor: descriptor of a quantity of supplied or produced energy with the indication of its characteristics




facilityDescriptor

facility descriptor: descriptor of a company facility




garmentPartCode


Garment part code: codification of the component or part of a fashion article




organisationDescriptor
 organisation descriptor: organisation description







platformServiceReference
 platform service reference: service instruction and reference



productComponent
 product component: descriptor of one of the elements used to create the product, it indicates the codes of the component, the quantity for final product unit, supplier and any documentation






wasteDescriptor

waste descriptor: describes a type of waste generated by the activities to which it is associated and possibly its quantity in relation to a reference quantity of product



wasteWaterDescriptor

waste water descriptor: descriptor of the waste water produced (with the indication of the quantity, their treatment and the possible presence of contaminants)



Annex B

NT100 - eBIZ TCFUpstream version

dictionary version

Agency name: eBIZ

Decoding table: NT100

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT100.xml

| Code | Description | Adoption note | Date of insertion |
|--------|-------------|---------------|-------------------|
| 2013-1 | v2013-1 | | 01/07/2013 |
| 2018-1 | v2018-1 | | 04/11/2018 |
| draft | draft | | 08/09/2017 |

NT2 - third party qualifier

Third Party role qualifier

Agency name: eBIZ

Decoding table: NT2

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT2.xml

| Code | Description | Adoption note | Date of insertion |
|------|--------------------------------------|---------------|-------------------|
| AG | Sales Agent | | |
| AU | Auditor | | 08/04/2019 |
| BU | Buyer | | 13/06/2022 |
| CE | Certification authority | | 08/04/2019 |
| CM | Commissioner | | 13/06/2022 |
| CO | Quality Controller | | |
| CU | Customs authority | | 13/06/2022 |
| DC | Response to | | |
| DF | Invoicee | | |
| DI | Copy to (CC) | | 28/10/2014 |
| DM | Consignee | | |
| DP | Consignment address (Delivery Party) | | |
| EX | Expert | | 13/06/2022 |
| IM | Importer | | |
| OR | Originator | | 10/09/2014 |
| SC | Sub contractor | | 10/04/2019 |
| SM | Service/ePlatform manager | | 08/04/2019 |

| | | | |
|----|-----------------------------|--|------------|
| SP | Forwarder | | |
| SU | Supplier | | 13/06/2022 |
| TL | Test or analysis laboratory | | 13/06/2022 |
| TX | Tax Representative | | |

NT201 - entity type

indicates the type of entity to which we refer

Agency name: eBIZ for TRICK

Decoding table: NT201

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT201.xml

| Code | Description | Adoption note | Date of insertion |
|------|--------------------------|---------------|-------------------|
| FAC | Facility | | 03/06/2022 |
| INS | Single product instance | | 03/06/2022 |
| LOT | Lot | | 03/06/2022 |
| ORG | Organisation | | 03/06/2022 |
| PRC | Production process | | 03/06/2022 |
| PRD | Product | | 03/06/2022 |
| PRO | Organisational procedure | | 03/06/2022 |
| SHP | Shipment | | 25/04/2023 |

NT29 - format of a date

format used for the date

Agency name: eBIZ

Decoding table: NT29

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT29.xml

| Code | Description | Adoption note | Date of insertion |
|------|--|---------------|-------------------|
| D | YYYY-MM-DD | | |
| M | YYYY-MM-DD:HH-MM (date and time) | | |
| S | AAAA-MM-GG:HH-MM-SS (date and time with seconds) | | 13/06/2022 |
| W | YYYY-WW | | |

NT3 - issuer of the identifier (or identification system) of a location.

List of possible issuers of the identifier (or identification system) of a location.

Agency name: eBIZ

Decoding table: NT3

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT3.xml

| Code | Description | Adoption note | Date of insertion |
|------|---------------------------|---|-------------------|
| EN4 | GS1-GLN | obsolete | 01/07/2013 |
| GLN | GS1-GLN | equivalent to EN4 | 25/04/2023 |
| MD | mutually agreed | | |
| NCA | National custom authority | identifier of a bonded warehouse assigned by the custom authority | 19/05/2023 |
| PLA | Platform | internal coding of the involved platform | 14/05/2023 |
| TRI | TRICK | | 14/05/2023 |

NT311 - information disclosure level

Agency name: eBIZ for TRICK

Decoding table: NT311

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT311.xml

| Code | Description | Adoption note | Date of insertion |
|------|--|---------------|-------------------|
| 1 | public | | 22/07/2022 |
| 2 | disclosed to any partner(s) involved in the activity | | 22/07/2022 |
| 3 | disclosed to specific category of partner involved in the activity | | 22/07/2022 |
| 4 | disclosed upon an explicit authorisation | | 22/07/2022 |
| 9 | fully confidential | | 22/07/2022 |

NT312 - storage action

indicates how to insert the information to which it refers into an archive, also specifying what should happen to the pre-existing information.

Agency name: eBIZ for TRICK

Decoding table: NT312

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT312.xml

| Code | Description | Adoption note | Date of insertion |
|------|---|--|-------------------|
| AD | add only new elements (without overwriting existing ones) | | 22/07/2022 |
| DW | delete existing elements and write new data | use this when it is necessary to reset a list of information | 22/07/2022 |
| NA | no action required | | 22/07/2022 |

| | | | |
|--------|--|---|------------|
| W U | add new data and update if necessary the existing ones | usually prefer this; it is necessary when an update of existing information is needed | 22/07/2022 |
|--------|--|---|------------|

NT313 - status of the document

subset of the values from the United Nations Code List (UNCL) 4405 code list from UNCEFACT

Agency name: eBIZ for TRICK (elaboration on UNECE)

Decoding table: NT313

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT313.xml

Other link: <https://service.unece.org/trade/unttdid/d21b/tred/tred4405.htm#>

| Code | Description | Adoption note | Date of insertion |
|------|-------------------------|---------------|-------------------|
| 112 | Incomplete | | 22/07/2022 |
| 21 | Temporary | | 22/07/2022 |
| 39 | Approved | | 22/07/2022 |
| 40 | Withdrawn | | 22/07/2022 |
| 41 | Rejected | | 22/07/2022 |
| 45 | No status | | 22/07/2022 |
| 67 | Preliminary | | 22/07/2022 |
| 70 | Issued | | 22/07/2022 |
| 73 | Confirmed (by reviewer) | | 30/08/2022 |
| 74 | Expiry date exceeded | | 22/07/2022 |
| 97 | Pending | | 22/07/2022 |

NT316 - waste final treatment type

Agency name: eBIZ for TRICK

Decoding table: NT316

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT316.xml

| Code | Description | Adoption note | Date of insertion |
|------|--------------------------------------|---------------|-------------------|
| CHR | Chemical recycling | | 26/07/2022 |
| COM | Composting process | | 01/09/2022 |
| EZR | Enzymatic recycling | | 01/09/2022 |
| IER | Incineration with energy recovery | | 26/07/2022 |
| IWE | Incineration without energy recovery | | 26/07/2022 |

| | | | |
|------|-----------------------------|--|------------|
| LND | Landfill | | 26/07/2022 |
| MC R | Mechanical recycling | | 26/07/2022 |
| OTH | other | | 28/08/2022 |
| RCY | Generic recycling | use this value if it is not possible to choose an appropriate type of recycling. | 27/05/2023 |
| REC | Recovery (of parts) | | 26/07/2022 |
| REU | Reuse | | 26/07/2022 |
| TMR | Thermo-mechanical recycling | | 01/09/2022 |

NT317 - emission to

indicates the possible destinations of the emissions described

Agency name: eBIZ for TRICK

Decoding table: NT317

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT317.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| AIR | air | | 27/07/2022 |
| SOI | soil | | 27/07/2022 |
| WAT | water | | 27/07/2022 |

NT318 - water type

indicates the water origin

Agency name: eBIZ for TRICK

Decoding table: NT318

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT318.xml

| Code | Description | Adoption note | Date of insertion |
|-------|-------------------------------|---------------|-------------------|
| DESA | Desalinated water | | 27/07/2022 |
| GRND | Groundwater (well or similar) | | 27/07/2022 |
| NETW | Water tap | | 27/07/2022 |
| RAIN | Rainwater | | 27/07/2022 |
| SURF | Surface water (river...) | | 02/09/2022 |
| TREAT | Treated waste water | | 27/07/2022 |

| | | | |
|-------|------------------------|--|------------|
| TRUCK | Supplied by tank truck | | 27/07/2022 |
|-------|------------------------|--|------------|

NT319 - Type of energy vector

Agency name: eBIZ for TRICK

Decoding table: NT319

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT319.xml

| Code | Description | Adoption note | Date of insertion |
|----------|------------------|---------------|-------------------|
| BIOFUEL | biofuels | | 22/08/2022 |
| BIOMASS | biomass (wood) | | 22/08/2022 |
| COAL | coal | | 22/08/2022 |
| DIESEL | diesel | | 22/08/2022 |
| GAS | natural gas | | 22/08/2022 |
| GASOLINE | gasoline | | 22/08/2022 |
| GRID | electricity grid | | 22/08/2022 |
| HFO | heavy fuel oil | | 22/08/2022 |
| HYDR | hydrogen | | 22/08/2022 |
| LFO | light fuel oil | | 22/08/2022 |
| LPG | LPG | | 22/08/2022 |
| OTHER | other | | 22/08/2022 |
| SELF | self production | | 22/08/2022 |
| STEAM | steam | | 22/08/2022 |
| WATER | hot water | | 22/08/2022 |

NT320 - type of energy source

Agency name: eBIZ for TRICK

Decoding table: NT320

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT320.xml

| Code | Description | Adoption note | Date of insertion |
|------|---------------|---------------|-------------------|
| COG | cogeneration | | 22/08/2022 |
| FOSS | fossil fuels | | 22/08/2022 |
| GEO | geothermal | | 22/08/2022 |
| HYDR | hydroelectric | | 02/09/2022 |
| NUC | nuclear | | 22/08/2022 |
| OTH | other | | 22/08/2022 |
| PV | photovoltaic | | 22/08/2022 |

| | | | |
|------|-----------------|--|------------|
| SOLC | solar collector | | 22/08/2022 |
| UNK | unknown | | 22/08/2022 |
| WND | eolic | | 22/08/2022 |

NT323 - category of the object of a declaration

Agency name: eBIZ

Decoding table: NT323

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT323.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------------------|---------------|-------------------|
| ENV | environment (GEG, energy, water..) | | 30/08/2022 |
| ETH | ethic and social | | 30/08/2022 |
| FIB | fibre content | | 30/08/2022 |
| HLT | health and chemicals | | 30/08/2022 |
| LOC | locations | | 30/08/2022 |
| ORG | origin | | 30/08/2022 |
| OTH | other | | 30/08/2022 |
| PER | performance | | 30/08/2022 |
| PRO | processes | | 30/08/2022 |
| REC | recycle and circularity | | 30/08/2022 |

NT326 - Evidence type on Social Accountability Requirements

Kinds of evidences on the Social Accountability Requirements (derived from SA8000)

Decoding table: NT326

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT326.xml

Other link: <https://sa-intl.org/programs/sa8000/#>

| Code | Description | Adoption note | Date of insertion |
|------|---|---------------|-------------------|
| 1.1 | Children in employment, Male - Percentage of male personnel age 7-14 (%) | | 05/09/2022 |
| 1.2 | Children in employment, Female - Percentage of female personnel age 7-14 (%) | | 05/09/2022 |
| 1.3 | Children in employment, Total - Percentage of all personnel age 7-14 (%) | | 05/09/2022 |
| 2.1 | Goods produced by forced/ compulsory labour - "Number of goods that are part of the assessed product" | | 05/09/2022 |
| 3.1 | Accident rate at workplace - Cases per 100,000 employees and year (units) | | 05/09/2022 |

| | | | |
|------|---|--|------------|
| 3.2 | Fatal accidents at workplace - Cases per 100,000 employees and year (units) | | 05/09/2022 |
| 3.3 | Presence of sufficient Safety measure - Other HSE (e.g. based on OSHA) cases per 100,000 employees. *Should be combined with physical audit to verify all the remaining SA8000 requirements. (units) | | 05/09/2022 |
| 4.1 | Trade union density - % of employees organised in trade unions (%) | | 05/09/2022 |
| 4.2 | Right of Association - score of ordinal 0-3 scale (0-3) | | 05/09/2022 |
| 4.3 | Right of Collective bargaining - score of ordinal 0-3 scale (0-3) | | 05/09/2022 |
| 5.1 | Women in the sector - Number of total female and male workers (ratio) (ratio) | | 05/09/2022 |
| 5.2 | Gender wage gap - (Average) salary of male vs female for same position (%) | | 05/09/2022 |
| 6 | Disciplinary Practices - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 7 | Working hours - Hours of work per employee, per week (hours) | | 05/09/2022 |
| 8.1 | Living Wages - Salary or Pay Slip (euro) | | 05/09/2022 |
| 8.2 | Minimum Wages - Salary or Pay Slip (euro) | | 05/09/2022 |
| 8.3 | Sector average - Salary or Pay Slip (euro) | | 05/09/2022 |
| 9.1 | Policies, Procedures and Records - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.10 | Management of Suppliers and Contractors - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.2 | Social Performance Team - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.3 | Identification and Assessment of Risks - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.4 | Monitoring - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.5 | Internal Involvement and Communication - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.6 | Complaint Management and Resolution - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.7 | External Verification and Stakeholder Engagement - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.8 | Corrective and Preventive Actions - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |
| 9.9 | Training and Capacity Building - Can be verified through a physical audit at the suppliers and (anonymous) survey/interview of personnel. It includes review of relevant documentation. (y/n) | | 05/09/2022 |

NT329 - type of validation method of the value

indicates the type of method used to validation and calculate the quantity to which it refers; used to express the data faithfulness

Agency name: eBIZ

Decoding table: NT329

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT329.xml

| Code | Description | Adoption note | Date of insertion |
|------|---------------------------|--|-------------------|
| CER | third party certification | | 11/06/2023 |
| EST | estimate | | 12/05/2023 |
| EXP | confirmed by an expert | | 19/05/2023 |
| LAB | laboratory test | | 11/06/2023 |
| LIT | literature | refer to a literature analysis outcome | 12/05/2023 |
| MON | monitoring | refer to continuous measurement in field | 12/05/2023 |
| REV | confirmed by review | | 11/06/2023 |
| SAM | sampling | refer to a sample measurement in field | 12/05/2023 |
| SUP | supplier declaration | | 11/06/2023 |

NT333 - type of hashing algorithm

type of hashing algorithm

Decoding table: NT333

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT333.xml

| Code | Description | Adoption note | Date of insertion |
|-----------|-------------|---------------|-------------------|
| ADLER32 | ADLER32 | | 26/05/2023 |
| HMAC | HMAC | | 26/05/2023 |
| MD2 | MD2 | | 26/05/2023 |
| MD4 | MD4 | | 26/05/2023 |
| MD5 | MD5 | | 26/05/2023 |
| MDC-2 | MDC-2 | | 26/05/2023 |
| PANAMA | PANAMA | | 26/05/2023 |
| RIPMD-160 | RIPMD-160 | | 26/05/2023 |
| SHA-1 | SHA-1 | | 26/05/2023 |
| SHA-2 256 | SHA-2 256 | | 26/05/2023 |
| SHA-2 384 | SHA-2 384 | | 26/05/2023 |
| SHA-2 512 | SHA-2 512 | | 26/05/2023 |
| TIGER | TIGER | | 26/05/2023 |

NT6 - coding system owner/issuer

code specifying the organisation who has created or owns the registers of the present coding or numbering system

Agency name: eBIZ

Decoding table: NT6

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT6.xml

| Code | Description | Adoption note | Date of insertion |
|------|---|------------------|-------------------|
| CBR | National customs brokers registry | | 12/06/2023 |
| CL | Customer/buyer | | |
| CO | Quality Controller | | |
| DU | D-U-N-S registry (Data Universal Numbering System) | | 04/05/2023 |
| EB | eBIZ | replaces 'ML' | 18/03/2019 |
| EN | GS1 (ex-EAN International) | | |
| EO | Registro EORI (Economic Operators Registration and Identification number) | | 04/03/2023 |
| ES | e-Stockflow | DEPRECATED | |
| FO | Supplier | | |
| GS | GS1 | | 01/07/2013 |
| MF | national taxation authority (i.e. VAT codes registry) | | |
| ML | Moda-ML | DEPRECATED | |
| PL | Application Platform | | 13/06/2022 |
| REX | Registered Exporter system (REX) | | 19/05/2023 |
| SP | Service Provider | | |
| SU | Enterprise Identification Number UID | Only switzerland | 04/03/2023 |

NT60 - language, codes from ISO 639-1 (subset)

Agency name: eBIZ / ISO

Decoding table: NT60

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT60.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------|---------------|-------------------|
| af | Afrikaans | | 31/01/2019 |
| ar | Arabic | | 31/01/2019 |
| be | Belarusian | | 31/01/2019 |
| bg | Bulgarian | | 31/01/2019 |
| bn | Bengali | | 31/01/2019 |
| bo | Tibetan | | 31/01/2019 |

| | | | |
|-----|--|--|------------|
| bs | Bosnian | | 31/01/2019 |
| ca | Catalan, Valencian | | 31/01/2019 |
| cs | Czech | | 31/01/2019 |
| da | Danish | | 31/01/2019 |
| de | German | | 31/01/2019 |
| el | Greek, Modern (1453-) | | 31/01/2019 |
| en | English | | 31/01/2019 |
| eo | Esperanto | | 31/01/2019 |
| es | Spanish, Castilian | | 31/01/2019 |
| et | Estonian | | 31/01/2019 |
| eu | Basque | | 31/01/2019 |
| F | Female | | 15/04/2019 |
| fa | Persian | | 31/01/2019 |
| fi | Finnish | | 31/01/2019 |
| fr | French | | 31/01/2019 |
| ga | Irish | | 31/01/2019 |
| gd | Gaelic, Scottish Gaelic | | 31/01/2019 |
| gn | Guarani | | 31/01/2019 |
| he | Hebrew | | 31/01/2019 |
| hr | Croatian | | 31/01/2019 |
| ht | Haitian, Haitian Creole | | 31/01/2019 |
| hu | Hungarian | | 31/01/2019 |
| hy | Armenian | | 31/01/2019 |
| ia | Interlingua (International Auxiliary Language Association) | | 31/01/2019 |
| id | Indonesian | | 31/01/2019 |
| is | Icelandic | | 31/01/2019 |
| it | Italian | | 31/01/2019 |
| ja | Japanese | | 31/01/2019 |
| jav | Javanese | | 31/01/2019 |
| ka | Georgian | | 31/01/2019 |
| km | Central Khmer | | 31/01/2019 |
| ko | Korean | | 31/01/2019 |
| ku | Kurdish | | 31/01/2019 |
| lb | Luxembourgish, Letzeburgesch | | 31/01/2019 |
| lo | Lao | | 31/01/2019 |
| lt | Lithuanian | | 31/01/2019 |
| lv | Latvian | | 31/01/2019 |
| mg | Malagasy | | 31/01/2019 |

| | | | |
|----|-------------------------------|--|------------|
| mk | Macedonian | | 31/01/2019 |
| mn | Mongolian | | 31/01/2019 |
| mt | Maltese | | 31/01/2019 |
| nl | Dutch, Flemish | | 31/01/2019 |
| no | Norwegian | | 31/01/2019 |
| pl | Polish | | 31/01/2019 |
| pt | Portuguese | | 31/01/2019 |
| ro | Romanian, Moldavian, Moldovan | | 31/01/2019 |
| ru | Russian | | 31/01/2019 |
| se | Northern Sami | | 31/01/2019 |
| sk | Slovak | | 31/01/2019 |
| sl | Slovenian | | 31/01/2019 |
| sm | Samoan | | 31/01/2019 |
| so | Somali | | 31/01/2019 |
| sq | Albanian | | 31/01/2019 |
| sr | Serbian | | 31/01/2019 |
| sv | Swedish | | 31/01/2019 |
| sw | Swahili | | 31/01/2019 |
| ta | Tamil | | 31/01/2019 |
| th | Thai | | 31/01/2019 |
| tr | Turkish | | 31/01/2019 |
| uk | Ukrainian | | 31/01/2019 |
| ur | Urdu | | 31/01/2019 |
| uz | Uzbek | | 31/01/2019 |
| vi | Vietnamese | | 31/01/2019 |
| zh | Chinese | | 31/01/2019 |

NT7 - unit of measure

specification of the unit of measure, it is a sub set of table Unit of Measure Code - UN/ECE REC 20 delivered by United Nations Economic Commission for Europe (UN/ECE)

Agency name: eBIZ / UN/ECE

Decoding table: NT7

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_NT7.xml

Other link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

| Code | Description | Adoption note | Date of insertion |
|------|-------------------|---------------|-------------------|
| CMK | square centimetre | | 20/12/2017 |
| CMQ | cubic centimetre | | 20/12/2017 |

| | | | |
|---------|----------------------------------|--|------------|
| CMT | centimetre | | |
| CNE | centiNewton | | |
| CO2TON | ton of CO2 | | 10/09/2014 |
| COUPLES | couples | | |
| DAY | day | | 22/08/2022 |
| DEGD | decimal degrees | | 04/07/2022 |
| DEGMS | degrees with minutes and seconds | | 01/07/2022 |
| DMQ | cubic decimetre | | |
| E37 | pixel | | 11/04/2018 |
| GRM | gram | | |
| HUR | hour | | |
| INH | inch | | |
| KGM | kilogram | | |
| KMT | kilometer | | |
| KWH | kilowatthours | | 10/09/2014 |
| LBR | pound | | |
| MCG | microgram | | 23/08/2022 |
| MG | milligram | | 23/08/2022 |
| MIN | minute | | |
| MMK | square millimetre | | 20/12/2017 |
| MONTH | month | | 22/08/2022 |
| MSEC | millisecond (time) | | 22/08/2022 |
| MTK | square metre | | 20/12/2017 |
| MTQ | cubic metre | | |
| MTR | metre | | |
| NMB | numero | | |
| ONZ | ounce | | |
| P1 | percent | | |
| PPM | parts per milion | | |
| PZ | piece | | |
| RPM | rounds per metre | | |
| SEC | second (time) | | 22/08/2022 |
| YEAR | year | | 22/08/2022 |
| YRD | yard | | |

T10 - ISO3166 - Country

code of the nation

Agency name: ISO

Decoding table: T10

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T10.xml

Table not printed: there are 240 elements, more than the maximum specified for printing: 99.

T21 - type of document

type or class to which the referenced document belongs

Agency name: eBIZ

Decoding table: T21

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T21.xml

| Code | Description | Adoption note | Date of insertion |
|------|------------------------------------|-----------------------------|-------------------|
| BIL | Bill of lading | | 07/03/2023 |
| BOR | Blanket order | | 01/02/2018 |
| CAT | Price catalogue - tech sheet | | |
| CEO | Certificate of origin | | 13/04/2018 |
| CER | Certificate | | 13/04/2018 |
| CMR | CMR consignment note | | 07/03/2023 |
| COC | Colour card | | |
| CRN | Credit note | | 08/09/2017 |
| CTO | Checking order | | 01/07/2013 |
| CTR | Contract | | |
| CXF | CxF3 file | | 01/07/2013 |
| DAD | Darn order | | |
| DDT | Delivery note (transport document) | | |
| DEA | Despatch advise | | |
| DER | Despatch request | | |
| DR | Document Request | | 02/12/2014 |
| EAD | Export Accompanying Document | adopted by European customs | 12/05/2023 |
| ECMR | electronic CMR consignment note | | 07/03/2023 |
| ECUS | EXPORT Custom Declaration | | 07/03/2023 |
| FOR | Forecast | | 02/12/2014 |
| GSO | Garment stock offer | | |
| GSX | Garment stock offer change | | |
| ICUS | IMPORT Custom Declaration | | 07/03/2023 |
| INV | Invoice | | |
| KCC | Knitting-Clothing Commission Order | | 02/12/2014 |

| | | | |
|-------|---|-----------------------------|------------|
| KCI | Garment in Work Inventory Report | | 02/12/2014 |
| LCA | LCA study | | 28/08/2022 |
| LCAD | LCA study dataset | | 28/08/2022 |
| M2M | Made to Measure Production Order | | 02/12/2014 |
| MAS | Master marker | | |
| MCI | Visual merchandising instruction | | 13/04/2018 |
| OCH | Order change | | |
| OFF | Offer | | |
| ORD | Purchase order | | |
| ORP | Order response | | |
| OSR | order status request | | |
| OSS | Offer status | | 02/12/2014 |
| OST | Order status | | |
| OUR | our reference | | |
| PCO | Preferential certificate of origin | | 07/03/2023 |
| PEF | PEF study | | 28/08/2022 |
| PEFD | PEF study dataset | | 28/08/2022 |
| PEFP | PEF environmental profile | | 07/03/2023 |
| QR | Quality Report | | 02/12/2014 |
| RAI | Raw Material in Work Inventory Report | | 02/12/2014 |
| RDC | Raw dyeing commission order | | |
| RDH | Raw dyeing order change | | |
| RDR | Raw dyeing order response | | |
| REA | Receiving advise | | |
| REQ | Request for Offer | | |
| RET | Return | | 02/12/2014 |
| RSC | Spinning commission order | | |
| RSH | Spinning order change | | |
| RSR | Spinning order response | | |
| SAD | Single Administrative Document | adopted by European customs | 12/05/2023 |
| SCL | Process sheet | | |
| SDE | Self-declaration | | 07/03/2023 |
| SDS | SDS - Safety data sheet | | 07/03/2023 |
| SLCA | S-LCA Study | | 07/03/2023 |
| SLCAD | S-LCA Study documentation | | 07/03/2023 |
| TFC | Textile dyeing-finishing commission order | | |
| TFX | Textile Dyeing-Finishing Order Change | | 02/12/2014 |
| TPC | Textile printing commission order | | |

| | | | |
|------|-----------------------------------|--|------------|
| TPX | Textile Printing Order Change | | 02/12/2014 |
| TWI | Textile in work inventory | | |
| VMI | visual merchandising instructions | | 01/02/2018 |
| WAC | Warping commission order | | |
| WAYB | Waybill | | 07/03/2023 |
| WEC | Weaving commission order | | |
| YDC | Yarn dyeing commission order | | |
| YDH | Yarn dyeing order change | | |
| YDR | Yarn dyeing order response | | |
| YTC | Twisting commission order | | |
| YWI | Yarn in work inventory | | |

T302 - type of object

indicates the type of object. Indicates the nature of a traceable object (for example a truck load).

Agency name: eBIZ for TRICK

Decoding table: T302

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T302.xml

| Code | Description | Adoption note | Date of insertion |
|------|---------------------------------|---|-------------------|
| ACCE | accessory | | 13/06/2022 |
| CFBR | fiber (combed) | | 01/09/2022 |
| FABR | fabric (finished) (non knitted) | after any finishing or dyeing or darning | 01/09/2022 |
| FIL | filament | | 01/09/2022 |
| GARM | garment (finished) | garment ready fo use (sales, rent or anything else) | 13/06/2022 |
| GRCO | garment component | | 13/06/2022 |
| KNFA | knitted fabric (finished) | | 01/09/2022 |
| LFIB | lose fibers | | 01/09/2022 |
| PFBR | fiber (processed) | | 01/07/2022 |
| POLY | polymer | | 04/09/2022 |
| PPFB | fiber (preprocessed) | might include washed fiber or dyed | 01/09/2022 |
| RAFA | fabric (non knitted) (raw) | | 01/09/2022 |
| RAFI | fiber (raw) | before any kind of treatment or preprocessing | 01/09/2022 |
| RAGA | garment (unfinished) | | 01/09/2022 |
| RAKF | knitted fabric (unfinished) | | 01/09/2022 |
| RAYA | yarn (unfinished) | | 13/06/2022 |
| TOPS | tops | | 23/03/2023 |
| TRIM | trimming | | 01/09/2022 |

| | | | |
|------|---------------------------------------|--|------------|
| WACC | waste accessories | | 01/09/2022 |
| WFFP | waste fabric from fabric production | | 01/09/2022 |
| WFGP | waste fabric from garment production | | 01/09/2022 |
| WFYP | waste fibre from yarn production | | 01/09/2022 |
| WGGP | waste garment from garment production | | 01/09/2022 |
| WPAC | waste accessories (Post-Consumer) | | 01/09/2022 |
| WPFB | waste fabric (Post-Consumer) | | 01/09/2022 |
| WPGR | waste garment (Post-Consumer) | | 01/09/2022 |
| WPTR | waste trimming (Post-Consumer) | | 01/09/2022 |
| WTRM | waste trimming | | 01/09/2022 |
| WYFP | waste yarn from fabric production | | 01/09/2022 |
| WYYP | waste yarn from yarn production | | 01/09/2022 |
| YARN | yarn (finished) | | 13/06/2022 |

T305 - table of manufacturing operation types

Used in documents related to traceability and transparency to describe treatments and operations

Agency name: eBIZ for TRICK

Decoding table: T305

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T305.xml

| Code | Description | Adoption note | Date of insertion |
|-------|---|---|-------------------|
| 0 | Fibres production | | 05/09/2022 |
| 0.1 | Animal fibres production | NACE equivalent: 01.4 Animal production | 05/09/2022 |
| 0.2 | Plant fibres production | NACE equivalent: 01.16 Growing of fibre crops | 05/09/2022 |
| 0.3 | Production of man-made filaments and fibres | NACE equivalent: 20.60 Manufacture of man-made fibres | 05/09/2022 |
| 0.3.1 | Raw materials for man-made filaments and fibres | NACE equivalent: 20.60 Manufacture of man-made fibres | 05/09/2022 |
| 0.3.2 | Extruders | NACE equivalent: 20.60 Manufacture of man-made fibres | 05/09/2022 |
| 1 | Yarn manufacture | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.1 | Spinning Preparation for cotton fibers | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.1.1 | Opening for cotton | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.1.2 | Cards | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |

| | | | |
|---------|---|---|------------|
| 1.1.3 | Drawing machines for cotton | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.1.4 | Lap winders | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.1.5 | Combing machines for cotton | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.1.6 | Roving frames | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2 | Spinning Preparation for wool fibers | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.1 | Opening lines for raw wool | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.10 | Back washing machine | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.11 | Finishers | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.12 | Roving frames for worsted yarn | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.2 | Raw wool scouring lines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.3 | Carbonising lines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.4 | Opening for wool | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.5 | Worsted cards | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.6 | Semi-worsted cards | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.7 | Woollen cards | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.8 | Drawing machines for wool | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.2.9 | Combing machines for wool | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.3 | Spinning preparation for blended fibres | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.3.1 | Blending | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.3.2 | Mechanical Blending | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4 | Spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.1 | Mechanical Spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.1.1 | Ring-spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.1.2 | Compact spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |

| | | | |
|----------|--|---|------------|
| 1.4.1.3 | Rotor spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.1.4 | Air-jet spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.1.99 | Other Spinning machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.2 | Thermo-mechanical Filament spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.2.1 | Melt spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.3 | Chemical -Cotton Filament Spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.3.1 | Blending with wood pulp | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.3.2 | Drying of pulp sheets | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.4.3.3 | (Dry-jet) wet spinning | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.5 | Winding, reeling and covering | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.5.1 | Winding machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.5.2 | Reeling machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.5.3 | Covering machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6 | Yarn finishing | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.1 | Yarn steaming, setting, moistening and coating | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.1.1 | Autoclaves for steaming | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.1.2 | Heat-setting machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.1.3 | Moistening machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.2 | Yarn coating machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.2.1 | Plasma treatment | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.3 | Yarn Mercerising | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.4 | Yarn washing | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.5 | Yarn continuous dyeing | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.6.6 | Hank | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |

| | | | |
|---------|---------------------------------|---|------------|
| 1.6.7 | Yarn Dryers | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.7 | Texturing, bulking and crimping | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.7.1 | Texturing machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.7.2 | Bulking and crimping machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.8 | Doubling and twisting | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.8.1 | Doubling machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 1.8.2 | Twisting machines | NACE equivalent: 13.10 Preparation and spinning of textile fibres | 05/09/2022 |
| 2 | Fabric manufacture | NACE equivalent: 13. Manufacture of textiles | 05/09/2022 |
| 2.1 | Weaving preparation | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.1 | Sectional warping | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.2 | Beam warping | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.3 | Draw-warping | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.4 | Beaming machines | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.5 | Sizing/slashing | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.6 | Indigo warp dyeing lines | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.1.7 | Degumming (of silk) | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2 | Weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.1 | Rapier weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.1.1 | Rapier weaving with Jacquard | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.1.2 | Rapier weaving with dobby | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.2 | Projectile weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.3 | Air jet weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.4 | Water jet weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.5 | Shuttle looms | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |

| | | | |
|---------|--|---|------------|
| 2.2.6 | Circular weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.2.7 | Narrow fabrics weaving | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.3 | Preparation for knitting | NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics | 05/09/2022 |
| 2.3.1 | Beam warping | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.3.2 | Sectional warping | NACE equivalent: 13.20 Weaving of textiles | 05/09/2022 |
| 2.4 | Knitting (knitted fabric) | NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics | 05/09/2022 |
| 2.4.1 | Circular knitting machines | NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics | 05/09/2022 |
| 2.4.2 | Flat knitting machines | NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics | 05/09/2022 |
| 2.4.3 | Warp knitting machines | NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics | 05/09/2022 |
| 2.4.4 | Knitting machines for special purposes | NACE equivalent: 13.91 Manufacture of knitted and crocheted fabrics | 05/09/2022 |
| 2.99 | Other fabric production technologies | NACE equivalent: 13.9 Manufacture of other textiles | 05/09/2022 |
| 3 | Finishing and Dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1 | Pretreatment | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.1 | Carbonising | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.1.0 | Milling/fuling | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.1.1 | Fabric Mercerising | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.2 | Singeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.3 | Crabbing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.4 | Desizing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.5 | Bleaching batch | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.6 | Continuous Bleaching | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.7 | Rope washing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.8 | Open-width washing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.1.9 | Solvent washing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |

| | | | |
|---------|------------------------------|--|------------|
| 3.2 | Dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.1 | Fibre Dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.1.1 | Cellulose fiber dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.1.2 | Protein fibers dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.1.3 | Synthetic fibers dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.2 | Fabric continuous dyeing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.3 | Autoclaves | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.4 | Jet | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.5 | Overflows | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.6 | Winch becks | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.7 | Jiggers | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.2.9 | Other dyeing machines | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.3 | Water extraction and drying | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.3.1 | Centrifugal hydro-extractors | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.3.2 | Stenter | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.3.3 | Fabric Dryers | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.3.4 | Other Dryers | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.3.5 | Tumblers | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.4 | Finishing machines | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.4.1 | Mechanical finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.4.10 | Water-proof finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.4.11 | Crease-proof finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.4.12 | Stain-proof finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |
| 3.4.13 | Flame-resistance finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2022 |

| | | | |
|------------|--------------------------------------|--|----------------|
| 3.4.1 4 | UV-protection finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.2 | Decatising | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.3 | Calenders | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.4 | Singeing machines | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.5 | Knitwear ironing presses | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.6 | Tumblers | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.7 | Sanfor | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.8 | Moth-proof finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.9 | Shrink-proof finishing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.4.9 9 | Other finishing machines | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.5 | Printing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.5.1 | Top and yarn printing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.5.2 | Flat screen printing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.5.3 | Rotary screen printing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.5.4 | Inkjet printing | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 3.5.9 9 | Other printing machines | NACE equivalent: 13.30 Finishing of textiles | 05/09/2 022 |
| 4 | Clothing and accessories manufacture | NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel | 05/09/2 022 |
| 4.1 | Cutting | NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel | 05/09/2 022 |
| 4.2 | Sewing | NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel | 05/09/2 022 |
| 4.3 | Ironing | NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel | 05/09/2 022 |
| 4.4 | Washing (clothing) | NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel | 05/09/2 022 |
| 4.5 | Dyeing (clothing) | NACE equivalent: 14.1 Manufacture of wearing ap parel, except fur apparel | 05/09/2 022 |
| 4.6 | Knitting (hoisiery) | | 05/09/2 022 |
| 4.7 | Packing | | 05/09/2 022 |

| | | | |
|---------|--|---|------------|
| 4.99 | Other clothing and accessories production | | 05/09/2022 |
| 5 | Distribution | | 05/09/2022 |
| 6 | Usage | | 05/09/2022 |
| 7 | End of life collection | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8 | Recycling | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.1 | Preliminary sorting and cleaning | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.1.1 | Sorting | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.1.2 | Sanitation | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.1.3 | Cleaning | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2 | Disassembly/Pre-treatment | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2.1 | Removal of non textile (accessories) and coated/printed parts and labels | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2.2 | Cutting into batches of fabric | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2.3 | Washing/cleaning | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2.4 | Drying | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2.5 | Shredding | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.2.6 | Grinding | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3 | Material Recovery | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.1 | Mechanical Material Recovery | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.1.1 | pre-opening | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.1.2 | tearing | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.1.3 | fine-opening | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.1.4 | carding | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.1.5 | removal of short fibres and contaminations | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.2 | Thermo-mechanical material recovery | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |

| | | | |
|---------|---|---|------------|
| 8.3.2.1 | Compounding | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.2.2 | Regranulation | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.2.3 | Solid state post-condensation | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.3 | Chemical -Cotton material recovery - pulping | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.3.1 | Dyes removal/bleaching | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.3.2 | Pulping | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.3.3 | Removal of contaminants | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.4 | Chemical - PET and PA - depolymerisation | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.4.1 | Dissolution of polymers (hydrolysis, methanolysis, glycolysis, enzymatic) | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.4.2 | Removal of contaminants | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.4.3 | Removal of colorants | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.4.4 | Separation | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.3.4.5 | Drying | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.4 | Gasification | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.4.1 | Air/steam gasification | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |
| 8.4.2 | Separation/purification | NACE equivalent: 38.32 Recovery of sorted materials | 05/09/2022 |

T44 - additional code type

qualifier of the additional coding of a product

Agency name: eBIZ

Decoding table: T44

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T44.xml

| Code | Description | Adoption note | Date of insertion |
|------|-----------------------------|---------------|-------------------|
| CC | colour card | | |
| CL | sales collection | | |
| CO | company identification code | | 08/09/2017 |
| DY | dye number | | |

| | | | |
|-----|---------------------|--|------------|
| LT | lot number | | |
| MDI | Made in | | 08/09/2017 |
| MS | manufacturing state | | |
| PKG | packaging | | 09/09/2014 |
| PL | product line | | |
| RGB | RGB value | | |
| SE | selvedge code | | |

T48 - garment part type

code specifying the type of component or part of a garment (sleeve, neck, ...)

Agency name: eBIZ

Decoding table: T48

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_T48.xml

| Code | Description | Adoption note | Date of insertion |
|------|-------------------|---------------|-------------------|
| BB | bottom back | | 01/08/2018 |
| BF | bottom fore/front | | 01/08/2018 |
| CO | collar | | 01/08/2018 |
| CU | cuff | | 01/08/2018 |
| DV | fore | | |
| EM | embroidery | | 01/08/2018 |
| OC | other component | | 01/08/2018 |
| PO | pocket | | 01/08/2018 |
| SC | back | | |
| SL | sleeve | | 01/08/2018 |
| TB | top back | | 01/08/2018 |
| TF | top fore/front | | 01/08/2018 |

TRK01 - list of available services

Agency name: TRICK project

Decoding table: TRK01

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK01.xml

| Code | Description | Adoption note | Date of insertion |
|------|--|---------------|-------------------|
| 0 | Traceability | | 07/09/2022 |
| 1 | PCO, Preferential Origin certification | | 07/09/2022 |

| | | | |
|---|--|--|------------|
| 2 | Circular Manufacturing assessment | | 07/09/2022 |
| 3 | PEF and environmental footprint | | 07/09/2022 |
| 4 | Health protection assessment | | 07/09/2022 |
| 5 | Social and Ethical protection assessment | | 07/09/2022 |

TRK02 - list of services functions

Agency name: TRICK project

Decoding table: TRK02

File codes list (Generic code): http://www.ebiz.enea.it/moda-ml/repository/codelist/draft/gc_TRK02.xml

| Code | Description | Adoption note | Date of insertion |
|----------------|--------------------------------------|---------------|-------------------|
| activate | service activation | | 07/09/2022 |
| execution | service execution | | 07/09/2022 |
| getinfo | getting information from the service | | 07/09/2022 |
| proposedreport | proposal for the final report | | 07/09/2022 |
| reportapproval | final report approved | | 07/09/2022 |
| reportrejected | final report rejected | | 07/09/2022 |
| setinfo | uploading information to the service | | 07/09/2022 |