



<http://www.ebiz-tcf.eu>

## IMPLEMENTATION GUIDE

includes COMPARISON BETWEEN CURRENT and LAST  
PREVIOUSLY RELEASED VERSION  
TRANSACTION "TEXTILE CATALOGUE"

Version: v2018-1

Date of release: 18/7/2019

Document code: G009rv

technical Documentation: <http://www.ebiz.enea.it>

XML Schemas repository: <http://www.ebiz.enea.it/moda-ml/repository/schema/v2018-1/default.asp>

Guides repository: <http://www.ebiz.enea.it/moda-ml/repository/guide/v2018-1/default.asp>

Guide filename: G009rv-eBIZ-TextileCatalogue.pdf

# 1. BUSINESS DESCRIPTION

## 1.1 Scope

The present guide has been issued to assist the companies of the Textile-Clothing sector in the implementation of the standard XML document type "Textile CATALOGUE", providing all the instruction required for its use in any context of e-commerce between Apparel Producers and Fabric Producers. All the rules required for the construction and validation of the document are embedded into the specific XML-Schema, which is detailed in section "Implementation guide".


## 1.2 Generalities

This document is usable less for a sales catalogue than to exchange in advance the product data between the Supplier and the Customer, in order to synchronize their product data-bases.

It lists the articles composing the Fabric Producer's offer (codes, descriptions, prices and sales conditions) and can include some of the technical data (composition, weight and width, construction specifications, . . .).

## 1.3. Possible scenario

Selection of fabrics



## 2. IMPLEMENTATION GUIDE

### 2.1 General structure of XML document

All the business data that can be exchanged through this class of documents are shown in the following "document structure", that provides a simplified vision of the Schema.

In particular:

- the two numbers following each element define its "cardinality" (minimum and maximum number of occurrences); the minimum equal zero indicates that the element is optional, the minimum greater than zero indicates that is mandatory;
- the bold character denotes the complex elements (aggregates of simple elements) that were built for the sake of functionality and re-usability of some complex informations sets. The child elements in each parent element are easily spotted as "indented";
- the symbol "@" denotes an attribute of the preceding element; here "the usage indicator (optional, required, ...)" is shown in square brackets.

#### Legenda

- N: new element
- U: updated properties
- P: changes in children
- p: is a changed child
- A: changes in attributes
- a: is a new or changed attribute
- \*: is a subtype

### Structure

#### TEXCatalog (P)

@msgfunction [Optional] [Default= OR]

@version [Optional] [Default= 2018-1]

@useProfile [Optional]

```
| TCHheader 1-1 (P)
| | msgN 1-1
| | - choose -
| | msgID 0-1
| | - or -
| | docID 0-1
| | @numberingOrg [Optional]
| | - end choose -
| | msgDate 1-1
| | @dateForm [Optional]
| | msgCurrency 0-1
| | refDoc 0-9 (P)
| | @docType [Required]
| | | docID 1-2 (p)
| | | @numberingOrg [Optional]
| | | docDate 0-1
| | | @dateForm [Optional]
| | | season 0-1 (A)
| | | @numberingOrg [Optional] (a)
| | | @codeList [Optional] (a)
| | | @listName [Optional] (a)
| | | @listVersion [Optional] (a)
| | | itemID 0-1 (U)
| | | attachment 0-1 (N)
| | | @uid [Optional]
| | | | fileName 0-1 (N)
```

- | | | @numberingOrg [Optional] (a)
- | | | binaryObject 0-1 (N)
- | | | @format [Optional] (Na)
- | | | @mime [Optional] (Na)
- | | | @encoding [Optional] (Na)
- | | | @characterSet [Optional] (Na)
- | | | **externalReference 0-99** (N)
  - | | | uri 1-1 (N)
  - | | | @isURL [Optional] [Default= true] (Na)
  - | | | mimeTypeCode 0-1 (N)
  - | | | formatCode 0-1 (N)
  - | | | encodingCode 0-1 (N)
  - | | | characterSetCode 0-1 (N)
- | **picture 0-9** (N\*)
  - | pictureCode 0-1 (N\*)
  - | title 0-unbounded (N)
  - | @In [Optional] (Na)
  - | description 0-unbounded (AU)
  - | @In [Optional] (N)
  - | validityStart 0-1
  - | @dateForm [Optional]
  - | validityEnd 0-1
  - | @dateForm [Optional]
  - | alternativeText 0-unbounded (N\*)
  - | @In [Optional] (Na)
  - | rendering 0-1 (N\*)
  - | resolution 0-1 (N\*)
  - | @resolutionType [Optional] [Default= dpi] (Na)
  - | width 0-1
  - | @um [Required]
  - | height 0-1
  - | @um [Required]
  - | nominalWidth 0-2 (N\*)
  - | @um [Optional] (a)
  - | nominalHeight 0-2 (N\*)
  - | @um [Optional] (a)
  - | pictureUse 0-1 (N\*)
  - | pictureQualifier 0-1 (N\*)
  - | **attachment 1-1** (N)
    - | @uid [Optional]
    - | fileName 0-1 (N)
      - | @numberingOrg [Optional] (a)
      - | binaryObject 0-1 (N)
      - | @format [Optional] (Na)
      - | @mime [Optional] (Na)
      - | @encoding [Optional] (Na)
      - | @characterSet [Optional] (Na)
    - | **externalReference 0-99** (N)
      - | uri 1-1 (N)
      - | @isURL [Optional] [Default= true] (Na)
      - | mimeTypeCode 0-1 (N)
      - | formatCode 0-1 (N)
      - | encodingCode 0-1 (N)
      - | characterSetCode 0-1 (N)
  - | note 0-99
    - | @numberingOrg [Optional]
    - | @codeList [Optional]
    - | @noteLabel [Optional]
- | season 0-1 (A)
  - | @numberingOrg [Optional] (a)
  - | @codeList [Optional] (a)

| @listName [Optional] (a)  
 | @listVersion [Optional] (a)  
 | validityStart 0-1  
 | @dateForm [Optional]  
 | validityEnd 0-1  
 | @dateForm [Optional]  
 | **buyer 0-1** (AP)  
 | @logo [Optional]  
 | @sender [Optional] (a\*)  
 | | id 1-1 (p)  
 | | @numberingOrg [Optional]  
 | | additionalIdentifier 0-9 (N)  
 | | @numberingOrg [Optional] (a)  
 | | @idQualifier [Optional] (Na)  
 | | legalName 0-1 (U)  
 | | dept 0-1  
 | | subDept 0-1 (N)  
 | | person 0-1  
 | | @email [Optional]  
 | | @phone [Optional]  
 | | @fax [Optional]  
 | | street 0-1  
 | | city 0-1  
 | | subCountry 0-1  
 | | country 0-1  
 | | postCode 0-1  
 | **supplier 1-1** (AP)  
 | @logo [Optional]  
 | @sender [Optional] (a\*)  
 | | id 1-1  
 | | @numberingOrg [Optional]  
 | | additionalIdentifier 0-9 (N)  
 | | @numberingOrg [Optional] (a)  
 | | @idQualifier [Optional] (Na)  
 | | legalName 0-1 (U)  
 | | dept 0-1  
 | | subDept 0-1 (N)  
 | | person 0-1  
 | | @email [Optional]  
 | | @phone [Optional]  
 | | @fax [Optional]  
 | | street 0-1  
 | | city 0-1  
 | | subCountry 0-1  
 | | country 0-1  
 | | postCode 0-1  
 | **thirdParty 0-5** (AP)  
 | @VAT [Optional]  
 | @role [Required]  
 | @sender [Optional] (a\*)  
 | | id 1-1  
 | | @numberingOrg [Optional]  
 | | legalName 0-1 (U)  
 | | dept 0-1  
 | | subDept 0-1 (N)  
 | | person 0-1  
 | | @email [Optional]  
 | | @phone [Optional]  
 | | @fax [Optional]  
 | | street 0-1  
 | | city 0-1

- | | | subCountry 0-1
- | | | country 0-1
- | | | postCode 0-1
- | | note 0-99
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]

| **terms 0-1** (Pp)

- | | **payment 0-5**
- | | | @finDiscount [Optional]
- | | | @finSurcharge [Optional]
- | | | - choose -
- | | | | payTerm 1-1
- | | | | - or -
- | | | | | payTermText 1-1 (U)
- | | | | - end choose -
- | | | | payMode 0-1

- | | **insPayment 0-5**
- | | | @part [Required]
- | | | - choose -
- | | | | payTerm 1-1
- | | | | - or -
- | | | | | payTermText 1-1 (U)
- | | | | - end choose -
- | | | | payMode 0-1

- | | **trade 0-1**
- | | | - choose -
- | | | | incoTermText 1-1 (U)
- | | | | - or -
- | | | | | incoTerm 1-1
- | | | | - end choose -
- | | | | | location 0-1
- | | | | | @LRI [Optional]

- | | **transInfo 0-5** (pAP)
- | | | @transReason [Optional]
- | | | @progr [Optional] (N)
- | | | | transMode 1-1
- | | | | carrier 0-1
- | | | | deliveryPlace 0-1 (U)
- | | | | grossWeight 0-1
- | | | | | @um [Required]
- | | | | netWeight 0-1
- | | | | | @um [Required]
- | | | | transMeans 0-1
- | | | | transCondition 0-3
- | | | | transConditionText 0-1 (U)
- | | | | despatchPlace 0-1 (N)
- | | | | despatchDate 0-1 (N)
- | | | | | @dateForm [Optional] (a)
- | | | | delEffectiveDate 0-1 (p)
- | | | | | @dateForm [Optional]

- | | **allowanceCharge 0-9** (A)
- | | | @um [Optional] (a)
- | | | @VAT [Optional]
- | | | @minQty [Optional] (a)
- | | | @currency [Optional] (a)
- | | | @maxQty [Optional] (N)
- | | | @isCharge [Optional] (N)
- | | | - choose -
- | | | | AC\_category 1-1

```

- or -
| | | AC_categoryText 1-1 (U)
- end choose -
- choose -
| | | AC_percent 1-1
- or -
| | | AC_amount 1-1 (A)
| | | @currency [Optional] (a)
- end choose -
| | | dtScheme 0-1 (P)
| | | @taxType [Required]
| | | | taxCategory 0-1
| | | | taxRate 0-1
| | | | legalRef 0-1 (A)
| | | | @numberingOrg [Optional] (a)
| | | | @codeList [Optional] (a)
| | | | @listName [Optional] (a)
| | | | @listVersion [Optional] (a)
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]

```

```

| texComInfo 0-1 (P)
| @endUse [Optional] [Default= PR]
| @IC [Optional]
| @techSheet [Optional]
| | season 0-1 (A)
| | | @numberingOrg [Optional] (a)
| | | @codeList [Optional] (a)
| | | @listName [Optional] (a)
| | | @listVersion [Optional] (a)
| | brand 0-1 (N)
| | | @numberingOrg [Optional] (a)
| | | @codeList [Optional] (a)
| | | @listName [Optional] (a)
| | | @listVersion [Optional] (a)
| | productLine 0-1 (N)
| | | @numberingOrg [Optional] (a)
| | | @codeList [Optional] (a)
| | | @listName [Optional] (a)
| | | @listVersion [Optional] (a)
| | project 0-1 (U)
| | operationalCode 0-19 (N)
| | | @numberingOrg [Optional] (a)
| | | @codeList [Optional] (a)
| | | @listName [Optional] (a)
| | | @listVersion [Optional] (a)
| | | @codeQualifier [Optional] (Na)
| | deliveryDate 0-1
| | | @dateForm [Optional]
| | specDate 0-1
| | | @dateForm [Optional]
| | fabricWidth 0-1
| | | @um [Optional] [Default= CMT]
| | pieceLength 0-1
| | | @um [Optional] [Default= MTR]
| | piecePack 0-1
| | - choose -
| | | piecePackText 1-1 (U)
| | - or -

```

- | | | pieceInnWrap1 1-1
- | | | pieceInnWrap2 0-1
- | | | pieceOutWrap 0-1
- | | - end choose -
- | | note 0-99 (p)
- | | @numberingOrg [Optional]
- | | @codeList [Optional]
- | | @noteLabel [Optional]

### TCbody 1-1

#### TCgroup 1-unbounded (U\*)

- | | artGroup 0-1
- | | | @numberingOrg [Optional]
- | | | @codeList [Optional]
- | | | @listName [Optional]
- | | | @listVersion [Optional]
- | | artGroupName 0-1 (U)
- | | description 0-unbounded (AU)
- | | | @In [Optional] (N)
- | | extendedDescription 0-unbounded (N)
- | | | @In [Optional] (Na)
- | | **refDoc 0-9** (P)
- | | | @docType [Required]
- | | | docID 1-2 (p)
- | | | | @numberingOrg [Optional]
- | | | docDate 0-1
- | | | | @dateForm [Optional]
- | | | season 0-1 (A)
- | | | | @numberingOrg [Optional] (a)
- | | | | @codeList [Optional] (a)
- | | | | @listName [Optional] (a)
- | | | | @listVersion [Optional] (a)
- | | | itemID 0-1 (U)
- | | | **attachment 0-1** (N)
- | | | | @uid [Optional]
- | | | | | fileName 0-1 (N)
- | | | | | @numberingOrg [Optional]
- | | | | | binaryObject 0-1 (N)
- | | | | | @format [Optional] (N)
- | | | | | @mime [Optional] (N)
- | | | | | @encoding [Optional] (N)
- | | | | | @characterSet [Optional] (N)
- | | | | | **externalReference 0-99** (N)
- | | | | | | uri 1-1 (N)
- | | | | | | | @isURL [Optional] [Default= true] (Na)
- | | | | | | mimeCode 0-1 (N)
- | | | | | | formatCode 0-1 (N)
- | | | | | | encodingCode 0-1 (N)
- | | | | | | characterSetCode 0-1 (N)
- | | | **picture 0-99** (N\*)
- | | | | pictureCode 0-1 (N\*)
- | | | | title 0-unbounded (N)
- | | | | | @In [Optional] (Na)
- | | | | description 0-unbounded (AU)
- | | | | | @In [Optional] (N)
- | | | | validityStart 0-1
- | | | | | @dateForm [Optional]
- | | | | validityEnd 0-1
- | | | | | @dateForm [Optional]
- | | | | alternativeText 0-unbounded (N\*)
- | | | | | @In [Optional] (Na)



```

| | | rendering 0-1 (N*)
| | | resolution 0-1 (N*)
| | | @resolutionType [Optional] [Default= dpi] (Na)
| | | width 0-1
| | | @um [Required]
| | | height 0-1
| | | @um [Required]
| | | nominalWidth 0-2 (N*)
| | | @um [Optional] (a)
| | | nominalHeight 0-2 (N*)
| | | @um [Optional] (a)
| | | pictureUse 0-1 (N*)
| | | pictureQualifier 0-1 (N*)
| | | attachment 1-1 (N)
| | | @uid [Optional]
| | | | fileName 0-1 (N)
| | | | @numberingOrg [Optional]
| | | | binaryObject 0-1 (N)
| | | | @format [Optional] (N)
| | | | @mime [Optional] (N)
| | | | @encoding [Optional] (N)
| | | | @characterSet [Optional] (N)
| | | | externalReference 0-99 (N)
| | | | | uri 1-1 (N)
| | | | | @isURL [Optional] [Default= true] (Na)
| | | | | mimeTypeCode 0-1 (N)
| | | | | formatCode 0-1 (N)
| | | | | encodingCode 0-1 (N)
| | | | | characterSetCode 0-1 (N)
| | | note 0-99
| | | @numberingOrg [Optional]
| | | @codeList [Optional]
| | | @noteLabel [Optional]
| | | allowanceCharge 0-9 (A)
| | | @um [Optional] (a)
| | | @VAT [Optional]
| | | @minQty [Optional] (a)
| | | @currency [Optional] (a)
| | | @maxQty [Optional] (N)
| | | @isCharge [Optional] (N)
| | | - choose -
| | | | AC_category 1-1
| | | - or -
| | | | AC_categoryText 1-1 (U)
| | | - end choose -
| | | - choose -
| | | | AC_percent 1-1
| | | - or -
| | | | AC_amount 1-1 (A)
| | | | @currency [Optional]
| | | - end choose -
| | | | dtScheme 0-1 (P)
| | | | @taxType [Required]
| | | | | taxCategory 0-1
| | | | | taxRate 0-1
| | | | | legalRef 0-1 (A)
| | | | | @numberingOrg [Optional] (a)
| | | | | @codeList [Optional] (a)
| | | | | @listName [Optional] (a)
| | | | | @listVersion [Optional] (a)
| | | | note 0-99

```

```

| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| | | texComInfo 0-1 (P)
| | | @endUse [Optional] [Default= PR]
| | | @IC [Optional]
| | | @techSheet [Optional]
| | | | season 0-1 (A)
| | | | | @numberingOrg [Optional] (a)
| | | | | @codeList [Optional] (a)
| | | | | @listName [Optional] (a)
| | | | | @listVersion [Optional] (a)
| | | | brand 0-1 (N)
| | | | | @numberingOrg [Optional] (a)
| | | | | @codeList [Optional] (a)
| | | | | @listName [Optional] (a)
| | | | | @listVersion [Optional] (a)
| | | | productLine 0-1 (N)
| | | | | @numberingOrg [Optional] (a)
| | | | | @codeList [Optional] (a)
| | | | | @listName [Optional] (a)
| | | | | @listVersion [Optional] (a)
| | | | project 0-1 (U)
| | | | operationalCode 0-19 (N)
| | | | | @numberingOrg [Optional] (a)
| | | | | @codeList [Optional] (a)
| | | | | @listName [Optional] (a)
| | | | | @listVersion [Optional] (a)
| | | | | @codeQualifier [Optional] (Na)
| | | | deliveryDate 0-1
| | | | | @dateForm [Optional]
| | | | specDate 0-1
| | | | | @dateForm [Optional]
| | | | fabricWidth 0-1
| | | | | @um [Optional] [Default= CMT]
| | | | pieceLength 0-1
| | | | | @um [Optional] [Default= MTR]
| | | | piecePack 0-1
| | | | - choose -
| | | | | piecePackText 1-1 (U)
| | | | - or -
| | | | | pieceInnWrap1 1-1
| | | | | pieceInnWrap2 0-1
| | | | | pieceOutWrap 0-1
| | | | - end choose -
| | | | note 0-99 (p)
| | | | | @numberingOrg [Optional]
| | | | | @codeList [Optional]
| | | | | @noteLabel [Optional]
| | | | TCitem 0-unbounded (Pp)
| | | | | lineN 0-1
| | | | | | @VAT [Optional]
| | | | | refDoc 0-9 (P)
| | | | | | @docType [Required]
| | | | | | | docID 1-2 (p)
| | | | | | | | @numberingOrg [Optional]
| | | | | | | docDate 0-1
| | | | | | | | @dateForm [Optional]
| | | | | | | season 0-1 (A)
| | | | | | | | @numberingOrg [Optional] (a)
| | | | | | | | @codeList [Optional] (a)

```

| @listName [Optional] (a)  
 | @listVersion [Optional] (a)  
 | itemID 0-1 (U)  
 | **attachment 0-1** (N)  
 | @uid [Optional]  
 | | fileName 0-1 (N)  
 | | @numberingOrg [Optional] (a)  
 | | binaryObject 0-1 (N)  
 | | @format [Optional] (Na)  
 | | @mime [Optional] (Na)  
 | | @encoding [Optional] (Na)  
 | | @characterSet [Optional] (Na)  
 | | **externalReference 0-99** (N)  
 | | | uri 1-1 (N)  
 | | | @isURL [Optional] [Default= true] (Na)  
 | | | mimeTypeCode 0-1 (N)  
 | | | formatCode 0-1 (N)  
 | | | encodingCode 0-1 (N)  
 | | | characterSetCode 0-1 (N)  
 | **picture 0-99** (N\*)  
 | | pictureCode 0-1 (N\*)  
 | | title 0-unbounded (N)  
 | | @ln [Optional] (Na)  
 | | description 0-unbounded (AU)  
 | | @ln [Optional] (N)  
 | | validityStart 0-1  
 | | @dateForm [Optional]  
 | | validityEnd 0-1  
 | | @dateForm [Optional]  
 | | alternativeText 0-unbounded (N\*)  
 | | @ln [Optional] (N)  
 | | rendering 0-1 (N\*)  
 | | resolution 0-1 (N\*)  
 | | @resolutionType [Optional] [Default= dpi] (N)  
 | | width 0-1  
 | | @um [Required]  
 | | height 0-1  
 | | @um [Required]  
 | | nominalWidth 0-2 (N\*)  
 | | @um [Optional]  
 | | nominalHeight 0-2 (N\*)  
 | | @um [Optional]  
 | | pictureUse 0-1 (N\*)  
 | | pictureQualifier 0-1 (N\*)  
 | | **attachment 1-1** (N)  
 | | @uid [Optional]  
 | | | fileName 0-1 (N)  
 | | | @numberingOrg [Optional] (a)  
 | | | binaryObject 0-1 (N)  
 | | | @format [Optional] (Na)  
 | | | @mime [Optional] (Na)  
 | | | @encoding [Optional] (Na)  
 | | | @characterSet [Optional] (Na)  
 | | | **externalReference 0-99** (N)  
 | | | | uri 1-1 (N)  
 | | | | @isURL [Optional] [Default= true] (Na)  
 | | | | mimeTypeCode 0-1 (N)  
 | | | | formatCode 0-1 (N)  
 | | | | encodingCode 0-1 (N)  
 | | | | characterSetCode 0-1 (N)  
 | | note 0-99

				@numberingOrg [Optional]	
				@codeList [Optional]	
				@noteLabel [Optional]	
				fabricNameSupplier 0-1 (U)	
				fabricNameBuyer 0-1 (U)	
				art 0-1 (U)	
				@numberingOrg [Optional]	
				@codeList [Optional]	
				@listName [Optional]	
				@listVersion [Optional]	
				pattern 0-unbounded	
				@numberingOrg [Optional]	
				@codeList [Optional]	
				@listName [Optional]	
				@listVersion [Optional]	
				color 0-unbounded	
				@numberingOrg [Optional]	
				@codeList [Optional]	
				@listName [Optional]	
				@listVersion [Optional]	
				added 0-unbounded	
				@numberingOrg [Optional]	
				@addType [Optional]	
				description 0-unbounded (AU)	
				@ln [Optional] (N)	
				extendedDescription 0-unbounded (N)	
				@ln [Optional] (Na)	
				- choose -	
				<b>marketPrice 0-unbounded (N)</b>	
				catalogPrice 1-1 (A)	
				@um [Required]	
				@minQty [Optional]	
				@currency [Optional]	
				@garmentMarket [Optional]	
				@maxQty [Optional] (N)	
				<b>allowanceCharge 0-9 (A)</b>	
				@um [Optional]	
				@VAT [Optional]	
				@minQty [Optional]	
				@currency [Optional]	
				@maxQty [Optional] (N)	
				@isCharge [Optional] (N)	
				- choose -	
				AC_category 1-1	
				- or -	
				AC_categoryText 1-1 (U)	
				- end choose -	
				- choose -	
				AC_percent 1-1	
				- or -	
				AC_amount 1-1 (A)	
				@currency [Optional] (a)	
				- end choose -	
				<b>dtScheme 0-1 (P)</b>	
				@taxType [Required]	
				taxCategory 0-1	
				taxRate 0-1	
				legalRef 0-1 (A)	
				@numberingOrg [Optional] (a)	
				@codeList [Optional] (a)	
				@listName [Optional] (a)	



| | percCompos 1-9  
 | | @fibre [Required]  
 | dyeProcess 0-1  
 | dyeStuff 0-1  
 | careLabel 0-1  
 | minLot 0-1  
 | @um [Required]  
 | minLotExclusive 0-1  
 | @um [Required]  
 | avgDeliveryDD 0-1  
 | estFaultiness 0-1  
 | note 0-99  
 | @numberingOrg [Optional]  
 | @codeList [Optional]  
 | @noteLabel [Optional]

**construction 0-1**

| fabricWeightM 1-1  
 | @um [Optional] [Default= GRM]  
 | fabricWeightM2 0-1  
 | @um [Optional] [Default= GRM]  
 | fabricWidth 0-1  
 | @um [Optional] [Default= CMT]  
 | fabricCutWidth 0-1  
 | @um [Optional] [Default= CMT]  
 | pieceLength 0-1  
 | @um [Optional] [Default= MTR]  
 | weave 0-1  
 | warpCount 0-9  
 | @method [Optional] [Default= ISO-2060]  
 | @fibre [Optional]  
 | weftCount 0-9  
 | @method [Optional] [Default= ISO-2060]  
 | @fibre [Optional]  
 | warpEndsN 0-1  
 | weftEndsN 0-1  
 | bowingWarp 0-1  
 | @method [Optional]  
 | bowingWeft 0-1  
 | @method [Optional]  
 | checksFlaw 0-1  
 | @method [Optional]  
 | weftDev 0-1  
 | @method [Optional]  
 | resin 0-1

**texComInfo 0-1 (Pp)**

| @endUse [Optional] [Default= PR]  
 | @IC [Optional]  
 | @techSheet [Optional]  
 | season 0-1 (A)  
 | @numberingOrg [Optional] (a)  
 | @codeList [Optional] (a)  
 | @listName [Optional] (a)  
 | @listVersion [Optional] (a)  
 | brand 0-1 (N)  
 | @numberingOrg [Optional] (a)  
 | @codeList [Optional] (a)  
 | @listName [Optional] (a)  
 | @listVersion [Optional] (a)  
 | productLine 0-1 (N)  
 | @numberingOrg [Optional]  
 | @codeList [Optional]

```

| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | project 0-1 (U)
| | | | operationalCode 0-19 (N)
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @listName [Optional]
| | | | @listVersion [Optional]
| | | | @codeQualifier [Optional] (N)
| | | | deliveryDate 0-1
| | | | @dateForm [Optional]
| | | | specDate 0-1
| | | | @dateForm [Optional]
| | | | fabricWidth 0-1
| | | | @um [Optional] [Default= CMT]
| | | | pieceLength 0-1
| | | | @um [Optional] [Default= MTR]
| | | | piecePack 0-1
| | | | - choose -
| | | | | piecePackText 1-1 (U)
| | | | - or -
| | | | | pieceInnWrap1 1-1
| | | | | pieceInnWrap2 0-1
| | | | | pieceOutWrap 0-1
| | | | - end choose -
| | | | note 0-99 (p)
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| | | | dtScheme 0-1 (P)
| | | | @taxType [Required]
| | | | taxCategory 0-1
| | | | taxRate 0-1
| | | | legalRef 0-1 (A)
| | | | @numberingOrg [Optional] (a)
| | | | @codeList [Optional] (a)
| | | | @listName [Optional] (a)
| | | | @listVersion [Optional] (a)
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]
| | | | note 0-99
| | | | @numberingOrg [Optional]
| | | | @codeList [Optional]
| | | | @noteLabel [Optional]

```

## 2.2 Detailed description of document elements

Following tables show all elements (complex and simple) used in this document. Description includes: 1) element's information: xml tag, name, brief description, data type and syntax constraints; 2) information about use of the element in a particular position in the document: xpath and possible associated notes.

### 2.2.1 Complex elements (Aggregate Business Information Entities)

Complex elements are those elements whose content is composed of other elements (childs). Complex elements are alphabetically ordered.

<b>allowanceCharge</b>	<p>Allowances and Charges related to an Order or a contract  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge</a>) 0-9 (A)  - note: <i>It declares conditions applicable to all the group</i>  (XPath <a href="#">TEXCatalog/terms/allowanceCharge</a>) 0-9 (A)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge</a>) 0-9 (A)  - note: <i>Allowances and charges to be applied to the price</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge</a>) 0-9 (pA)  - note: <i>Charges and discounts to be applied to all the prices for this item</i></p>
<b>attachment</b>	<p>an attached document. An attachment can refer to an external document or be included with the document being exchanged  (XPath <a href="#">TEXCatalog/Tcheader/picture/attachment</a>) 1-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment</a>) 1-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/Tcheader/refDoc/attachment</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment</a>) 1-1 (N)</p>
<b>buyer</b>	<p>details of the Buyer (party that buys the good or service that is object of the current collaborative process)  - base type: Nad,  (XPath <a href="#">TEXCatalog/Tcheader/buyer</a>) 0-1 (AP)</p>
<b>construction</b>	<p>construction data and features included in the technical sheet of the fabric article  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction</a>) 0-1</p>
<b>dtScheme</b>	<p>set of data usable to declare the duty or tax applied  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme</a>) 0-1 (P)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme</a>) 0-1 (P)  - note: <i>recommended alternative to the attribute @VAT</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme</a>) 0-1 (P)  (XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme</a>) 0-1 (P)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme</a>) 0-1 (P)</p>
<b>externalReference</b>	<p>details about an external object, such as a document stored at a remote location  (XPath <a href="#">TEXCatalog/Tcheader/refDoc/attachment/externalReference</a>) 0-99 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference</a>) 0-99 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference</a>) 0-99 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference</a>) 0-99 (N)  (XPath <a href="#">TEXCatalog/Tcheader/picture/attachment/externalReference</a>) 0-99 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference</a>) 0-99 (N)</p>
<b>fabricCompos</b>	<p>composition of the fabric according to the Directory 97/37/CE  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/fabricCompos</a>) 1-1</p>



<b>generalChar</b>	general data included in the technical sheet of the fabric article (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar</a> ) 0-1 (P)
<b>geographicArea</b>	identification of a geographic area - base type: string, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/geographicArea</a> ) 0-9 (N) - note: <i>geographical area to which the indicated price applies (one or more)</i>
<b>insPayment</b>	payment details for payment by installments (XPath <a href="#">TEXCatalog/terms/insPayment</a> ) 0-5 - note: <i>excluded the case of offers, this set of data is alternative to payment set and must be iterated for each payment installment</i>
<b>marketPrice</b>	price shown for a specific market catalogue (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice</a> ) 0-unbounded (N) - note: <i>This element allows a deeper detail about the context of application of the price in respect of cataloguePrice.</i>
<b>payment</b>	payment details for payment all in one (XPath <a href="#">TEXCatalog/terms/payment</a> ) 0-5 - note: <i>excluded the case of offers, this set of data is alternative to insPayment, it can be iterated to specify alternative terms of payment (e.g.: 60 days or 30 days with 3% discount)</i>
<b>picture</b>	picture; image features and its representation or link to it - base type: , (XPath <a href="#">TEXCatalog/THeader/picture</a> ) 0-9 (N*) - note: <i>Images associated to the whole catalogue (i.e. cover)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture</a> ) 0-99 (N*) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture</a> ) 0-99 (N*) - note: <i>Images associated to the whole group</i>
<b>piecePack</b>	type of wrapping or packing of the fabric pieces (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/piecePack</a> ) 0-1 (XPath <a href="#">TEXCatalog/texComInfo/piecePack</a> ) 0-1 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/piecePack</a> ) 0-1
<b>refDoc</b>	identification of a document and of an item thereof, to which the message makes reference (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc</a> ) 0-9 (P) (XPath <a href="#">TEXCatalog/THeader/refDoc</a> ) 0-9 (P) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc</a> ) 0-9 (P)
<b>supplier</b>	details of the Supplier (party that supplies the good or service that is object of the current collaborative process) - base type: Nad, (XPath <a href="#">TEXCatalog/THeader/supplier</a> ) 1-1 (AP)
<b>TCbody</b>	body of the document TEXTILES CATALOGUE (XPath <a href="#">TEXCatalog/TCbody</a> ) 1-1
<b>TCgroup</b>	articles grouping of the TEXTILES CATALOGUE - base type: , (XPath <a href="#">TEXCatalog/TCbody/TCgroup</a> ) 1-unbounded (U*) - note: <i>this level is created to allow articles grouping by families</i>
<b>THeader</b>	header of the document TEXTILES CATALOGUE (XPath <a href="#">TEXCatalog/THeader</a> ) 1-1 (P)
<b>TCitem</b>	line item of the message TEXTILES CATALOGUE - base type: , (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem</a> ) 0-unbounded (Pp) - note: <i>More articles in the same group of products</i>
<b>terms</b>	details of the commercial obligations for payment and delivery (XPath <a href="#">TEXCatalog/terms</a> ) 0-1 (Pp)

<b>texComInfo</b>	miscellaneous trade information, that can be specified in a textile Order, referred either to the whole document or to the single item (XPath <a href="#">TEXCatalog/texComInfo</a> ) 0-1 (P) - note: <i>here must be specified the conditions valid for the whole document</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo</a> ) 0-1 (Pp) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo</a> ) 0-1 (P) - note: <i>It declares conditions applicable to all the group</i>
<b>thirdParty</b>	details of the Third Party, different from Sender and Receiver of the document - base type: Nad, (XPath <a href="#">TEXCatalog/TCheader/thirdParty</a> ) 0-5 (AP)
<b>trade</b>	general terms of trade for the specified supply (XPath <a href="#">TEXCatalog/terms/trade</a> ) 0-1
<b>transInfo</b>	details of transport: mode, carrier and delivery place (XPath <a href="#">TEXCatalog/terms/transInfo</a> ) 0-5 (pAP)

## 2.2.2 Simple elements (Basic Business Information Entities)

Simple elements are those elements whose content is characterized by a data type plus a domain of possible values. Simple elements are alphabetically ordered.

<b>AC_amount</b>	amount of an Allowance or Charge - base type: decimal, fraction digits: 2, (XPath <a href="#">TEXCatalog/terms/allowanceCharge/AC_amount</a> ) 1-1 (A) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/AC_amount</a> ) 1-1 (A) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/AC_amount</a> ) 1-1 (A) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/AC_amount</a> ) 1-1 (A)
<b>AC_category</b>	coded specification of an Allowance or Charge - base type: string, cod. table: T41 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T41.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T41.xml</a> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/AC_category</a> ) 1-1 (XPath <a href="#">TEXCatalog/terms/allowanceCharge/AC_category</a> ) 1-1 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/AC_category</a> ) 1-1 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/AC_category</a> ) 1-1
<b>AC_categoryText</b>	free text description of an Allowance or Charge - base type: string, max length: 250, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/AC_categoryText</a> ) 1-1 (U) (XPath <a href="#">TEXCatalog/terms/allowanceCharge/AC_categoryText</a> ) 1-1 (U) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/AC_categoryText</a> ) 1-1 (U) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/AC_categoryText</a> ) 1-1 (U)
<b>AC_percent</b>	amount of an Allowance or Charge as a percentage (always non negative value) - base type: decimal, max inclusive: 100, fraction digits: 2, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/AC_percent</a> ) 1-1 (XPath <a href="#">TEXCatalog/terms/allowanceCharge/AC_percent</a> ) 1-1 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/AC_percent</a> ) 1-1 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/AC_percent</a> ) 1-1
<b>added</b>	additional code of the product (complementing the formers) - base type: string, max length: 80, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/added</a> ) 0-unbounded

	- note: <i>this data can be iterated to show a number of features available for the article</i>
additionalIdentifier	additional identification code of a Party, for example customs registries or others - base type: string, max length: 15, (XPath <a href="#">TEXCatalog/THeader/supplier/additionalIdentifier</a> ) 0-9 (N) - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i> (XPath <a href="#">TEXCatalog/THeader/buyer/additionalIdentifier</a> ) 0-9 (N) - note: <i>identifiers for example for exports, such as MID (Manufacturer Identification Code), EORI (E.O.R.I. - Economic Operator Registration and Identification)</i>
@addType	qualifier of the additional coding of a product - base type: string, cod. table: T44 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T44.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T44.xml</a> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/added/@addType</a> ) [Optional] - nota: <i>addType allows the clarification of the meaning of the added element content; it is strongly suggested to use it always.</i>
alternativeText	alternative text of the picture - base type: string, max length: 255, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/alternativeText</a> ) 0-unbounded (N*) - note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> (XPath <a href="#">TEXCatalog/THeader/picture/alternativeText</a> ) 0-unbounded (N*) - note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/alternativeText</a> ) 0-unbounded (N*) - note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i>
art	article number of the product - base type: string, max length: 80, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/art</a> ) 0-1 (U)
artGroup	code identifying a class of products - base type: string, max length: 40, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/artGroup</a> ) 0-1
artGroupName	description of a class of products - base type: string, max length: 80, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/artGroupName</a> ) 0-1 (U)
avgDeliveryDD	average time (workdays) between order receipt and delivery of an article, specified by the Supplier - base type: duration, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/avgDeliveryDD</a> ) 0-1
binaryObject	a binary large object containing an attached document, Coding 'base64Binary' is recommended. - base type: base64Binary, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/binaryObject</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/binaryObject</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/THeader/refDoc/attachment/binaryObject</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/binaryObject</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/binaryObject</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/THeader/picture/attachment/binaryObject</a> ) 0-1 (N)
bowingWarp	warp bowing - base type: decimal, min inclusive: 0,

	(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/bowingWarp</a> ) 0-1
bowingWeft	weft bowing - base type: decimal, min inclusive: 0, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/bowingWeft</a> ) 0-1
brand	A brand name. - base type: string, (XPath <a href="#">TEXCatalog/texComInfo/brand</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/brand</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/brand</a> ) 0-1 (N)
careLabel	codification of the care instructions printed on the label (ISO 3758) - base type: string, length: 5, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/careLabel</a> ) 0-1 - note: <i>code composition: 1st digit=id.symbol umid washing,2nd=id.s.bleaching,3rd=id.s. ironing,4th=id.s. dry washing,5th=id.s. drying. See ATTACHMENT B.</i>
carrier	identification of the transport carrier - base type: string, max length: 40, (XPath <a href="#">TEXCatalog/terms/transInfo/carrier</a> ) 0-1
catalogPrice	price shown in the Supplier's Catalogue - base type: decimal, fraction digits: 2, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/catalogPrice</a> ) 1-1 (A) - note: <i>Unit price not including allowances and charges</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/catalogPrice</a> ) 0-99 (Ap) - note: <i>this data can be iterated when the price depends on the purchased quantity (see attribute "minQty")</i>
@characterSet	the character set of the binary object (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,..) - base type: normalizedString, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/binaryObject/@characterSet</a> ) [Optional] (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/binaryObject/@characterSet</a> ) [Optional] (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/binaryObject/@characterSet</a> ) [Optional] (Na) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/binaryObject/@characterSet</a> ) [Optional] (Na) (XPath <a href="#">TEXCatalog/TCheader/picture/attachment/binaryObject/@characterSet</a> ) [Optional] (Na) (XPath <a href="#">TEXCatalog/TCheader/refDoc/attachment/binaryObject/@characterSet</a> ) [Optional] (Na)
characterSetCode	the character set of an external document (examples UTF-8, UTF-16, Windows-1252, ISO-8859-7,..) - base type: normalizedString, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference/characterSetCode</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference/characterSetCode</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCheader/picture/attachment/externalReference/characterSetCode</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCheader/refDoc/attachment/externalReference/characterSetCode</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference/characterSetCode</a> ) 0-1 (N) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference/characterSetCode</a> ) 0-1 (N)

checksFlaw	<p>flaw in checks</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0,</li> </ul> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/checksFlaw</a>) 0-1</p>
city	<p>name of the city (town, village)</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 40,</li> </ul> <p>(XPath <a href="#">TEXCatalog/THeader/thirdParty/city</a>) 0-1  (XPath <a href="#">TEXCatalog/THeader/supplier/city</a>) 0-1  (XPath <a href="#">TEXCatalog/THeader/buyer/city</a>) 0-1</p>
@codeList	<p>it specifies the URL where the list of codes used to make an instance of the element can be found</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 255,</li> </ul> <p>(XPath <a href="#">TEXCatalog/texComInfo/season/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/season/@codeList</a>) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <a href="#">TEXCatalog/texComInfo/brand/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/productLine/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/texComInfo/productLine/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/legalRef/@codeList</a>) [Optional] (a)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/brand/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/artGroup/@codeList</a>) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/texComInfo/operationalCode/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/texComInfo/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/legalRef/@codeList</a>) [Optional] (a)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/operationalCode/@codeList</a>) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/productLine/@codeList</a>) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i></p> <p>(XPath <a href="#">TEXCatalog/THeader/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p> <p>(XPath <a href="#">TEXCatalog/THeader/refDoc/season/@codeList</a>) [Optional] (a)</p>

	<p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme/legalRef/@codeList</a>) [Optional] (a)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/brand/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/season/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/operationalCode/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/season/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/legalRef/@codeList</a>) [Optional] (a)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/color/@codeList</a>) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/art/@codeList</a>) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/season/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/pattern/@codeList</a>) [Optional]</p> <p>- nota: <i>at least one out of this attribute and "numberingOrg" should be set</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/legalRef/@codeList</a>) [Optional] (a)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath <a href="#">TEXCatalog/THeader/season/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/THeader/picture/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/season/@codeList</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/note/@codeList</a>) [Optional]</p> <p>- nota: <i>must be used to provide (URL) the list of codes used in "noteLabel"</i></p>
@codeQualifier	<p>operational code qualifier: it states if the code is related to a project, an event, an initiative, a sales channel, a management type (eg CITES), .....</p> <p>- base type: string, cod. table: NT43  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT43.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT43.xml</a>  (XPath <a href="#">TEXCatalog/texComInfo/operationalCode/@codeQualifier</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/operationalCode/@codeQualifier</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/operationalCode/@codeQualifier</a>) [Optional] (N)</p>

color	<p>colour number of the product, when not included in the model or fabric code</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 15,</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/color</a>) 0-unbounded</li> <li>- note: <i>this element can be repeated to highlight the color range of the article as long as the values of the relative attributes are equal (numberingOrg et c.)</i></li> </ul>
country	<p>code of the nation</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: T10</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T10.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T10.xml</a></li> <li>(XPath <a href="#">TEXCatalog/THeader/buyer/country</a>) 0-1</li> <li>(XPath <a href="#">TEXCatalog/THeader/thirdParty/country</a>) 0-1</li> <li>(XPath <a href="#">TEXCatalog/THeader/supplier/country</a>) 0-1</li> </ul>
@currency	<p>currency in which a specified monetary data is expressed</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: T9</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T9.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T9.xml</a></li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/@currency</a>) [Optional] (a)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/@currency</a>) [Optional] (a)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/AC_amount/@currency</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/AC_amount/@currency</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/@currency</a>) [Optional] (a)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/catalogPrice/@currency</a>) [Optional]</li> <li>- nota: <i>Currency referred by the price.</i></li> <li>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/AC_amount/@currency</a>) [Optional] (a)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/@currency</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/catalogPrice/@currency</a>) [Optional] (a)</li> <li>- nota: <i>Currency referred by the price.</i></li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/AC_amount/@currency</a>) [Optional] (a)</li> </ul>
customsStat	<p>statistic code assigned by Customs to a specified product</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 15,</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/customsStat</a>) 0-1</li> </ul>
@dateForm	<p>format used for the date</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: NT29</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT29.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT29.xml</a></li> <li>(XPath <a href="#">TEXCatalog/terms/transInfo/delEffectiveDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/THeader/validityStart/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/texComInfo/specDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/deliveryDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/specDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/terms/transInfo/despatchDate/@dateForm</a>) [Optional] (a)</li> <li>(XPath <a href="#">TEXCatalog/THeader/picture/validityStart/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/docDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/validityEnd/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/validityStart/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/THeader/picture/validityEnd/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/docDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/texComInfo/deliveryDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/validityStart/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/deliveryDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/THeader/refDoc/docDate/@dateForm</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/THeader/validityEnd/@dateForm</a>) [Optional]</li> </ul>

	<p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/specDate/@dateForm</code>) [Optional]</p> <p>(XPath <code>TEXCatalog/THeader/msgDate/@dateForm</code>) [Optional]</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/validityEnd/@dateForm</code>) [Optional]</p>
delEffectiveDate	<p>effective date of delivery of goods (declared in Despatch), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath <code>TEXCatalog/terms/transInfo/delEffectiveDate</code>) 0-1 (p)</p>
deliveryDate	<p>date of delivery of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YY YY-WW.</p> <p>- base type: string,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/deliveryDate</code>) 0-1</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/deliveryDate</code>) 0-1</p> <p>(XPath <code>TEXCatalog/texComInfo/deliveryDate</code>) 0-1</p>
deliveryPlace	<p>place of delivery of goods, ultimate or related to a given leg</p> <p>- base type: string, max length: 250,</p> <p>(XPath <code>TEXCatalog/terms/transInfo/deliveryPlace</code>) 0-1 (U)</p>
dept	<p>name or code of a contact department within a Party</p> <p>- base type: string, max length: 40,</p> <p>(XPath <code>TEXCatalog/THeader/thirdParty/dept</code>) 0-1</p> <p>(XPath <code>TEXCatalog/THeader/supplier/dept</code>) 0-1</p> <p>(XPath <code>TEXCatalog/THeader/buyer/dept</code>) 0-1</p>
description	<p>free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language).</p> <p>- base type: string, max length: 250,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/description</code>) 0-unbounded (AU)</p> <p>- note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/description</code>) 0-unbounded (AU)</p> <p>- note: <i>Product description</i></p> <p>(XPath <code>TEXCatalog/THeader/picture/description</code>) 0-unbounded (AU)</p> <p>- note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/description</code>) 0-unbounded (AU)</p> <p>- note: <i>Only one instance of this element for each different value of 'ln' attribute (language)</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/description</code>) 0-unbounded (AU)</p> <p>- note: <i>group description</i></p>
despatchDate	<p>date of despatch of goods, requested or promised in the purchase process, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYY-WW.</p> <p>- base type: string,</p> <p>(XPath <code>TEXCatalog/terms/transInfo/despatchDate</code>) 0-1 (N)</p>
despatchPlace	<p>place of despatch of goods, origin or related to a given leg</p> <p>- base type: string, max length: 250,</p> <p>(XPath <code>TEXCatalog/terms/transInfo/despatchPlace</code>) 0-1 (N)</p>
docDate	<p>date of issue of the referenced document, according to one of the patterns YYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/docDate</code>) 0-1</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/docDate</code>) 0-1</p> <p>(XPath <code>TEXCatalog/THeader/refDoc/docDate</code>) 0-1</p>
docID	<p>identification number of the referenced document SINCE 2008-1 ITS USE IN THE HEADER IS DISCOURAGED (REPLACED BY msgID)</p> <p>- base type: string, max length: 80,</p>



	<p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/docID</a>) 1-2 (p)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en  (XPath <a href="#">TEXCatalog/THeader/docID</a>) 0-1  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/docID</a>) 1-2 (p)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en  (XPath <a href="#">TEXCatalog/THeader/refDoc/docID</a>) 1-2 (p)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en</p>
@docType	<p>type or class to which the referenced document belongs  - base type: string, cod. table: T21  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T21.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T21.xml</a>  (XPath <a href="#">TEXCatalog/THeader/refDoc/@docType</a>) [Required]  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/@docType</a>) [Required]  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/@docType</a>) [Required]</p>
dyeProcess	<p>dye process applied to the fabric  - base type: string, cod. table: T15  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T15.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T15.xml</a>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/dyeProcess</a>) 0-1</p>
dyeStuff	<p>dye stuff used in the fabric dye process  - base type: string, cod. table: T16  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T16.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T16.xml</a>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/dyeStuff</a>) 0-1</p>
@email	<p>electronic mail address of the contact person within a Party  - base type: string, max length: 250,  (XPath <a href="#">TEXCatalog/THeader/supplier/person/@email</a>) [Optional]  (XPath <a href="#">TEXCatalog/THeader/thirdParty/person/@email</a>) [Optional]  (XPath <a href="#">TEXCatalog/THeader/buyer/person/@email</a>) [Optional]</p>
@encoding	<p>specifies the decoding algorithm of the binary object  - base type: normalizedString,  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/binaryObject/@encoding</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/binaryObject/@encoding</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/binaryObject/@encoding</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/THeader/refDoc/attachment/binaryObject/@encoding</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/THeader/picture/attachment/binaryObject/@encoding</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/binaryObject/@encoding</a>) [Optional] (Na)</p>
encodingCode	<p>the encoding/decoding algorithm used with the external object (example is 'base64Binary')  - base type: normalizedString,  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference/encodingCode</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference/encodingCode</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/THeader/refDoc/attachment/externalReference/encodingCode</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference/encodingCode</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/THeader/picture/attachment/externalReference/encodingCode</a>) 0-1 (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference/encodingCode</a>) 0-1 (N)</p>

@endUse	<p>specifies the final use of the fabric</p> <ul style="list-style-type: none"> <li>- base type: string, cod. table: NT4</li> <li><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT4.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT4.xml</a></li> <li>(XPath <code>TEXCatalog/texComInfo/@endUse</code>) [Optional] [Default= PR]</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/@endUse</code>) [Optional] [Default= PR]</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/@endUse</code>) [Optional] [Default= PR]</li> </ul>
estFaultiness	<p>percent faultiness of an article, estimated by the Supplier</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/estFaultiness</code>) 0-1</li> </ul>
extendedDescription	<p>extended free text description. The content of the element must be unique, it might be translated and repeated into more languages (thus no more than one instance for each language). This element might contain HTML code (must be managed as CDATA)</p> <ul style="list-style-type: none"> <li>- base type: string,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/extendedDescription</code>) 0-unbounded (N)</li> <li>- note: <i>group extended description</i></li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/extendedDescription</code>) 0-unbounded (N)</li> <li>- note: <i>Extended product description</i></li> </ul>
fabricCutWidth	<p>usable width of the fabric (for garments manufacturing) as technical specification</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, fraction digits: 2,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricCutWidth</code>) 0-1</li> </ul>
fabricNameBuyer	<p>name given to the fabric (article/pattern) by the Buyer</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 250,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/fabricNameBuyer</code>) 0-1 (U)</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/fabricNameBuyer</code>) 0-1 (U)</li> <li>- note: <i>Do not specify this information when generalChar is obtained in TCItem; specify it at the TCItem level.</i></li> </ul>
fabricNameSupplier	<p>name given to the fabric (article/pattern) by the Supplier</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 250,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/fabricNameSupplier</code>) 0-1 (U)</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/fabricNameSupplier</code>) 0-1 (U)</li> <li>- note: <i>Do not specify this information when generalChar is obtained in TCItem; specify it at the TCItem level.</i></li> </ul>
fabricWeightM	<p>weight per metre of the fabric as technical specification</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, fraction digits: 2,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricWeightM</code>) 1-1</li> </ul>
fabricWeightM2	<p>weight per square metre of the fabric as technical specification</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, fraction digits: 2,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricWeightM2</code>) 0-1</li> </ul>
fabricWidth	<p>width of the fabric as technical specification</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, fraction digits: 2,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/fabricWidth</code>) 0-1</li> <li>(XPath <code>TEXCatalog/texComInfo/fabricWidth</code>) 0-1</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricWidth</code>) 0-1</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/fabricWidth</code>) 0-1</li> </ul>
@fax	<p>fax number of the contact person within a Party</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 35,</li> <li>(XPath <code>TEXCatalog/TCheader/thirdParty/person/@fax</code>) [Optional]</li> <li>(XPath <code>TEXCatalog/TCheader/supplier/person/@fax</code>) [Optional]</li> <li>(XPath <code>TEXCatalog/TCheader/buyer/person/@fax</code>) [Optional]</li> </ul>

<i>@fibre</i>	<p>type of fibre used in a textile product</p> <p>- base type: string, cod. table: T19</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T19.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T19.xml</a></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/weftCount/@fibre</code>) [Optional]</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/warpCount/@fibre</code>) [Optional]</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/fabricCompos/percCompos/@fibre</code>) [Required]</p>
fileName	<p>unique identifier (name) of the file</p> <p>- base type: string, max length: 255,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/attachment/fileName</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/THeader/picture/attachment/fileName</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/fileName</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/fileName</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/attachment/fileName</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/THeader/refDoc/attachment/fileName</code>) 0-1 (N)</p>
<i>@finDiscount</i>	<p>financial discount rate applied for payment by the date specified</p> <p>- base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,</p> <p>(XPath <code>TEXCatalog/terms/payment/@finDiscount</code>) [Optional]</p>
<i>@finSurcharge</i>	<p>financial surcharge rate applied for payment after the date specified</p> <p>- base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2,</p> <p>(XPath <code>TEXCatalog/terms/payment/@finSurcharge</code>) [Optional]</p>
<i>@format</i>	<p>the format of the binary content (examples xml, pdf, doc,...)</p> <p>- base type: string,</p> <p>(XPath <code>TEXCatalog/THeader/refDoc/attachment/binaryObject/@format</code>) [Optional] (Na)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/binaryObject/@format</code>) [Optional] (Na)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/attachment/binaryObject/@format</code>) [Optional] (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/attachment/binaryObject/@format</code>) [Optional] (N)</p> <p>(XPath <code>TEXCatalog/THeader/picture/attachment/binaryObject/@format</code>) [Optional] (Na)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/binaryObject/@format</code>) [Optional] (Na)</p>
formatCode	<p>the format of the external object (examples xml, pdf, doc,...)</p> <p>- base type: normalizedString,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference/formatCode</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference/formatCode</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/THeader/picture/attachment/externalReference/formatCode</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference/formatCode</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference/formatCode</code>) 0-1 (N)</p> <p>(XPath <code>TEXCatalog/THeader/refDoc/attachment/externalReference/formatCode</code>) 0-1 (N)</p>
<i>@garmentMarket</i>	<p>market segment for the product</p> <p>- base type: string, min length: 0, max length: 255,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/catalogPrice/@garmentMarket</code>) [Optional]</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/catalogPrice/@garmentMarket</code>) [Optional]</p>

geographicAreaCode	code identifying a geographic area - base type: string, cod. table: T10 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T10.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T10.xml</a> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/geographicArea/geographicAreaCode</a> ) 1-1 (N)
geographicAreaText	text identifying a geographic area - base type: string, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/geographicArea/geographicAreaText</a> ) 1-1 (N) <hr/> <b>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en</b>
grossWeight	the gross weight, declared for transport or customs purpose - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/terms/transInfo/grossWeight</a> ) 0-1
height	effective height of a specified object - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/height</a> ) 0-1 - note: <i>the 'um' attribute of this element must be 'E37' (pixel)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/height</a> ) 0-1 - note: <i>the 'um' attribute of this element must be 'E37' (pixel)</i> (XPath <a href="#">TEXCatalog/THeader/picture/height</a> ) 0-1 - note: <i>the 'um' attribute of this element must be 'E37' (pixel)</i>
@IC	specifies if the "illustrated confirmation" is needed - base type: boolean, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/@IC</a> ) [Optional] (XPath <a href="#">TEXCatalog/texComInfo/@IC</a> ) [Optional] (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/@IC</a> ) [Optional]
id	primary identification code of a Party; it is recommended the format: nation code (ISO 3166) + VAT identification number (11 crt), with the qualifier "numberingOrg"= MF - base type: string, max length: 15, (XPath <a href="#">TEXCatalog/THeader/buyer/id</a> ) 1-1 (p) (XPath <a href="#">TEXCatalog/THeader/supplier/id</a> ) 1-1 (XPath <a href="#">TEXCatalog/THeader/thirdParty/id</a> ) 1-1
@idQualifier	Qualification of the identifier. - base type: string, (XPath <a href="#">TEXCatalog/THeader/buyer/additionalIdentifier/@idQualifier</a> ) [Optional] (Na) - nota: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i> (XPath <a href="#">TEXCatalog/THeader/supplier/additionalIdentifier/@idQualifier</a> ) [Optional] (Na) - nota: <i>this attribute should be used when the numberingOrg attribute is not enough to declare the type of identifier</i>
incoTerm	specification of the terms of trade (INCOTERMS) - base type: string, cod. table: T3 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T3.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T3.xml</a> (XPath <a href="#">TEXCatalog/terms/trade/incoTerm</a> ) 1-1
incoTermText	free text specifying the terms of trade (incoterm, location) - base type: string, max length: 250, (XPath <a href="#">TEXCatalog/terms/trade/incoTermText</a> ) 1-1 (U)
@isCharge	Indicates if the element to which it refers is a charge (true = charge, false = allowance) - base type: boolean, min length: 0, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/@isCharge</a> ) [Optional] (N) (XPath <a href="#">TEXCatalog/terms/allowanceCharge/@isCharge</a> ) [Optional] (N)

	<p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/@isCharge</code>) [Optional] (N)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/allowanceCharge/@isCharge</code>) [Optional] (N)</p>
@isURL	<p>it indicates if the referred element is an URL (true) or not (false)</p> <p>- base type: boolean,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference/uri/@isURL</code>) [Optional] [Default= true] (Na)</p> <p>- nota: <i>usage of URLs is recommended</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference/uri/@isURL</code>) [Optional] [Default= true] (Na)</p> <p>- nota: <i>usage of URLs is recommended</i></p> <p>(XPath <code>TEXCatalog/TCheader/refDoc/attachment/externalReference/uri/@isURL</code>) [Optional] [Default= true] (Na)</p> <p>- nota: <i>usage of URLs is recommended</i></p> <p>(XPath <code>TEXCatalog/TCheader/picture/attachment/externalReference/uri/@isURL</code>) [Optional] [Default= true] (Na)</p> <p>- nota: <i>usage of URLs is recommended</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference/uri/@isURL</code>) [Optional] [Default= true] (Na)</p> <p>- nota: <i>usage of URLs is recommended</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference/uri/@isURL</code>) [Optional] [Default= true] (Na)</p> <p>- nota: <i>usage of URLs is recommended</i></p>
itemID	<p>number of the line/item of the referenced document</p> <p>- base type: string, max length: 40,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/itemID</code>) 0-1 (U)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/itemID</code>) 0-1 (U)</p> <p>(XPath <code>TEXCatalog/TCheader/refDoc/itemID</code>) 0-1 (U)</p>
legalName	<p>legal name of a Party</p> <p>- base type: string, max length: 250,</p> <p>(XPath <code>TEXCatalog/TCheader/supplier/legalName</code>) 0-1 (U)</p> <p>(XPath <code>TEXCatalog/TCheader/thirdParty/legalName</code>) 0-1 (U)</p> <p>(XPath <code>TEXCatalog/TCheader/buyer/legalName</code>) 0-1 (U)</p>
legalRef	<p>legal reference of the duty or tax or fee category</p> <p>- base type: string,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/legalRef</code>) 0-1 (A)</p> <p>(XPath <code>TEXCatalog/terms/allowanceCharge/dtScheme/legalRef</code>) 0-1 (A)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/legalRef</code>) 0-1 (A)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/legalRef</code>) 0-1 (A)</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/legalRef</code>) 0-1 (A)</p>
lineN	<p>number of the line item of the present message (xml document); it is set by the role that produces the document. Usually it is a progressive number, but not always.</p> <p>- base type: positiveInteger, min inclusive: 1, max inclusive: 9999,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/lineN</code>) 0-1</p>
@listName	<p>the name of the list of codes used to make an instance of the element (it might be thought as descriptive element, i.e. 'fabric printing technologies', or not, i.e. "T264")</p> <p>- base type: string, max length: 40,</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/brand/@listName</code>) [Optional] (a)</p> <p>- nota: <i>this attribute should always be used coupled with "numberingOrg"</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/season/@listName</code>) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with "numberingOrg"</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/productLine/@listName</code>) [Optional] (a)</p>

	<ul style="list-style-type: none"> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/color/@listName</code>) [Optional]</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/operationalCode/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/legalRef/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/texComInfo/operationalCode/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/legalRef/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/legalRef/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/texComInfo/brand/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/operationalCode/@listName</code>) [Optional]</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/productLine/@listName</code>) [Optional]</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/brand/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/THeader/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/artGroup/@listName</code>) [Optional]</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/texComInfo/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/legalRef/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/terms/allowanceCharge/dtScheme/legalRef/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/art/@listName</code>) [Optional]</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/THeader/refDoc/season/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/texComInfo/productLine/@listName</code>) [Optional] (a)</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i> (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/pattern/@listName</code>) [Optional]</li> <li>- nota: <i>this attribute should always be used coupled with “numberingOrg”</i></li> </ul>
<i>@listVersion</i>	<p>it specifies the version of the list of codes used to make an instance of the element</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 6,</li> <li>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/season/@listVersion</code>) [Optional] (a)</li> </ul>

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/refDoc/season/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/refDoc/season/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/generalChar/season/@listVersion`) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/color/@listVersion`) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/texComInfo/operationalCode/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/pattern/@listVersion`) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/texComInfo/productLine/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/texComInfo/season/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/artGroup/@listVersion`) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/legalRef/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCheader/refDoc/season/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/legalRef/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/legalRef/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/texComInfo/productLine/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/art/@listVersion`) [Optional]

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/brand/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/season/@listVersion`) [Optional] (a)

- nota: *this attribute should always be used coupled with “numberingOrg” and “listName”*  
(XPath `TEXCatalog/terms/allowanceCharge/dtScheme/legalRef/@listVersion`) [Optional] (a)

	<p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/TCheader/season/@listVersion</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/legalRef/@listVersion</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/productLine/@listVersion</a>) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/brand/@listVersion</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/operationalCode/@listVersion</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/texComInfo/brand/@listVersion</a>) [Optional] (a)</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/operationalCode/@listVersion</a>) [Optional]</p> <p>- nota: <i>this attribute should always be used coupled with “numberingOrg” and “listName”</i></p>
@ln	<p>Language code.</p> <p>- base type: string, cod. table: NT60  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT60.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT60.xml</a>  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/alternativeText/@ln</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/description/@ln</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/extendedDescription/@ln</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCheader/picture/alternativeText/@ln</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/description/@ln</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/title/@ln</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/title/@ln</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/alternativeText/@ln</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCheader/picture/title/@ln</a>) [Optional] (Na)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/description/@ln</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCheader/picture/description/@ln</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/description/@ln</a>) [Optional] (N)  (XPath <a href="#">TEXCatalog/TCbody/TCgroup/extendedDescription/@ln</a>) [Optional] (Na)</p>
location	<p>specification of a location</p> <p>- base type: string, max length: 40,  (XPath <a href="#">TEXCatalog/terms/trade/location</a>) 0-1</p> <p>- note: <i>place to which the INCOTERM applies</i></p>
@logo	<p>company logo (URL of the image jpeg or gif). It is recommended that the width of the image does not exceed 640 pixel.</p> <p>- base type: string, max length: 255,  (XPath <a href="#">TEXCatalog/TCheader/supplier/@logo</a>) [Optional]  (XPath <a href="#">TEXCatalog/TCheader/buyer/@logo</a>) [Optional]</p>
@LRI	<p>attribute usable to format a string according to a customized User rule (local rule)</p> <p>- base type: string, cod. table: NT3  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT3.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT3.xml</a>  (XPath <a href="#">TEXCatalog/terms/trade/location/@LRI</a>) [Optional]</p>



<p>@maxQty</p>	<p>maximum product quantity</p> <ul style="list-style-type: none"> <li>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/terms/allowanceCharge/@maxQty</a>) [Optional] (N)</li> <li>- nota: <i>maximum quantity of product for the application of this allowance or charge</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/catalogPrice/@maxQty</a>) [Optional] (N)</li> <li>- nota: <i>maximum quantity of product for the application of this price</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/@maxQty</a>) [Optional] (N)</li> <li>- nota: <i>maximum quantity of product for the application of this allowance or charge</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/@maxQty</a>) [Optional] (N)</li> <li>- nota: <i>maximum quantity of product for the application of this allowance or charge</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/catalogPrice/@maxQty</a>) [Optional] (N)</li> <li>- nota: <i>maximum quantity of product for the application of this price</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/@maxQty</a>) [Optional] (N)</li> <li>- nota: <i>maximum quantity of product for the application of this allowance or charge</i></li> </ul>
<p>@method</p>	<p>standard protocol or method employed in a test to evaluate a characteristic or a parameter</p> <ul style="list-style-type: none"> <li>- base type: string, max length: 80, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/weftDev/@method</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/warpCount/@method</a>) [Optional] [Default= ISO-2060]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/weftCount/@method</a>) [Optional] [Default= ISO-2060]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/bowingWeft/@method</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/checksFlaw/@method</a>) [Optional]</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/bowingWarp/@method</a>) [Optional]</li> </ul>
<p>@mime</p>	<p>the mime type of the binary object</p> <ul style="list-style-type: none"> <li>- base type: normalizedString, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/binaryObject/@mime</a>) [Optional] (N)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/binaryObject/@mime</a>) [Optional] (N)</li> <li>(XPath <a href="#">TEXCatalog/THeader/refDoc/attachment/binaryObject/@mime</a>) [Optional] (Na)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/binaryObject/@mime</a>) [Optional] (Na)</li> <li>(XPath <a href="#">TEXCatalog/THeader/picture/attachment/binaryObject/@mime</a>) [Optional] (Na)</li> <li>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/binaryObject/@mime</a>) [Optional] (Na)</li> </ul>
<p>mimeCode</p>	<p>mime type of the external object</p> <ul style="list-style-type: none"> <li>- base type: normalizedString, (XPath <a href="#">TEXCatalog/THeader/refDoc/attachment/externalReference/mimeCode</a>) 0-1 (N)</li> </ul> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference/mimeCode</a>) 0-1 (N)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en</p>

	<p>(XPath <b>TEXCatalog/THeader/picture/attachment/externalReference/mimeCode</b>) 0-1 (N)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference/mimeCode</b>) 0-1 (N)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en (XPath <b>TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference/mimeCode</b>) 0-1 (N)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en (XPath <b>TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference/mimeCode</b>) 0-1 (N)</p> <hr/> <p>AAAA-WARNING! - text not AVAILABLE n. 245 - In=en</p>
minLot	<p>minimum order quantity of a product requested by the Supplier</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/minLot</b>) 0-1</p>
minLotExclusive	<p>minimum order quantity of a product requested by the Supplier for an exclusive color</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/minLotExclusive</b>) 0-1</p>
@minQty	<p>minimum product quantity</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/catalogPrice/@minQty</b>) [Optional]</p> <p>- nota: <i>minimum quantity of product for the application of this price</i> (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/@minQty</b>) [Optional] (a)</p> <p>- nota: <i>minimum quantity of product for the application of this allowance or charge</i> (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/catalogPrice/@minQty</b>) [Optional]</p> <p>- nota: <i>minimum quantity of product for the application of this price</i> (XPath <b>TEXCatalog/TCbody/TCgroup/allowanceCharge/@minQty</b>) [Optional] (a)</p> <p>- nota: <i>minimum quantity of product for the application of this allowance or charge</i> (XPath <b>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/@minQty</b>) [Optional]</p> <p>- nota: <i>minimum quantity of product for the application of this allowance or charge</i> (XPath <b>TEXCatalog/terms/allowanceCharge/@minQty</b>) [Optional] (a)</p> <p>- nota: <i>minimum quantity of product for the application of this allowance or charge</i></p>
msgCurrency	<p>currency used to express the monetary amounts of the message</p> <p>- base type: string, cod. table: T9 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T9.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T9.xml</a> (XPath <b>TEXCatalog/THeader/msgCurrency</b>) 0-1</p>
msgDate	<p>date of issue of the present message (xml document), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string, (XPath <b>TEXCatalog/THeader/msgDate</b>) 1-1</p>
@msgfunction	<p>function performed by the present message with regards to the transmission</p> <p>- base type: string, cod. table: NT18 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT18.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT18.xml</a> (XPath <b>TEXCatalog/@msgfunction</b>) [Optional] [Default= OR]</p>
msgID	<p>key identifier of the business document in the information system of the issuing Party. In case of more despatches of the same business document, it is unchanged.</p> <p>- base type: string, max length: 35,</p>

	(XPath <a href="#">TEXCatalog/THeader/msgID</a> ) 0-1
msgN	identification number given to the message (xml document) by its issuer. In case of more despatches of the same business document, it changes. - base type: string, max length: 35, (XPath <a href="#">TEXCatalog/THeader/msgN</a> ) 1-1
netWeight	the net weight declared for transport or customs purpose - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/terms/transInfo/netWeight</a> ) 0-1
nominalHeight	nominal height of a specified object - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/THeader/picture/nominalHeight</a> ) 0-2 (N*) - note: <i>Only one instance of this element for each different value of 'um' attribute (unit of measure)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/nominalHeight</a> ) 0-2 (N*) - note: <i>Only one instance of this element for each different value of 'um' attribute (unit of measure)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/nominalHeight</a> ) 0-2 (N*) - note: <i>Only one instance of this element for each different value of 'um' attribute (unit of measure)</i>
nominalWidth	nominal width of a specified object - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/nominalWidth</a> ) 0-2 (N*) - note: <i>Only one instance of this element for each different value of 'um' attribute (unit of measure)</i> (XPath <a href="#">TEXCatalog/THeader/picture/nominalWidth</a> ) 0-2 (N*) - note: <i>Only one instance of this element for each different value of 'um' attribute (unit of measure)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/nominalWidth</a> ) 0-2 (N*) - note: <i>Only one instance of this element for each different value of 'um' attribute (unit of measure)</i>
note	free text or structured (computer processing) note. For note structuring use the attributes "noteLabel" and "codelist" - base type: string, max length: 350, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/note</a> ) 0-99 - note: <i>here the charges for sub-optimized quantities or for samples can be specified</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/note</a> ) 0-99 (p) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/THeader/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/THeader/picture/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/texComInfo/note</a> ) 0-99 (p) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/note</a> ) 0-99 (XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/note</a> ) 0-99 (p) (XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/note</a> ) 0-99
@noteLabel	subject qualifier of a note - base type: string, max length: 35, (XPath <a href="#">TEXCatalog/THeader/note/@noteLabel</a> ) [Optional] - nota: <i>must be used to qualify the subject of the note</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/note/@noteLabel</a> ) [Optional] - nota: <i>must be used to qualify the subject of the note</i>

	<p>(XPath <code>TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/terms/allowanceCharge/dtScheme/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/texComInfo/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/picture/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/THeader/picture/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/note/@noteLabel</code>) [Optional]</p> <p>- nota: <i>must be used to qualify the subject of the note</i></p>
<p>@numberingOrg</p>	<p>code specifying the organisation who has created or owns the coding or numbering system</p> <p>- base type: string, cod. table: NT6</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT6.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT6.xml</a></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/legalRef/@numberingOrg</code>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/season/@numberingOrg</code>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <code>TEXCatalog/terms/allowanceCharge/dtScheme/legalRef/@numberingOrg</code>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/attachment/fileName/@numberingOrg</code>) [Optional]</p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/pattern/@numberingOrg</code>) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <code>TEXCatalog/THeader/docID/@numberingOrg</code>) [Optional]</p> <p>- nota: <i>here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)</i></p> <p>(XPath <code>TEXCatalog/texComInfo/operationalCode/@numberingOrg</code>) [Optional] (a)</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/added/@numberingOrg</code>) [Optional]</p> <p>- nota: <i>this attribute should be used either single or coupled with "listName" and "listVersion"</i></p> <p>(XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/productLine/@numberingOrg</code>) [Optional] (a)</p>

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath  
TEXCatalog/TCbody/TCgroup/texComInfo/operationalCode/@numberingOrg ) [Optional] (a)

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/TCbody/TCgroup/texComInfo/brand/@numberingOrg) [Optional] (a)

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/note/@numberingOrg) [Optional]

- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/color/@numberingOrg) [Optional]

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/THeader/buyer/id/@numberingOrg) [Optional]  
(XPath TEXCatalog/THeader/buyer/additionalIdentifier/@numberingOrg) [Optional] (a)

- nota: *here the issuer of the identifier must be specified*  
(XPath TEXCatalog/THeader/supplier/additionalIdentifier/@numberingOrg) [Optional] (a)

- nota: *here the issuer of the identifier must be specified*  
(XPath TEXCatalog/TCbody/TCgroup/picture/attachment/fileName/@numberingOrg) [Optional]  
(XPath TEXCatalog/THeader/refDoc/attachment/fileName/@numberingOrg) [Optional] (a)  
(XPath TEXCatalog/THeader/supplier/id/@numberingOrg) [Optional]  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/generalChar/season/@numberingOrg) [Optional]

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/generalChar/note/@numberingOrg) [Optional]

- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*  
(XPath TEXCatalog/THeader/refDoc/season/@numberingOrg) [Optional] (a)

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/season/@numberingOrg) [Optional] (a)

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/brand/@numberingOrg) [Optional] (a)

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*  
(XPath TEXCatalog/THeader/refDoc/docID/@numberingOrg) [Optional]

- nota: *here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)*  
(XPath TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/note/@numberingOrg) [Optional]

- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*  
(XPath TEXCatalog/THeader/thirdParty/id/@numberingOrg) [Optional]  
(XPath TEXCatalog/texComInfo/note/@numberingOrg) [Optional]

- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*  
(XPath TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/legalRef/@numberingOrg) [Optional] (a)

- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/picture/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/legalRef/@numberingOrg`) [Optional] (a)  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/productLine/@numberingOrg`) [Optional]  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/operationalCode/@numberingOrg`) [Optional]  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/THeader/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/refDoc/docID/@numberingOrg`) [Optional]  
- nota: *here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/picture/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/texComInfo/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/texComInfo/brand/@numberingOrg`) [Optional] (a)  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/refDoc/season/@numberingOrg`) [Optional] (a)  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/THeader/season/@numberingOrg`) [Optional] (a)  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/refDoc/docID/@numberingOrg`) [Optional]  
- nota: *here can be specified whose document numbering is used (e.g.: Client, Supplier, ..)*

(XPath `TEXCatalog/TCbody/TCgroup/TCitem/note/@numberingOrg`) [Optional]  
- nota: *must be used to specify the organization that created the list of codes used in "noteLabel"*

(XPath `TEXCatalog/TCbody/TCgroup/artGroup/@numberingOrg`) [Optional]  
- nota: *this attribute should be used either single or coupled with "listName" and "listVersion"*

	<p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/fileName/@numberingOrg</a>) [Optional] (a)</p> <p>(XPath <a href="#">TEXCatalog/TCheader/picture/attachment/fileName/@numberingOrg</a>) [Optional] (a)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/season/@numberingOrg</a>) [Optional] (a)</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/art/@numberingOrg</a>) [Optional]</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath <a href="#">TEXCatalog/TCheader/picture/note/@numberingOrg</a>) [Optional]</p> <p>- nota: must be used to specify the organization that created the list of codes used in "noteLabel"</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/fileName/@numberingOrg</a>) [Optional] (a)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/legalRef/@numberingOrg</a>) [Optional] (a)</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/productLine/@numberingOrg</a>) [Optional] (a)</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p> <p>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme/note/@numberingOrg</a>) [Optional]</p> <p>- nota: must be used to specify the organization that created the list of codes used in "noteLabel"</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/season/@numberingOrg</a>) [Optional] (a)</p> <p>- nota: this attribute should be used either single or coupled with "listName" and "listVersion"</p>
operationalCode	<p>operational code: it is the code of a project, an event, an initiative, a sales channel, a management type (eg CITES), ... the document, or product, is connected with.</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/operationalCode</a>) 0-19 (N)</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/operationalCode</a>) 0-19 (N)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/operationalCode</a>) 0-19 (N)</p>
@part	<p>percent fraction of a total payment</p> <p>- base type: decimal, min inclusive: 1, max inclusive: 99, fraction digits: 2,</p> <p>(XPath <a href="#">TEXCatalog/terms/insPayment/@part</a>) [Required]</p> <p>- nota: here the % value of each installment must be indicated</p>
pattern	<p>pattern/design number of the product, when not included in the article code</p> <p>- base type: string, max length: 15,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/pattern</a>) 0-unbounded</p> <p>- note: this element can be repeated to highlight the patterns of the article as long as the values of the relative attributes are equal (numberingOrg etc.)</p>
payMode	<p>way or means of payment</p> <p>- base type: string, cod. table: T2</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T2.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T2.xml</a></p> <p>(XPath <a href="#">TEXCatalog/terms/payment/payMode</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/terms/insPayment/payMode</a>) 0-1</p>
payTerm	<p>code specifying the terms or time by which the payment must be done</p> <p>- base type: string, cod. table: T1</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T1.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T1.xml</a></p> <p>(XPath <a href="#">TEXCatalog/terms/payment/payTerm</a>) 1-1</p> <p>(XPath <a href="#">TEXCatalog/terms/insPayment/payTerm</a>) 1-1</p>
payTermText	<p>free text specifying the terms by which the payment must be done (time/mode or means)</p> <p>- base type: string, max length: 250,</p> <p>(XPath <a href="#">TEXCatalog/terms/insPayment/payTermText</a>) 1-1 (U)</p>

	(XPath <code>TEXCatalog/terms/payment/payTermText</code> ) 1-1 (U)
percCompos	fiber rate in the product composition - base type: decimal, min inclusive: 0, max inclusive: 100, fraction digits: 2, (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/fabricCompos/percCompos</code> ) 1-9
person	name of the contact person within a Party - base type: string, max length: 40, (XPath <code>TEXCatalog/TCheader/supplier/person</code> ) 0-1 (XPath <code>TEXCatalog/TCheader/buyer/person</code> ) 0-1 (XPath <code>TEXCatalog/TCheader/thirdParty/person</code> ) 0-1
@phone	phone number of the contact person within a Party - base type: string, max length: 35, (XPath <code>TEXCatalog/TCheader/thirdParty/person/@phone</code> ) [Optional] (XPath <code>TEXCatalog/TCheader/supplier/person/@phone</code> ) [Optional] (XPath <code>TEXCatalog/TCheader/buyer/person/@phone</code> ) [Optional]
pictureCode	picture code (it might be shared among more files) - base type: string, max length: 80, (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/pictureCode</code> ) 0-1 (N*) (XPath <code>TEXCatalog/TCbody/TCgroup/picture/pictureCode</code> ) 0-1 (N*) (XPath <code>TEXCatalog/TCheader/picture/pictureCode</code> ) 0-1 (N*)
pictureQualifier	qualifies the image from the business point of view (i.e. main image, detail image,...) - base type: string, (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/pictureQualifier</code> ) 0-1 (N*) (XPath <code>TEXCatalog/TCbody/TCgroup/picture/pictureQualifier</code> ) 0-1 (N*) (XPath <code>TEXCatalog/TCheader/picture/pictureQualifier</code> ) 0-1 (N*)
pictureUse	picture final use - base type: string, cod. table: NT72 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT72.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT72.xml</a> (XPath <code>TEXCatalog/TCheader/picture/pictureUse</code> ) 0-1 (N*) (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/pictureUse</code> ) 0-1 (N*) (XPath <code>TEXCatalog/TCbody/TCgroup/picture/pictureUse</code> ) 0-1 (N*)
pieceInnWrap1	code specifying the type of inner wrapping/packing used for the fabric piece - base type: string, cod. table: T4 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T4.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T4.xml</a> (XPath <code>TEXCatalog/texComInfo/piecePack/pieceInnWrap1</code> ) 1-1 (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/piecePack/pieceInnWrap1</code> ) 1-1 (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/piecePack/pieceInnWrap1</code> ) 1-1
pieceInnWrap2	code sub-specifying the type of inner wrapping/packing used for the fabric piece - base type: string, cod. table: T5 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T5.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T5.xml</a> (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/piecePack/pieceInnWrap2</code> ) 0-1 (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/piecePack/pieceInnWrap2</code> ) 0-1 (XPath <code>TEXCatalog/texComInfo/piecePack/pieceInnWrap2</code> ) 0-1
pieceLength	length of the piece - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/pieceLength</code> ) 0-1 (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/pieceLength</code> ) 0-1 (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/pieceLength</code> ) 0-1 (XPath <code>TEXCatalog/texComInfo/pieceLength</code> ) 0-1
pieceOutWrap	code specifying the type of outer wrapping or packing used for the fabric piece - base type: string, cod. table: T6 <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T6.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T6.xml</a>



	<p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/piecePack/pieceOutWrap</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/piecePack/pieceOutWrap</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/piecePack/pieceOutWrap</a>) 0-1</p>
piecePackText	<p>free text specifying the type of wrapping or packing used for the fabric piece</p> <p>- base type: string, max length: 250,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/piecePack/piecePackText</a>) 1-1 (U)</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/piecePack/piecePackText</a>) 1-1 (U)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/piecePack/piecePackText</a>) 1-1 (U)</p>
postCode	<p>code defining the postal zone</p> <p>- base type: string, max length: 10,</p> <p>(XPath <a href="#">TEXCatalog/THeader/supplier/postCode</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/THeader/thirdParty/postCode</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/THeader/buyer/postCode</a>) 0-1</p>
productLine	<p>the product line name of a fashion product.</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/productLine</a>) 0-1 (N)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/productLine</a>) 0-1 (N)</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/productLine</a>) 0-1 (N)</p>
@progr	<p>progressive number in the sequence</p> <p>- base type: positiveInteger, min inclusive: 1,</p> <p>(XPath <a href="#">TEXCatalog/terms/transInfo/@progr</a>) [Optional] (N)</p> <p>- nota: <i>Indicates the position of the leg in a sequence of transport legs. If it is declared it must be in all the transInfo elements.</i></p>
project	<p>code used to assign the items ordered (fabric pieces, accessories, garments ... ) to a specific project of the Client</p> <p>- base type: string, max length: 40,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/project</a>) 0-1 (U)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/project</a>) 0-1 (U)</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/project</a>) 0-1 (U)</p>
rendering	<p>rendering information about the image</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/rendering</a>) 0-1 (N*)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/rendering</a>) 0-1 (N*)</p> <p>(XPath <a href="#">TEXCatalog/THeader/picture/rendering</a>) 0-1 (N*)</p>
resin	<p>resin (coating) percentage in finished weight</p> <p>- base type: decimal, min inclusive: 0,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/resin</a>) 0-1</p>
resolution	<p>measure of spatial density of the picture</p> <p>- base type: string, max length: 255,</p> <p>(XPath <a href="#">TEXCatalog/THeader/picture/resolution</a>) 0-1 (N*)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/resolution</a>) 0-1 (N*)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/resolution</a>) 0-1 (N*)</p>
@resolutionType	<p>it indicates the type of density of the picture</p> <p>- base type: string, cod. table: NT71</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT71.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT71.xml</a></p> <p>(XPath <a href="#">TEXCatalog/THeader/picture/resolution/@resolutionType</a>) [Optional] [Default= dpi] (Na)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/resolution/@resolutionType</a>) [Optional] [Default= dpi] (N)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/resolution/@resolutionType</a>) [Optional] [Default= dpi] (Na)</p>
@role	<p>Third Party role qualifier</p> <p>- base type: string, cod. table: NT2</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT2.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT2.xml</a></p> <p>(XPath <a href="#">TEXCatalog/THeader/thirdParty/@role</a>) [Required]</p>

season	<p>sale season; defined as: season (1 crt) + year (4 crt) - season: S/S=1 A/W=2 Spring=3 Summer=4 Autumn=5 Winter=6: for more than four seasons use alphabetic sequence: 1st season=A 2nd season=B etc.etc.</p> <p>- base type: string, max length: 15,  (XPath TEXCatalog/texComInfo/season) 0-1 (A)  (XPath TEXCatalog/THeader/refDoc/season) 0-1 (A)</p> <p>- note: <i>here indicates the season to which the referenced document belongs</i>  (XPath TEXCatalog/TCbody/TCgroup/refDoc/season) 0-1 (A)</p> <p>- note: <i>here indicates the season to which the referenced document belongs</i>  (XPath TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/season) 0-1 (A)  (XPath TEXCatalog/TCbody/TCgroup/TCitem/generalChar/season) 0-1 (A)  (XPath TEXCatalog/THeader/season) 0-1 (A)  (XPath TEXCatalog/TCbody/TCgroup/TCitem/refDoc/season) 0-1 (A)</p> <p>- note: <i>here indicates the season to which the referenced document belongs</i>  (XPath TEXCatalog/TCbody/TCgroup/texComInfo/season) 0-1 (A)</p>
@sender	<p>qualifier that specifies the Party issuing of the document</p> <p>- base type: boolean,  (XPath TEXCatalog/THeader/buyer/@sender) [Optional] (a*)</p> <p>- nota: <i>This attribute is mandatory when the STYLESHEET must be used</i>  (XPath TEXCatalog/THeader/thirdParty/@sender) [Optional] (a*)</p> <p>- nota: <i>This attribute is mandatory when the STYLESHEET must be used</i>  (XPath TEXCatalog/THeader/supplier/@sender) [Optional] (a*)</p> <p>- nota: <i>This attribute is mandatory when the STYLESHEET must be used</i></p>
specDate	<p>date by which the referenced blanket order must receive full product specific ations (e.g.: colour), according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,  (XPath TEXCatalog/TCbody/TCgroup/texComInfo/specDate) 0-1  (XPath TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/specDate) 0-1  (XPath TEXCatalog/texComInfo/specDate) 0-1</p>
street	<p>street and building number identifying a location</p> <p>- base type: string, max length: 80,  (XPath TEXCatalog/THeader/buyer/street) 0-1  (XPath TEXCatalog/THeader/thirdParty/street) 0-1  (XPath TEXCatalog/THeader/supplier/street) 0-1</p>
subCountry	<p>short name or code of the sub-country entity</p> <p>- base type: string, max length: 9,  (XPath TEXCatalog/THeader/supplier/subCountry) 0-1  (XPath TEXCatalog/THeader/thirdParty/subCountry) 0-1  (XPath TEXCatalog/THeader/buyer/subCountry) 0-1</p>
subDept	<p>name or code of a contact department within a Party</p> <p>- base type: string, max length: 40,  (XPath TEXCatalog/THeader/thirdParty/subDept) 0-1 (N)  (XPath TEXCatalog/THeader/buyer/subDept) 0-1 (N)  (XPath TEXCatalog/THeader/supplier/subDept) 0-1 (N)</p>
taxCategory	<p>duty or tax or fee category</p> <p>- base type: string, cod. table: T62  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T62.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T62.xml</a>  (XPath TEXCatalog/terms/allowanceCharge/dtScheme/taxCategory) 0-1  (XPath TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/taxCategory) 0-1  (XPath TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/taxCategory) 0-1  (XPath TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/taxCategory) 0-1  (XPath TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/taxCategory) 0-1</p>
taxRate	<p>duty or tax or fee percent rate</p> <p>- base type: string,  (XPath TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/taxRate) 0-1  (XPath TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/taxRate) 0-1</p>

	<p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/taxRate</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme/taxRate</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/taxRate</a>) 0-1</p>
@taxType	<p>duty or tax or fee type</p> <p>- base type: string, cod. table: T61</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T61.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T61.xml</a></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/dtScheme/@taxType</a>) [Required]</p> <p>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/dtScheme/@taxType</a>) [Required]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/dtScheme/@taxType</a>) [Required]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/dtScheme/@taxType</a>) [Required]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/dtScheme/@taxType</a>) [Required]</p>
@techSheet	<p>specifies if the " technical characteristics of fabric" document must provided</p> <p>- base type: boolean,</p> <p>(XPath <a href="#">TEXCatalog/texComInfo/@techSheet</a>) [Optional]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/texComInfo/@techSheet</a>) [Optional]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/@techSheet</a>) [Optional]</p>
title	<p>document title</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/title</a>) 0-unbounded (N)</p> <p>- note: Only one instance of this element for each different value of 'ln' attribute (language)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/title</a>) 0-unbounded (N)</p> <p>- note: Only one instance of this element for each different value of 'ln' attribute (language)</p> <p>(XPath <a href="#">TEXCatalog/TCheader/picture/title</a>) 0-unbounded (N)</p> <p>- note: Only one instance of this element for each different value of 'ln' attribute (language)</p>
tradeMark	<p>name of the official trademark of a specified product (DEPRECATED, use Brand or Product Line).</p> <p>- base type: string, max length: 50,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/generalChar/tradeMark</a>) 0-1</p>
transCondition	<p>special condition of transport or special service requested to the Forwarder</p> <p>- base type: string, cod. table: T38</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T38.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T38.xml</a></p> <p>(XPath <a href="#">TEXCatalog/terms/transInfo/transCondition</a>) 0-3</p>
transConditionText	<p>free text description of the special condition of transport or special service requested to the Forwarder</p> <p>- base type: string, max length: 250,</p> <p>(XPath <a href="#">TEXCatalog/terms/transInfo/transConditionText</a>) 0-1 (U)</p>
transMeans	<p>means of transport, in general or referred to a specific leg</p> <p>- base type: string, cod. table: T40</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T40.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T40.xml</a></p> <p>(XPath <a href="#">TEXCatalog/terms/transInfo/transMeans</a>) 0-1</p>
transMode	<p>way of transport, in general or referred to the specified leg</p> <p>- base type: string, cod. table: T8</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T8.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T8.xml</a></p> <p>(XPath <a href="#">TEXCatalog/terms/transInfo/transMode</a>) 1-1</p>
@transReason	<p>reason for the transport</p> <p>- base type: string, cod. table: NT11</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT11.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT11.xml</a></p> <p>(XPath <a href="#">TEXCatalog/terms/transInfo/@transReason</a>) [Optional]</p>
@uid	<p>unique element identifier within the xml document</p> <p>- base type: string,</p>

	<p>(XPath <code>TEXCatalog/TCbody/TCgroup/refDoc/attachment/@uid</code>) [Optional]  (XPath <code>TEXCatalog/TCbody/TCgroup/picture/attachment/@uid</code>) [Optional]  (XPath <code>TEXCatalog/TCheader/refDoc/attachment/@uid</code>) [Optional]  (XPath <code>TEXCatalog/TCheader/picture/attachment/@uid</code>) [Optional]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/@uid</code>) [Optional]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/@uid</code>) [Optional]</p>
@um	<p>specification of the unit of measure  - base type: string, cod. table: NT7  <a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT7.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT7.xml</a>  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/@um</code>) [Optional]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/catalogPrice/@um</code>) [Required]  (XPath <code>TEXCatalog/TCheader/picture/height/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/allowanceCharge/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/height/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/width/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/nominalWidth/@um</code>) [Optional]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/fabricWidth/@um</code>) [Optional] [Default= CMT]  (XPath <code>TEXCatalog/TCheader/picture/width/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/texComInfo/pieceLength/@um</code>) [Optional] [Default= MTR]  (XPath <code>TEXCatalog/TCbody/TCgroup/picture/width/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/nominalHeight/@um</code>) [Optional]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/pieceLength/@um</code>) [Optional] [Default= MTR]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricCutWidth/@um</code>) [Optional] [Default= CMT]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricWidth/@um</code>) [Optional] [Default= CMT]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/catalogPrice/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/picture/height/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/fabricWidth/@um</code>) [Optional] [Default= CMT]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricWeightM/@um</code>) [Optional] [Default= GRM]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/minLot/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/texComInfo/pieceLength/@um</code>) [Optional] [Default= MTR]  (XPath <code>TEXCatalog/TCbody/TCgroup/picture/nominalHeight/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/generalChar/minLotExclusive/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/picture/nominalWidth/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/terms/allowanceCharge/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/texComInfo/fabricWidth/@um</code>) [Optional] [Default= CMT]  (XPath <code>TEXCatalog/texComInfo/pieceLength/@um</code>) [Optional] [Default= MTR]  (XPath <code>TEXCatalog/TCheader/picture/nominalWidth/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/TCheader/picture/nominalHeight/@um</code>) [Optional] (a)  (XPath <code>TEXCatalog/terms/transInfo/grossWeight/@um</code>) [Required]  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/construction/fabricWeightM2/@um</code>) [Optional] [Default= GRM]  (XPath <code>TEXCatalog/terms/transInfo/netWeight/@um</code>) [Required]</p>
uri	<p>Uniform Resource Identifier (URI) that identifies the external object as an Internet resource  - base type: normalizedString,  (XPath <code>TEXCatalog/TCbody/TCgroup/TCitem/picture/attachment/externalReference/uri</code>) 1-1 (N)  (XPath <code>TEXCatalog/TCheader/picture/attachment/externalReference/uri</code>) 1-1 (N)</p>

	<p>(XPath <a href="#">TEXCatalog/TCheader/refDoc/attachment/externalReference/uri</a>) 1-1 (N)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/attachment/externalReference/uri</a>) 1-1 (N)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/refDoc/attachment/externalReference/uri</a>) 1-1 (N)</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/refDoc/attachment/externalReference/uri</a>) 1-1 (N)</p>
@useProfile	<p>use profile to which the present document is compliant if it was agreed by the parties. It is suggested a URI with reference to the firms or the URL of the profile.</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/@useProfile</a>) [Optional]</p>
validityEnd	<p>date by which the validity ends, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/validityEnd</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCheader/validityEnd</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/validityEnd</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCheader/picture/validityEnd</a>) 0-1</p>
validityStart	<p>date by which the validity starts, according to one of the patterns YYYY-MM-DD, YYYY-MM-DD:HH-MM or YYYY-WW.</p> <p>- base type: string,</p> <p>(XPath <a href="#">TEXCatalog/TCheader/validityStart</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/validityStart</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCheader/picture/validityStart</a>) 0-1</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/validityStart</a>) 0-1</p>
@VAT	<p>VAT rate or code (DEPRECATED, use dtScheme element)</p> <p>- base type: string, cod. table: NT16</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT16.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT16.xml</a></p> <p>(XPath <a href="#">TEXCatalog/TCheader/thirdParty/@VAT</a>) [Optional]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/lineN/@VAT</a>) [Optional]</p> <p>- nota: <i>Deprecated, prefer dtScheme when available.</i></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/allowanceCharge/@VAT</a>) [Optional]</p> <p>(XPath <a href="#">TEXCatalog/terms/allowanceCharge/@VAT</a>) [Optional]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/allowanceCharge/@VAT</a>) [Optional]</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/allowanceCharge/@VAT</a>) [Optional]</p>
@version	<p>Dictionary version from which the instance has been created</p> <p>- base type: string, cod. table: NT100</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT100.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT100.xml</a></p> <p>(XPath <a href="#">TEXCatalog/@version</a>) [Optional] [Default= 2018-1]</p>
warpCount	<p>measure of thinness of the warp thread</p> <p>- base type: string, max length: 10,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/warpCount</a>) 0-9</p>
warpEndsN	<p>number of warp threads in 1 centimetre</p> <p>- base type: decimal, min inclusive: 0, fraction digits: 1,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/warpEndsN</a>) 0-1</p>
weave	<p>type of weaving used in the manufacturing of fabric</p> <p>- base type: string, cod. table: T17</p> <p><a href="http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T17.xml">http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T17.xml</a></p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/weave</a>) 0-1</p>
weftCount	<p>measure of thinness of the weft thread</p> <p>- base type: string, max length: 10,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/weftCount</a>) 0-9</p>
weftDev	<p>deviation from right angle in weft</p> <p>- base type: decimal, min inclusive: 0,</p> <p>(XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/weftDev</a>) 0-1</p>

weftEndsN	number of weft threads in 1 centimetre - base type: decimal, min inclusive: 0, fraction digits: 1, (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/construction/weftEndsN</a> ) 0-1
width	effective width of a specified object - base type: decimal, min inclusive: 0, fraction digits: 2, (XPath <a href="#">TEXCatalog/THeader/picture/width</a> ) 0-1 - note: <i>the 'um' attribute of this element must be 'E37' (pixel)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/TCitem/picture/width</a> ) 0-1 - note: <i>the 'um' attribute of this element must be 'E37' (pixel)</i> (XPath <a href="#">TEXCatalog/TCbody/TCgroup/picture/width</a> ) 0-1 - note: <i>the 'um' attribute of this element must be 'E37' (pixel)</i>

## 2.3 Suggested best practices

**TEXCatalog/TCbody/TCgroup/refDoc/docID (identification number of the referenced document SINCE 2008-1 ITS USE IN THE HEADER IS DISCOURAGED (REPLACED BY msgID))**

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

**TEXCatalog/TCbody/TCgroup/TCitem/refDoc/docID (identification number of the referenced document SINCE 2008-1 ITS USE IN THE HEADER IS DISCOURAGED (REPLACED BY msgID))**

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

**TEXCatalog/TCheader/refDoc/docID (identification number of the referenced document SINCE 2008-1 ITS USE IN THE HEADER IS DISCOURAGED (REPLACED BY msgID))**

numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg

**TEXCatalog/TCbody/TCgroup/TCitem/marketPrice/**

**geographicArea/geographicAreaText (text identifying a geographic area)**

using a code (geographicAreaCode) is preferable when the area coincides with a state

**TEXCatalog/TCheader/refDoc/attachment/externalReference/mimeCode (mime type of the external object)**

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**TEXCatalog/TCbody/TCgroup/TCitem/refDoc/**

**attachment/externalReference/mimeCode (mime type of the external object)**

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**TEXCatalog/TCheader/picture/attachment/externalReference/mimeCode (mime type of the external object)**

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**TEXCatalog/TCbody/TCgroup/TCitem/picture/**

**attachment/externalReference/mimeCode (mime type of the external object)**

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**TEXCatalog/TCbody/TCgroup/picture/attachment/**

**externalReference/mimeCode (mime type of the external object)**

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

**TEXCatalog/TCbody/TCgroup/refDoc/attachment/**

**externalReference/mimeCode (mime type of the external object)**

Use coding from IANA <http://www.iana.org/assignments/media-types/media-types.xml>

## 2.4 Enumeration tables

List of enumeration tables used in the XML document. You can find the corresponding codes at:  
<http://www.ebiz-tcf.eu/moda-ml/imple/moda-ml-2018-1.asp?lingua=en&pag=6>

### Legenda

- N: new table
- U: updated properties


NT100 - eBIZ TCFUpstream version  
NT11 - transport causal  
NT16 - VAT rate or code  
NT18 - message function  
NT2 - third party qualifier  
NT29 - format of a date  
NT3 - data format  
NT4 - end use  
NT43 - operational code qualifier (N)  
NT6 - coding system owner/issuer  
NT60 - language, codes from ISO 639-1 (subset) (N)  
NT7 - unit of measure (U)  
NT71 - picture resolution type (N)  
NT72 - picture final use type (N)  
T1 - terms of payment  
T10 - ISO3166 - Country  
T15 - dye/print process type  
T16 - dyestuff type  
T17 - weave type  
T19 - fibre type  
T2 - Modes of payment  
T21 - type of document  
T3 - terms of delivery  
T38 - transport conditions  
T4 - fabric piece inner packing (wrapping) 1  
T40 - type of transport means  
T41 - type of Allowance or Charge  
T44 - additional code type  
T5 - fabric piece inner packing (wrapping) 2  
T6 - fabric piece outer packing  
T61 - duty or tax or fee type  
T62 - duty or tax or fee category  
T8 - Modes of Transport  
T9 - ISO4217 - Currency








# Annex A




Representative images of the principal complex elements' structure.



**generalChar**  
 General characteristics  
 fabric: general data  
 included in the technical  
 sheet of the fabric article











**TChheader**

TC header:  
header of the  
document  
TEXTILES  
CATALOGUE









## Annex B

### NT100 - eBIZ TCFUpstream version

dictionary version

Agency name: eBIZ

tabella cod.: NT100

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT100.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT100.xml)

Code	Description	Adoption note	Version status	Date of insertion
2013-1	v2013-1			01/07/2013
2018-1	v2018-1		(N)	04/11/2018
draft	draft		(N)	08/09/2017

### NT11 - transport causal

reason for the transport

Agency name: eBIZ

tabella cod.: NT11

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT11.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT11.xml)

Code	Description	Adoption note	Version status	Date of insertion
FOC	free of charge			
FRW	return from re-works			
FST	return from storage			
FWW	return from view			
FWK	return from works			
IST	in storage			
NWK	return non-worked			
RJC	return from rejection			
SEL	to sell			
STO	to storage			
VEW	to view			
WRK	to works			

### NT16 - VAT rate or code

VAT rate or code ( DEPRECATED, use dtScheme element )

tabella cod.: NT16

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT16.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT16.xml)

### NT18 - message function

function performed by the present message with regards to the transmission

Agency name: eBIZ

tabella cod.: NT18

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT18.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT18.xml)

Code	Description	Adoption note	Version status	Date of insertion
CA	delete this document			01/07/2013
CP	copy			
OR	original			
RC	re-transmission for data correction			
RT	re-transmission			

### NT2 - third party qualifier

Third Party role qualifier

Agency name: eBIZ

tabella cod.: NT2

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT2.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT2.xml)

Code	Description	Adoption note	Version status	Date of insertion
AG	Sales Agent			
AU	Auditor		(N)	08/04/2019
CE	Certification authority		(N)	08/04/2019
CO	Quality Controller			
DC	Response to			
DF	Invoicee			
DI	Copy to (CC)			28/10/2014
DM	Consignee			
DP	Consignment address (Delivery Party)			
IM	Importer			

OR	Originator			10/09/2014
SC	Sub contractor		(N)	10/04/2019
SM	Service/ePlatform manager		(N)	08/04/2019
SP	Forwarder			
TX	Tax Representative			

### NT29 - format of a date

format used for the date

Agency name: eBIZ

tabella cod.: NT29

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT29.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT29.xml)

Code	Description	Adoption note	Version status	Date of insertion
D	YYYY-MM-DD			
M	YYYY-MM-DD:HH-MM			
W	YYYY-WW			

### NT3 - data format

format of a string according to a customized User rule (local rule)

Agency name: eBIZ

tabella cod.: NT3

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT3.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT3.xml)

Code	Description	Adoption note	Version status	Date of insertion
EN4	GS1-GLN			01/07/2013
MD	mutually agreed			

### NT4 - end use

specifies the final use of the product

Agency name: eBIZ

tabella cod.: NT4

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT4.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT4.xml)

Code	Description	Adoption note	Version status	Date of insertion
PC	test piece			
PR	production			
SA	Sample		(N)	10/09/2014
SC	samples card			
TI	patch			
TP	(test cut)			

#### NT43 - operational code qualifier (N)

Agency name: eBIZ

tabella cod.: NT43

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT43.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT43.xml)

Code	Description	Adoption note	Version status	Date of insertion
1	event		(N)	08/09/2017
2	sales channel		(N)	08/09/2017
3	goods management type		(N)	08/09/2017
4	special initiative		(N)	08/09/2017

#### NT6 - coding system owner/issuer

code specifying the organisation who has created or owns the coding or numbering system

Agency name: eBIZ

tabella cod.: NT6

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT6.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT6.xml)

Code	Description	Adoption note	Version status	Date of insertion
CL	Customer/buyer			
CO	Quality Controller			
EB	eBIZ	replaces 'ML'	(N)	18/03/2019
EN	GS1 ( ex-EAN International )			
ES	e-Stockflow			
FO	Supplier			
GS	GS1			01/07/2013
MF	VAT identifier		(U)	

ML	Moda-ML	DEPRECATED	(U)	
SP	Service Provider			

**NT60 - language, codes from ISO 639-1 (subset) (N)**

Agency name: eBIZ / ISO

tabella cod.: NT60

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT60.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT60.xml)

Code	Description	Adoption note	Version status	Date of insertion
af	Afrikaans		(N)	31/01/2019
ar	Arabic		(N)	31/01/2019
be	Belarusian		(N)	31/01/2019
bg	Bulgarian		(N)	31/01/2019
bn	Bengali		(N)	31/01/2019
bo	Tibetan		(N)	31/01/2019
bs	Bosnian		(N)	31/01/2019
ca	Catalan, Valencian		(N)	31/01/2019
cs	Czech		(N)	31/01/2019
da	Danish		(N)	31/01/2019
de	German		(N)	31/01/2019
el	Greek, Modern (1453-)		(N)	31/01/2019
en	English		(N)	31/01/2019
eo	Esperanto		(N)	31/01/2019
es	Spanish, Castilian		(N)	31/01/2019
et	Estonian		(N)	31/01/2019
eu	Basque		(N)	31/01/2019
F	Female		(N)	15/04/2019
fa	Persian		(N)	31/01/2019
fi	Finnish		(N)	31/01/2019
fr	French		(N)	31/01/2019
ga	Irish		(N)	31/01/2019
gd	Gaelic, Scottish Gaelic		(N)	31/01/2019
gn	Guarani		(N)	31/01/2019
he	Hebrew		(N)	31/01/2019
hr	Croatian		(N)	31/01/2019

ht	Haitian, Haitian Creole		(N)	31/01/2019
hu	Hungarian		(N)	31/01/2019
hy	Armenian		(N)	31/01/2019
ia	Interlingua (International Auxiliary Language Association)		(N)	31/01/2019
id	Indonesian		(N)	31/01/2019
is	Icelandic		(N)	31/01/2019
it	Italian		(N)	31/01/2019
ja	Japanese		(N)	31/01/2019
jv	Javanese		(N)	31/01/2019
ka	Georgian		(N)	31/01/2019
km	Central Khmer		(N)	31/01/2019
ko	Korean		(N)	31/01/2019
ku	Kurdish		(N)	31/01/2019
lb	Luxembourgish, Letzeburgesch		(N)	31/01/2019
lo	Lao		(N)	31/01/2019
lt	Lithuanian		(N)	31/01/2019
lv	Latvian		(N)	31/01/2019
mg	Malagasy		(N)	31/01/2019
mk	Macedonian		(N)	31/01/2019
mn	Mongolian		(N)	31/01/2019
mt	Maltese		(N)	31/01/2019
nl	Dutch, Flemish		(N)	31/01/2019
no	Norwegian		(N)	31/01/2019
pl	Polish		(N)	31/01/2019
pt	Portuguese		(N)	31/01/2019
ro	Romanian, Moldavian, Moldovan		(N)	31/01/2019
ru	Russian		(N)	31/01/2019
se	Northern Sami		(N)	31/01/2019
sk	Slovak		(N)	31/01/2019
sl	Slovenian		(N)	31/01/2019
sm	Samoan		(N)	31/01/2019
so	Somali		(N)	31/01/2019
sq	Albanian		(N)	31/01/2019
sr	Serbian		(N)	31/01/2019
sv	Swedish		(N)	31/01/2019

sw	Swahili		(N)	31/01/2019
ta	Tamil		(N)	31/01/2019
th	Thai		(N)	31/01/2019
tr	Turkish		(N)	31/01/2019
uk	Ukrainian		(N)	31/01/2019
ur	Urdu		(N)	31/01/2019
uz	Uzbek		(N)	31/01/2019
vi	Vietnamese		(N)	31/01/2019
zh	Chinese		(N)	31/01/2019

### NT7 - unit of measure (U)

specification of the unit of measure, it is a sub set of table Unit of Measure Code - UN/ECE REC 20 delivered by United Nations Economic Commission for Europe (UN/ECE)

Agency name: eBIZ / UN/ECE

tabella cod.: NT7

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT7.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT7.xml)

Other link: <http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#>

Code	Description	Adoption note	Version status	Date of insertion
CMK	square centimetre		(N)	20/12/2017
CMQ	cubic centimetre		(N)	20/12/2017
CMT	centimetre			
CNE	centiNewton			
CO2TON	ton of CO2		(N)	10/09/2014
COUPLES	couples			
DMQ	cubic decimetre			
E37	pixel		(N)	11/04/2018
GRM	gram			
HUR	hour			
INH	inch			
KGM	kilogram			
KMT	kilometer			
KWH	kilowatthours		(N)	10/09/2014
LBR	pound			
MIN	minute			

MMK	square millimetre		(N)	20/12/2017
MTK	square metre		(N)	20/12/2017
MTQ	cubic metre			
MTR	metre			
NMB	numero			
ONZ	ounce			
P1	percent			
PPM	parts per milion			
PZ	piece		(U)	
RPM	rounds per metre			
YRD	yard			

#### NT71 - picture resolution type (N)

the type of density of the picture

Agency name: eBIZ

tabella cod.: NT71

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT71.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT71.xml)

Code	Description	Adoption note	Version status	Date of insertion
dpi	dots per inch		(N)	11/04/2018
ppi	pixels per inch		(N)	11/04/2018

#### NT72 - picture final use type (N)

the type of final use of the picture

Agency name: eBIZ

tabella cod.: NT72

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_NT72.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_NT72.xml)

Code	Description	Adoption note	Version status	Date of insertion
ICO	online icon		(N)	11/04/2018
IMG	generic online image		(N)	11/04/2018
IML	online image large		(N)	11/04/2018
IMM	online image medium		(N)	11/04/2018
IMS	online image small		(N)	11/04/2018



PRH	high quality printing		(N)	11/04/2018
PRN	printing		(N)	11/04/2018

## T1 - terms of payment

code specifying the terms or time by which the payment must be done

Agency name: eBIZ

tabella cod.: T1

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T1.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T1.xml)

Code	Description	Adoption note	Version status	Date of insertion
ANTICIP	PAYMENT IN ADVANCE			
BLCOLLECT/120D	BILL OF LADING 120 DD			
BLCOLLECT/30D	BILL OF LADING 30 DD			
BLCOLLECT/60D	BILL OF LADING 60 DD			
BLCOLLECT/90D	BILL OF LADING 90 DD			
CASH	PAYMENT ON DELIVERY			
CASHINV	PAYMENT ON RECEIPT OF INVOICE			
CREDOC/0D	DOCUMENTARY CREDIT FOR PAYM. AT SIGHT			
CREDOC/120	DOCUMENTARY CREDIT FOR PAYM. AT 120 DD			
CREDOC/150	DOCUMENTARY CREDIT FOR PAYM. AT 150 DD			
CREDOC/180	DOCUMENTARY CREDIT FOR PAYM. AT 180 DD			
CREDOC/30D	DOCUMENTARY CREDIT FOR PAYM. AT 30 DD			
CREDOC/45D	DOCUMENTARY CREDIT FOR PAYM. AT 45 DD			
CREDOC/60	DOCUMENTARY CREDIT FOR PAYM. AT 60 DD			
CREDOC/90	DOCUMENTARY CREDIT FOR PAYM. AT 90 DD			
DEL/10	PAYMENT AT 10 DD AFTER DELIVERY			
DOCOLLECT/120D	DOCUMENTARY COLLECTION AT 120 DD			
DOCOLLECT/30D	DOCUMENTARY COLLECTION AT 30 DD			
DOCOLLECT/60D	DOCUMENTARY COLLECTION AT 60 DD			
DOCOLLECT/90D	DOCUMENTARY COLLECTION AT 90 DD			
INV/120D	PAYMENT AT 120 DD AFTER RECEIPT OF INVOICE			

INV/150D	PAYMENT AT 150 DD AFTER RECEIPT OF INVOICE			
INV/180D	PAYMENT AT 180 DD AFTER RECEIPT OF INVOICE			
INV/30D	PAYMENT AT 30 DD AFTER RECEIPT OF INVOICE			
INV/45D	PAYMENT AT 45 DD AFTER RECEIPT OF INVOICE			
INV/60D	PAYMENT AT 60 DD AFTER RECEIPT OF INVOICE			
INV/90D	PAYMENT AT 90 DD AFTER RECEIPT OF INVOICE			
INVULTIMO	PAYMENT AT END MONTH RECEIPT INVOICE			
INVULTIMO/10D	PAYMENT 10 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/120D	PAYMENT 120 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/150D	PAYMENT 150 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/180D	PAYMENT 180 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/240D	PAYMENT 240 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/30D	PAYMENT 30 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/45D	PAYMENT 45 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/60D	PAYMENT 60 DD AFTER END MONTH RECEIPT INVOICE			
INVULTIMO/90D	PAYMENT 90 DD AFTER END MONTH RECEIPT INVOICE			
NOPAY	WITHOUT PAYMENT			
RECREDOC/0D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT SIGHT			
RECREDOC/120D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 120 DD			
RECREDOC/150D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 150 DD			
RECREDOC/180D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 180 DD			
RECREDOC/30D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 30 DD			
RECREDOC/45D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 45 DD			
RECREDOC/60D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 60 DD			
RECREDOC/90D	IRREVOC. DOCUMENTARY CREDIT FOR PAYM. AT 90 DD			

ULTIMO	PAYMENT BY END MONTH OF DELIVERY			
ULTIMO/10	PAYMENT AT 10 DD AFTER END MONTH OF DELIVER Y			

### T10 - ISO3166 - Country

code of the nation

Agency name: ISO

tabella cod.: T10

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T10.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T10.xml)

Table not printed: there are 239 elements, more than the maximum specified for printing: 99.

### T15 - dye/print process type

dye process applied to the fabric

Agency name: eBIZ

tabella cod.: T15

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T15.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T15.xml)

Code	Description	Adoption note	Version status	Date of insertion
CP	cylinder printing			
DP	discharge printing			
FI	fibre dyed - spun dyed			
PC	piece dyed			
PR	printing			
SP	screen printing			
TP	top dyed			01/07/2013
YR	yarn dyed			

### T16 - dyestuff type

dye stuff used in the fabric dye process

Agency name: eBIZ

tabella cod.: T16

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T16.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T16.xml)

Code	Description	Adoption note	Version status	Date of insertion
AC	chrome acid dyestuff			
AN	acid dyestuff			
CA	basic dyestuff			
DI	direct dyestuff			
DS	disperse dyestuff			
NP	naphtol dyestuff			
PI	pigment			01/07/2013
PM	premetallized dyestuff			
RE	reactive dyestuff			
SU	sulfur			01/07/2013

### T17 - weave type

type of weaving used in the manufacturing of fabric

Agency name: eBIZ

tabella cod.: T17

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T17.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T17.xml)

Code	Description	Adoption note	Version status	Date of insertion
BA	2/2 twill weave			
BE	birdseye weave			
CO	corduroy weave			
DE	derived weave			
DO	double weave			
GA	gauze			
GR	granite weave			
HO	honeycomb weave			
HS	hopsack weave			
MA	mat weave			
PL	plain weave			
SA	satin weave			
TO	towel weave			
TR	tricot weave			
TW	twill weave			

V	V-weave			
W	W-weave			

### T19 - fibre type

type of fibre used in a textile product

Agency name: eBIZ

tabella cod.: T19

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T19.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T19.xml)

Code	Description	Adoption note	Version status	Date of insertion
AB	abaca			20/08/2018
AC	acetate			
AF	other fibres			
AG	alginic fibre			
AL	alfa			20/08/2018
CA	hemp			
CC	coir (coconut)			20/08/2018
CL	chlorofibre			
CO	cotton			
CU	cuprous			
EA	elastan			
EL	Elastodiene			20/08/2018
FL	fluorofibre			
GI	broom			20/08/2018
GL	textile glass			
HA	hair			20/08/2018
HE	henequen			20/08/2018
HL	mixed linen			
HL	cotton linen union			20/08/2018
JU	jute			
KE	kenaf			20/08/2018
KP	kapoc			20/08/2018
LI	linen			
LY	lyocell			20/08/2018
MA	modacrylic			

MD	modal			
ME	metallized			
MG	maguey			20/08/2018
PA	polyamide			
PB	polyureic			
PC	acrylic			
PE	polyethylene			
PI	paper			20/08/2018
PL	polyester			
PM	polyimide			
PP	polypropylene			
PR	proteic			
PU	polyurethane			
RA	mamie			20/08/2018
SE	silk			
SI	sisal			20/08/2018
SN	sun			20/08/2018
TA	triacetate			
TR	textile residues or unspecified composition			20/08/2018
TV	trivinyll			
VI	viscose			
VY	vinylal			
WA	angora			
WB	beaver			20/08/2018
WC	cashgora			
WG	vicuna			
WK	camel			
WL	llama			
WM	mohair			
WN	lapin			20/08/2018
WO	wool			
WP	alpaca			
WS	cashmere			
WT	Oteer			20/08/2018
WU	guanaco			

WV	virgin wool			
WY	yack			

## T2 - Modes of payment

way or means of payment

Agency name: eBIZ

tabella cod.: T2

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T2.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T2.xml)

Code	Description	Adoption note	Version status	Date of insertion
BB	bank transfer			
IA	collection through Agent			
IS	collection through Forwarder			
RB	bank receipt			
RD	remittance			
SW	bank SWIFT			
TR	bank draft			

## T21 - type of document

type or class to which the referenced document belongs

Agency name: eBIZ

tabella cod.: T21

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T21.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T21.xml)

Code	Description	Adoption note	Version status	Date of insertion
BOR	blanket order		(N)	01/02/2018
CAT	Price catalogue - tech sheet			
CEO	Certificate of origin		(N)	13/04/2018
CER	Certificate		(N)	13/04/2018
COC	colour card			
CRN	Credit note			08/09/2017
CTO	Checking order			01/07/2013
CTR	Contract		(U)	
CXF	CxF3 file			01/07/2013

DAD	Darn order			
DDT	ddt			
DEA	Despatch advise			
DER	Despatch request			
DR	Document Request			02/12/2014
FOR	Forecast			02/12/2014
GSO	Garment stock offer			
GSX	Garment stock offer change			
INV	Invoice			
KCC	Knitting-Clothing Commission Order			02/12/2014
KCI	Garment in Work Inventory Report			02/12/2014
M2M	Made to Measure Production Order			02/12/2014
MAS	Master marker			
MCI	Visual merchandising instruction		(N)	13/04/2018
OCH	Order change			
OFF	Offer			
ORD	Purchase order			
ORP	Order response			
OSR	order status request			
OSS	Offer status			02/12/2014
OST	Order status			
OUR	our reference			
QR	Quality Report			02/12/2014
RAI	Raw Material in Work Inventory Report			02/12/2014
RDC	Raw dyeing commission order			
RDH	Raw dyeing order change			
RDR	Raw dyeing order response			
REA	Receiving advise			
REQ	Request for Offer			
RET	Return			02/12/2014
RSC	Spinning commission order			
RSH	Spinning order change			
RSR	Spinning order response			
SCL	process sheet			
TFC	Textile dyeing-finishing commission order			



TFX	Textile Dyeing-Finishing Order Change			02/12/2014
TPC	Textile printing commission order			
TPX	Textile Printing Order Change			02/12/2014
TWI	Textile in work inventory			
VMI	visual merchandising instructions		(N)	01/02/2018
WAC	Warping commission order			
WEC	Weaving commission order			
YDC	Yarn dyeing commission order			
YDH	Yarn dyeing order change			
YDR	Yarn dyeing order response			
YTC	Twisting commission order			
YWI	Yarn in work inventory			

### T3 - terms of delivery

specification of the terms of trade (INCOTERMS)

Agency name: Incoterms

tabella cod.: T3

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T3.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T3.xml)

Cod e	Description	Adoption note	Versi on statu s	Date of insertio n
CF R	COST AND FREIGHT (named port of destination)			
CIF	COST, INSURANCE AND FREIGHT (named port of destination)			
CIP	CARRIAGE AND INSURANCE PAID (named place of destination)			
CP T	CARRIAGE PAID (named place of destination)			
DA F	DELIVERED AT FRONTIER (named place)	according to Incoterms® 2010 it is obsolete		08/12/2017
DA P	Delivered at Place of destination (named place of destination)	according to Incoterms® 2010		08/12/2017
DA T	Delivered at Terminal (named place of destination)	according to Incoterms® 2010		08/12/2017
DD P	DELIVERED DUTY PAID (named place of destination)			

DD U	DELIVERED DUTY UNPAID (named place of destination)	according to Incoterms® 2010 it is obsolete, use DAP		08/12/2017
DE Q	DELIVERED EX-QUAY (named port of destination)	according to Incoterms® 2010 it is obsolete		08/12/2017
DE S	DELIVERED EX-SHIP (named port of destination)	according to Incoterms® 2010 it is obsolete		08/12/2017
EX W	EX WORKS (named place)			
FA S	FREE ALONGSIDE SHIP (named port of shipment)			
FC A	FREE CARRIER (named place)			
FO B	FREE ON BOARD (named port of shipment)			

### T38 - transport conditions

special condition of transport or special service requested to the Forwarder

tabella cod.: T38

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T38.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T38.xml)

Code	Description	Adoption note	Version status	Date of insertion
ACC	arrange customs clearance			
CAL	Carrier loads			
CAU	Carrier unloads			
CMR	CMR carnet			
FFN	freight forwarders national conditions			
FLD	special agreement for full loading			
NCC	do not arrange customs clearance			
PPB	packaging paid by Buyer			
PPS	packaging paid by Supplier			
PRO	proof of delivery			
RFR	return container free			
RPC	return container paid by Customer			
RPS	return container paid by Supplier			
SHL	Shipper loads			
SHU	Consignee unloads			

#### T4 - fabric piece inner packing (wrapping) 1

code specifying the type of inner wrapping/packing used for the fabric piece

Agency name: eBIZ

tabella cod.: T4

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T4.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T4.xml)

Code	Description	Adoption note	Version status	Date of insertion
A	Folded, whole width			
B	Folded, doubled			
C	Folded, tube products			
D	Spoiled, whole width			
E	Spoiled, doubled, pli: left			
F	Spoiled, doubled, pli: right			
G	Rolled, whole width, single item			
H	Rolled, whole width, several items			
I	Rolled, doubled			
J	Rolled, tube products			

#### T40 - type of transport means

means of transport, in general or referred to a specific leg

Agency name: eBIZ

tabella cod.: T40

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T40.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T40.xml)

Code	Description	Adoption note	Version status	Date of insertion
AIR	aircraft			
SHP	ship			
TRU	truck			
VAN	van			

#### T41 - type of Allowance or Charge

coded specification of an Allowance or Charge (elaborated from UNECE 4465)

Agency name: eBIZ

tabella cod.: T41

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T41.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T41.xml)

Code	Description	Adoption note	Version status	Date of insertion
1	Agreed settlement		(N)	19/08/2018
10	Costs for draft		(N)	19/08/2018
11	Bank charges	DEPRECATED, use CBK	(N)	19/08/2018
12	Agent commission		(N)	19/08/2018
14	Wrong delivery		(N)	19/08/2018
15	Goods returned to agent		(N)	19/08/2018
16	Goods partly returned		(N)	19/08/2018
17	Transport damage		(N)	19/08/2018
19	Trade discount		(N)	19/08/2018
2	Below specification goods		(N)	19/08/2018
20	Deduction for late delivery	DEPRECATED, use CWB	(N)	19/08/2018
21	Advertising costs		(N)	19/08/2018
22	Customs duties		(N)	19/08/2018
23	Telephone and postal costs		(N)	19/08/2018
24	Repair costs		(N)	19/08/2018
25	Attorney fees		(N)	19/08/2018
26	Taxes		(N)	19/08/2018
3	Damaged goods		(N)	19/08/2018
30	Direct payment to seller		(N)	19/08/2018

32	Goods not delivered		(N)	19/08/2018
33	Late delivery		(N)	19/08/2018
35	Goods returned		(N)	19/08/2018
36	Invoice not received		(N)	19/08/2018
37	Credit note to debtor/not to us		(N)	19/08/2018
38	Deducted bonus		(N)	19/08/2018
39	Deducted discount		(N)	19/08/2018
4	Short delivery		(N)	19/08/2018
40	Deducted freight costs		(N)	19/08/2018
41	Deduction against other invoices		(N)	19/08/2018
42	Credit balance(s)		(N)	19/08/2018
45	Debit note to seller		(N)	19/08/2018
46	Discount beyond terms		(N)	19/08/2018
48	Allowance/charge error		(N)	19/08/2018
49	Substitute product		(N)	19/08/2018
50	Terms of sale error		(N)	19/08/2018
52	Wrong invoice		(N)	19/08/2018
53	Duplicate invoice		(N)	19/08/2018
54	Weight error		(N)	19/08/2018
55	Additional charge not authorized		(N)	19/08/2018
56	Incorrect discount		(N)	19/08/2018
57	Price change		(N)	19/08/2018

58	Variation		(N)	19/08/2018
59	Chargeback		(N)	19/08/2018
65	Settlement to agent		(N)	19/08/2018
66	Cash discount		(N)	19/08/2018
7	Payment on account		(N)	19/08/2018
70	Wrong monetary amount resulting from incorrect free goods quantity		(N)	19/08/2018
72	Temporary special promotion		(N)	19/08/2018
73	Difference in tax rate		(N)	19/08/2018
74	Quantity discount		(N)	19/08/2018
75	Promotion discount		(N)	19/08/2018
76	Cancellation deadline passed		(N)	19/08/2018
77	Pricing discount		(N)	19/08/2018
78	Volume discount		(N)	19/08/2018
79	Sundry discount		(N)	19/08/2018
8	Returnable container charge included		(N)	19/08/2018
9	Invoice error		(N)	19/08/2018
AWA	bonus for works ahead of schedule			
CBK	bank charges			
CCR	servizio di corriere			
CIN	insurance			
CLB	labelling			
CPK	packing			
CSP	special packing			
CWB	penalty for works behind schedule			

## T44 - additional code type

qualifier of the additional coding of a product

Agency name: eBIZ

tabella cod.: T44

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T44.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T44.xml)

Code	Description	Adoption note	Version status	Date of insertion
CC	colour card			
CL	sales collection			
CO	company identification code		(N)	08/09/2017
DY	dye number			
LT	lot number			
MDI	Made in			08/09/2017
MS	manufacturing state			
PKG	packaging			09/09/2014
PL	product line			
RGB	RGB value			
SE	selvedge code			

## T5 - fabric piece inner packing (wrapping) 2

code specifying the sub-type of inner wrapping/packing used for the fabric piece

Agency name: eBIZ

tabella cod.: T5

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T5.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T5.xml)

Code	Description	Adoption note	Version status	Date of insertion
A	Open			
B	Folded once, not looped			
C	Folded twice, not looped			
H	Folded once, looped			
I	Folded twice, looped			
J	Without inner object, right side inside			
K	On carton or spooling plank, right side inside			

L	On spool (for pressure sensitive products), right side inside			
M	Without inner object, left side inside			
N	On carton or spooling plank, left side inside			
O	On spool (for pressure sensitive products), left side inside			
P	Without inner object, right side inside (deprecated code)			
Q	On carton, right side inside			
R	On wooden stick, right side inside			
S	Without inner object, left side inside (deprecated code)			
T	On carton, left side inside			
U	On wooden stick, left side inside			

### T6 - fabric piece outer packing

code specifying the type of outer wrapping or packing used for the fabric piece

Agency name: eBIZ

tabella cod.: T6

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T6.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T6.xml)

Code	Description	Adoption note	Version status	Date of insertion
0	Not wrapped			
1	Totally wrapped			
2	Wrapped, one side open			
3	Wrapped, both sides open			
4	Wrapped, one side open, with show corner			
5	Wrapped in cartons			
6	Double wrapped			

### T61 - duty or tax or fee type

duty or tax or fee type

Agency name: eBIZ

tabella cod.: T61

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T61.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T61.xml)

Code	Description	Adoption note	Version status	Date of insertion
BOL	stamp duty			01/07/2013



CUD	customs duty			01/07/2013
ENV	environmental tax			01/07/2013
FRE	no tax			01/07/2013
OTH	other tax charges			01/07/2013
VAT	value added tax			01/07/2013

## T62 - duty or tax or fee category

duty or tax or fee category

Agency name: eBIZ

tabella cod.: T62

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T62.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T62.xml)

Code	Description	Adoption note	Version status	Date of insertion
AA	lower than standard rate			01/07/2013
E	tax not applicable			01/07/2013
H	higher than standard rate			01/07/2013
O	outside scope of tax			01/07/2013
S	standard rate			01/07/2013
Z	zero rate goods			01/07/2013

## T8 - Modes of Transport

way of transport, in general or referred to the specified leg

Agency name: eBIZ

tabella cod.: T8

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T8.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T8.xml)

Code	Description	Adoption note	Version status	Date of insertion
1	MARITIME TRANSPORT			
10	Courier			01/07/2013
2	RAIL TRANSPORT			
3	ROAD TRANSPORT			
4	AIR TRANSPORT			
5	MAIL			
6	AIR + SHIP TRANSPORT			

8	INLAND WATER TRANSPORT			
9	MODE UNKNOWN			

### T9 - ISO4217 - Currency

currency code

Agency name: ISO

tabella cod.: T9

File codes list (Generic code): [http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc\\_T9.xml](http://www.ebiz.enea.it/moda-ml/repository/codelist/v2018-1/gc_T9.xml)

Table not printed: there are 205 elements, more than the maximum specified for printing: 99.

## Annex C

### New or changed elements towards previous version

Changes or added elements (changes in description excluded; changes in aggregation notes and best practice included): 187

Test Type	Tag	Status	Item type	Changes related to
Attribute	alternativeText	NEW	alternative Text	Has NEW attribute: In
Attribute	AC_amount	NEW	AC amount	Has NEW attribute: data currency
Element(E)	AC_categoryText	UPDATE	AC category text	Property: Length_Max Old value: 70 New value: 250
Attribute	additionalIdentifier	NEW	Additional Party Identifier	Has NEW attribute: numbering organisation code
Attribute	additionalIdentifier	NEW	Additional Party Identifier	Has NEW attribute: id Qualifier
Element(I)	additionalIdentifier	NEW	Additional Party Identifier	
Attribute	allowanceCharge	NEW	Allowance and Charge	Has NEW attribute: is Charge
Attribute	allowanceCharge	NEW	Allowance and Charge	Has NEW attribute: maximum quantity
Attribute	allowanceCharge	NEW	Allowance and Charge	Has NEW attribute: minimum quantity
Attribute	allowanceCharge	NEW	Allowance and Charge	Has NEW attribute: data currency
Attribute	allowanceCharge	NEW	Allowance and Charge	Has NEW attribute: unit of measure code
Element(I)	alternativeText	NEW	alternative Text	
Element(E)	art	UPDATE	article identifier	Property: Length_Max Old value: 25 New value: 80
Attribute	art	UPDATE	article identifier	Its attribute: code list reference  Property: Aggregation Note_English Old value: <i>this attribute should be ALTERNATIVE to the others</i> New value: <i>at least one out of this attribute and "numberingOrg" should be set</i>

Element(l)	attachment	NEW	attachment	
Child	attachment	NEW	attachment	Has NEW child of: file name
Child	attachment	NEW	attachment	Has NEW child of: external reference
Child	attachment	NEW	attachment	Has NEW child of: binary object
Attribute	binaryObject	NEW	binary object	Has NEW attribute: encoding
Attribute	binaryObject	NEW	binary object	Has NEW attribute: mime
Attribute	binaryObject	NEW	binary object	Has NEW attribute: format
Attribute	binaryObject	NEW	binary object	Has NEW attribute: character set
Element(l)	binaryObject	NEW	binary object	
Attribute	brand	NEW	Brand	Has NEW attribute: code list version
Element(l)	brand	NEW	Brand	
Attribute	brand	NEW	Brand	Has NEW attribute: numbering organisation code
Attribute	brand	NEW	Brand	Has NEW attribute: code list reference
Attribute	brand	NEW	Brand	Has NEW attribute: code list name
Element(ER)	fabricNameBuyer	UPDATE	Buyer fabric name	Property: Length_Max Old value: 70 New value: 250
Child	buyer	NEW	Buyer (*)	Has NEW child of: Party identifier
Child	buyer	NEW	Buyer (*)	Has NEW child of: Additional Party Identifier
Attribute	buyer	NEW	Buyer (*)	Has NEW attribute: sender Party qualifier
Attribute	catalogPrice	NEW	catalogue price amount	Has NEW attribute: maximum quantity
Attribute	catalogPrice	NEW	catalogue price amount	Has NEW attribute: data currency
Attribute	catalogPrice	UPDATE	catalogue price amount	Its attribute: minimum quantity  Property: Aggregation Note_English Old value:

				New value: <i>minimum quantity of product for the application of this price</i>
Element(l)	characterSetCode	NEW	character set code	
Element(l)	characterSet	NEW	character set	
Element(l)	codeQualifier	NEW	code qualifier	
Element(E)	deliveryPlace	UPDATED	delivery place	Property: Length_Max Old value: 40 New value: 250
Attribute	description	NEW	description	Has NEW attribute: In
Element(E)	description	UPDATED	description	Property: Length_Max Old value: 70 New value: 250
Attribute	dispatchDate	NEW	dispatch date	Has NEW attribute: date format
Element(l)	dispatchDate	NEW	dispatch date	
Element(l)	dispatchPlace	NEW	dispatch place	
Element(E)	email	UPDATED	e-mail	Property: Length_Max Old value: 80 New value: 250
Element(l)	encodingCode	NEW	encoding code	
Element(l)	encoding	NEW	encoding	
Attribute	extendedDescription	NEW	extended description	Has NEW attribute: In
Element(l)	extendedDescription	NEW	extended description	
Child	externalReference	NEW	external reference	Has NEW child of: uri
Child	externalReference	NEW	external reference	Has NEW child of: format code
Child	externalReference	NEW	external reference	Has NEW child of: character set code
Child	externalReference	NEW	external reference	Has NEW child of: mime code

Child	external Reference	NEW	external reference	Has NEW child of: encoding code
Element(l)	external Reference	NEW	external reference	
Child	texComInfo	NEW	Fabric commercial information	Has NEW child of: product line
Child	texComInfo	NEW	Fabric commercial information	Has NEW child of: general note
Child	texComInfo	NEW	Fabric commercial information	Has NEW child of: operational code
Child	texComInfo	NEW	Fabric commercial information	Has NEW child of: Brand
Element(E)	piecePackText	UPDATE	fabric piece packing text	Property: Length_Max Old value: 40 New value: 250
Attribute	fileName	NEW	file name	Has NEW attribute: numbering organisation code
Element(l)	fileName	NEW	file name	
Element(l)	formatCode	NEW	format code	
Element(l)	format	NEW	format	
Element(E)	garmentMarket	UPDATE	garment market	Property: Tabella_enum Old value: 100 New value:
Element(E)	garmentMarket	UPDATE	garment market	Property: Length_Min Old value: New value: 0
Element(E)	garmentMarket	UPDATE	garment market	Property: Length_Max Old value: New value: 255
Element(E)	garmentMarket	UPDATE	garment market	Property: Enumerazione Old value: <i>Vero</i> New value: <i>Falso</i>
Child	generalChar	UPDATE	General characteristics fabric	relationship with child: general note  Property: Cardmax Old value: 19 New value: 99
Child	generalChar	UPDATE	General characteristics fabric	relationship with child: Buyer fabric name

				Property: Aggregation Note_English Old value: New value: <i>Do not specify this information when generalChar is obtained in TCItem; specify it at the TCitem level.</i>
Child	generalChar	UPDATE	General characteristics fabric	relationship with child: Supplier fabric name  Property: Aggregation Note_English Old value: <i>When generalChar is contained in TCItem, note that this information must be consistent (equal) to fabricNameSupplier at TCItem level.</i> New value: <i>Do not specify this information when generalChar is obtained in TCItem; specify it at the TCitem level.</i>
Child	generalChar	UPDATE	General characteristics fabric	relationship with child: Supplier fabric name  Property: Cardmin Old value: 1 New value: 0
Attribute	note	UPDATE	general note	Its attribute: numbering organisation code  Property: Aggregation Note_English Old value: New value: <i>must be used to specify the organization that created the list of codes used in "noteLabel"</i>
Child	geographicArea	NEW	geographic area	Has NEW child of: geographic area code
Child	geographicArea	NEW	geographic area	Has NEW child of: geographic area text
Element(l)	geographicAreaCode	NEW	geographic area code	
Element(l)	geographicArea	NEW	geographic area	
Element(l)	geographicAreaText	NEW	geographic area text	
Attribute	artGroup	UPDATE	group identifier	Its attribute: code list reference  Property: Aggregation Note_English Old value: <i>this attribute should be ALTERNATIVE to the others</i> New value: <i>at least one out of this attribute and "numberingOrg" should be set</i>
Element(E)	artGroupName	UPDATE	group name	Property: Length_Max Old value: 70 New value: 80
Element(l)	idQualifier	NEW	id Qualifier	
Element(l)	isCharge	NEW	is Charge	

Element(l)	isURL	NEW	is URL	
Element(E)	legalName	UPDATED	Legal name	Property: Length_Max Old value: 80 New value: 250
Element(E)	itemID	UPDATED	line item number	Property: Length_Max Old value: 6 New value: 40
Attribute	lineN	UPDATED	line number	Its attribute: VAT rate  Property: Aggregation Note_English Old value: New value: <i>Deprecated, prefer dtScheme when available.</i>
Element(l)	In	NEW	In	
Child	marketPrice	NEW	market price	Has NEW child of: Allowance and Charge
Child	marketPrice	NEW	market price	Has NEW child of: geographic area
Child	marketPrice	NEW	market price	Has NEW child of: catalogue price amount
Element(l)	marketPrice	NEW	market price	
Element(l)	maxQty	NEW	maximum quantity	
Element(l)	mimeCode	NEW	mime code	
Element(l)	mime	NEW	mime	
Attribute	nominalHeight	NEW	nominal height measure	Has NEW attribute: unit of measure code
Attribute	nominalWidth	NEW	nominal width measure	Has NEW attribute: unit of measure code
Element(l)	nominalHeight	NEW	nominal height measure	
Element(l)	nominalWidth	NEW	nominal width measure	
Attribute	operationalCode	NEW	operational code	Has NEW attribute: numbering organisation code
Attribute	operationalCode	NEW	operational code	Has NEW attribute: code list reference
Attribute	operationalCode	NEW	operational code	Has NEW attribute: code qualifier



Attrib	operationalCode	NEW	operational code	Has NEW attribute: code list version
Attrib	operationalCode	NEW	operational code	Has NEW attribute: code list name
Element(l)	operationalCode	NEW	operational code	
Element(l)	pictureCode	NEW	picture Code	
Child	picture	NEW	picture (*)	Has NEW child of: nominal height measure
Child	picture	NEW	picture (*)	Has NEW child of: picture Code
Child	picture	NEW	picture (*)	Has NEW child of: picture Use
Element(l)	picture	NEW	picture (*)	
Child	picture	NEW	picture (*)	Has NEW child of: picture qualifier
Child	picture	NEW	picture (*)	Has NEW child of: rendering information
Child	picture	NEW	picture (*)	Has NEW child of: nominal width measure
Child	picture	NEW	picture (*)	Has NEW child of: resolution
Child	picture	NEW	picture (*)	Has NEW child of: alternative Text
Child	picture	NEW	picture (*)	Has NEW child of: height measure
Child	picture	NEW	picture (*)	Has NEW child of: width measure
Element(l)	pictureQualifier	NEW	picture qualifier	
Element(l)	pictureUse	NEW	picture Use	
Attrib	productLine	NEW	product line	Has NEW attribute: code list name
Attrib	productLine	NEW	product line	Has NEW attribute: numbering organisation code
Attrib	productLine	NEW	product line	Has NEW attribute: code list reference
Attrib	productLine	NEW	product line	Has NEW attribute: code list version
Element(l)	productLine	NEW	product line	

Element(l)	progr	NEW	progressive number	
Element(E)	project	UPDATE	project identifier	Property: Length_Max Old value: 25 New value: 40
Child	refDoc	NEW	reference document details	Has NEW child of: attachment
Child	refDoc	UPDATE	reference document details	relationship with child: document identifier  Property: BestPractice_English Old value: New value: <i>numberingOrg indicates the role that produced the document identifier (it is allowed to declare two different ones -e.g. customer and supplier - with two docID with different numberingOrg</i>
Element(l)	rendering	NEW	rendering information	
Element(l)	resolution	NEW	resolution	
Attribute	resolution	NEW	resolution	Has NEW attribute: resolutionType
Element(l)	resolutionType	NEW	resolutionType	
Attribute	season	NEW	season identifier	Has NEW attribute: code list reference
Attribute	season	NEW	season identifier	Has NEW attribute: numbering organisation code
Attribute	season	NEW	season identifier	Has NEW attribute: code list name
Attribute	season	NEW	season identifier	Has NEW attribute: code list version
Element(l)	subDept	NEW	department identifier	
Element(E)	fabricNameSupplier	UPDATE	Supplier fabric name	Property: Length_Max Old value: 70 New value: 250
Child	supplier	NEW	Supplier (*)	Has NEW child of: Party identifier
Child	supplier	NEW	Supplier (*)	Has NEW child of: Additional Party Identifier
Attribute	supplier	NEW	Supplier (*)	Has NEW attribute: sender Party qualifier
Attribute	legalRef	NEW	tax legal reference	Has NEW attribute: code list name
Attribute	legalRef	NEW	tax legal reference	Has NEW attribute: numbering organisation code

Attrib	legalRef	NEW	tax legal reference	Has NEW attribute: code list version
Attrib	legalRef	UPDATED	tax legal reference	Its attribute: code list reference  Property: Use Old value: <i>Required</i> New value: <i>Optional</i>
Child	dtScheme	UPDATED	tax scheme	relationship with child: general note  Property: Cardmax Old value: 19 New value: 99
Child	TCgroup	NEW	TC Group (*)	Has NEW child of: Fabric commercial information
Child	TCgroup	NEW	TC Group (*)	Has NEW child of: extended description
Child	TCgroup	NEW	TC Group (*)	Has NEW child of: picture
Child	TCgroup	NEW	TC Group (*)	Has NEW child of: Allowance and Charge
Child	TCgroup	NEW	TC Group (*)	Has NEW child of: description
Child	TCgroup	NEW	TC Group (*)	Has NEW child of: general note
Elem(E)	TCgroup	UPDATED	TC Group (*)	Property: Tipo_Derivazione Old value: New value: <i>Riduzione</i>
Child	TCgroup	UPDATED	TC Group (*)	relationship with child: TC item  Property: Aggregation Note_English Old value: New value: <i>More articles in the same group o products</i>
Child	TCgroup	UPDATED	TC Group (*)	relationship with child: TC item  Property: Cardmin Old value: 1 New value: 0
Child	TCgroup	UPDATED	TC Group (*)	relationship with child: TC item  Property: Cardmax Old value: 999 New value: 9999
Child	TCheader	NEW	TC header	Has NEW child of: picture
Child	TCheader	NEW	TC header	Has NEW child of: reference document details

Child	TCheader	NEW	TC header	Has NEW child of: Third Party
Child	TCheader	UPDATED	TC header	relationship with child: general note  Property: Cardmax Old value: 19 New value: 99
Child	TCitem	NEW	TC item (*)	Has NEW child of: Fabric commercial information
Child	TCitem	NEW	TC item (*)	Has NEW child of: picture
Child	TCitem	NEW	TC item (*)	Has NEW child of: tax scheme
Child	TCitem	NEW	TC item (*)	Has NEW child of: market price
Child	TCitem	NEW	TC item (*)	Has NEW child of: Allowance and Charge
Child	TCitem	NEW	TC item (*)	Has NEW child of: extended description
Child	TCitem	UPDATED	TC item (*)	relationship with child: articles colour identifier  Property: Aggregation Note_English Old value: <i>this data can be iterated to show the colours available for the article</i> New value: <i>this element can be repeated to highlight the color range of the article as long as the values of the relative attributes are equal (numberingOrg etc.)</i>
Child	TCitem	UPDATED	TC item (*)	relationship with child: articles colour identifier  Property: Cardmax Old value: 99 New value: 9999
Child	TCitem	UPDATED	TC item (*)	relationship with child: catalogue price amount  Property: Grp_pos Old value: 0 New value: 1
Child	TCitem	UPDATED	TC item (*)	relationship with child: catalogue price amount  Property: Gruppo Old value: 0 New value: -1
Child	TCitem	UPDATED	TC item (*)	relationship with child: catalogue price amount  Property: Cardmax

				Old value: 9 New value: 99
Element(E)	payTermText	UPDATE	terms of payment text	Property: Length_Max Old value: 40 New value: 250
Element(E)	incotermsText	UPDATE	terms of trade text	Property: Length_Max Old value: 70 New value: 250
Element(E)	method	UPDATE	test method identifier	Property: Length_Max Old value: 25 New value: 80
Child	TEXCatalog	NEW	TEXCatalog (*)	Has NEW child of: Fabric commercial information
Child	TEXCatalog	NEW	TEXCatalog (*)	Has NEW child of: Trade conditions
Child	thirdParty	NEW	Third Party (*)	Has NEW child of: Party identifier
Attribute	thirdParty	NEW	Third Party (*)	Has NEW attribute: sender Party qualifier
Attribute	title	NEW	title	Has NEW attribute: ln
Element(l)	title	NEW	title	
Child	terms	UPDATE	Trade conditions	relationship with child: Transport information  Property: Cardmax Old value: 1 New value: 5
Element(E)	transportConditionText	UPDATE	transport condition - text	Property: Length_Max Old value: 100 New value: 250
Child	transportInfo	NEW	Transport information	Has NEW child of: despatch place
Child	transportInfo	NEW	Transport information	Has NEW child of: despatch date
Child	transportInfo	NEW	Transport information	Has NEW child of: effective delivery date
Attribute	transportInfo	NEW	Transport information	Has NEW attribute: progressive number
Attribute	uri	NEW	uri	Has NEW attribute: is URL
Element(l)	uri	NEW	uri	

## Annex D

### New or changed tables and codes towards previous version

Changes or added items (changes in CodeListAgencyName excluded; changes in adoption notes and code description included): 173

Test Type	Status	Table code	Table description	Code	Change description
Table	UPDATED	NT100	eBIZ TCFUpstream version		Description_English Old value: <i>eBIZ Moda-ML version</i> New value: <i>eBIZ TCFUpstream version</i>
Code	NEW	NT100		2018-1 (v2018-1)	
Code	NEW	NT100		draft (draft)	
Table	UPDATED	NT16	VAT rate or code		Generalities Old value: <i>VAT rate or code ( deprecated, use dtScheme element )</i> New value: <i>VAT rate or code ( DEPRE CATED, use dtScheme element )</i>
Code	NEW	NT2		AU (Auditor)	
Code	NEW	NT2		CE (Certification authority)	
Code	NEW	NT2		SC (Sub contractor)	
Code	NEW	NT2		SM (Service/ePlatform manager)	
Code	NEW	NT4		SA (Sample)	
Table	UPDATED	NT4	end use		Generalities Old value: <i>specifies the final use of the fabric</i> New value: <i>specifies the final use of the product</i>
Table	NEW	NT43	operational code qualifier		
Code	NEW	NT43		1 (event)	
Code	NEW	NT43		2 (sales channel)	
Code	NEW	NT43		3 (goods management type)	

Co de	NEW	NT 43		4 (special initiative)	
Co de	NEW	NT 6		EB (eBIZ)	
Co de	UPD ATE D	NT 6		ML (DEPRECATED)	adoption_note Old value: New value: <i>DEPRECATED</i>
Table	NEW	NT 60	language, codes from ISO 639-1 (subset)		
Co de	NEW	NT 60		F (Female)	
Co de	NEW	NT 60		af (Afrikaans)	
Co de	NEW	NT 60		ar (Arabic)	
Co de	NEW	NT 60		be (Belarusian)	
Co de	NEW	NT 60		bg (Bulgarian)	
Co de	NEW	NT 60		bn (Bengali)	
Co de	NEW	NT 60		bo (Tibetan)	
Co de	NEW	NT 60		bs (Bosnian)	
Co de	NEW	NT 60		ca (Catalan, Valencian)	
Co de	NEW	NT 60		cs (Czech)	
Co de	NEW	NT 60		da (Danish)	
Co de	NEW	NT 60		de (German)	
Co de	NEW	NT 60		el (Greek, Modern (1453-))	
Co de	NEW	NT 60		en (English)	
Co de	NEW	NT 60		eo (Esperanto)	
Co de	NEW	NT 60		es (Spanish, Castilian)	
Co de	NEW	NT 60		et (Estonian)	
Co de	NEW	NT 60		eu (Basque)	

Co de	NEW	NT 60		<i>fa</i> (Persian)	
Co de	NEW	NT 60		<i>fi</i> (Finnish)	
Co de	NEW	NT 60		<i>fr</i> (French)	
Co de	NEW	NT 60		<i>ga</i> (Irish)	
Co de	NEW	NT 60		<i>gd</i> (Gaelic, Scottish Gaelic)	
Co de	NEW	NT 60		<i>gn</i> (Guarani)	
Co de	NEW	NT 60		<i>he</i> (Hebrew)	
Co de	NEW	NT 60		<i>hr</i> (Croatian)	
Co de	NEW	NT 60		<i>ht</i> (Haitian, Haitian Creole)	
Co de	NEW	NT 60		<i>hu</i> (Hungarian)	
Co de	NEW	NT 60		<i>hy</i> (Armenian)	
Co de	NEW	NT 60		<i>ia</i> (Interlingua (International Au xiliary Language Association ))	
Co de	NEW	NT 60		<i>id</i> (Indonesian)	
Co de	NEW	NT 60		<i>is</i> (Icelandic)	
Co de	NEW	NT 60		<i>it</i> (Italian)	
Co de	NEW	NT 60		<i>ja</i> (Japanese)	
Co de	NEW	NT 60		<i>ju</i> (Javanese)	
Co de	NEW	NT 60		<i>ka</i> (Georgian)	
Co de	NEW	NT 60		<i>km</i> (Central Khmer)	
Co de	NEW	NT 60		<i>ko</i> (Korean)	
Co de	NEW	NT 60		<i>ku</i> (Kurdish)	



Co de	NEW	NT 60		<i>lb</i> (Luxembourgish, Letzeburgesch)	
Co de	NEW	NT 60		<i>lo</i> (Lao)	
Co de	NEW	NT 60		<i>lt</i> (Lithuanian)	
Co de	NEW	NT 60		<i>lv</i> (Latvian)	
Co de	NEW	NT 60		<i>mg</i> (Malagasy)	
Co de	NEW	NT 60		<i>mk</i> (Macedonian)	
Co de	NEW	NT 60		<i>mn</i> (Mongolian)	
Co de	NEW	NT 60		<i>mt</i> (Maltese)	
Co de	NEW	NT 60		<i>nl</i> (Dutch, Flemish)	
Co de	NEW	NT 60		<i>no</i> (Norwegian)	
Co de	NEW	NT 60		<i>pl</i> (Polish)	
Co de	NEW	NT 60		<i>pt</i> (Portuguese)	
Co de	NEW	NT 60		<i>ro</i> (Romanian, Moldavian, Moldovan)	
Co de	NEW	NT 60		<i>ru</i> (Russian)	
Co de	NEW	NT 60		<i>se</i> (Northern Sami)	
Co de	NEW	NT 60		<i>sk</i> (Slovak)	
Co de	NEW	NT 60		<i>sl</i> (Slovenian)	
Co de	NEW	NT 60		<i>sm</i> (Samoan)	
Co de	NEW	NT 60		<i>so</i> (Somali)	
Co de	NEW	NT 60		<i>sq</i> (Albanian)	
Co de	NEW	NT 60		<i>sr</i> (Serbian)	
Co de	NEW	NT 60		<i>sv</i> (Swedish)	

Co de	NEW	NT 60		<i>sw</i> (Swahili)	
Co de	NEW	NT 60		<i>ta</i> (Tamil)	
Co de	NEW	NT 60		<i>th</i> (Thai)	
Co de	NEW	NT 60		<i>tr</i> (Turkish)	
Co de	NEW	NT 60		<i>uk</i> (Ukrainian)	
Co de	NEW	NT 60		<i>ur</i> (Urdu)	
Co de	NEW	NT 60		<i>uz</i> (Uzbek)	
Co de	NEW	NT 60		<i>vi</i> (Vietnamese)	
Co de	NEW	NT 60		<i>zh</i> (Chinese)	
Co de	NEW	NT 7		<i>CMK</i> (square centimetre)	
Co de	NEW	NT 7		<i>CMQ</i> (cubic centimetre)	
Co de	NEW	NT 7		<i>E37</i> (pixel)	
Co de	NEW	NT 7		<i>KWH</i> (kilowatthours)	
Co de	NEW	NT 7		<i>MMK</i> (square millimetre)	
Co de	NEW	NT 7		<i>MTK</i> (square metre)	
Co de	NEW	NT 7		<i>CO2TON</i> (ton of CO2)	
Table	UPD ATE D	NT 7	unit of measure		OtherExternalReferenceURL Old value: New value: <a href="http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#">#http://docs.oasis-open.org/ubl/os-UBL-2.1/cl/gc/default/UnitOfMeasureCode-2.1.gc#</a>
Table	UPD ATE D	NT 7	unit of measure		Description_English Old value: <i>unity of measure</i> New value: <i>unit of measure</i>
Table	NEW	NT 71	picture resolution type		
Co de	NEW	NT 71		<i>dpi</i> (dots per inch)	
Co de	NEW	NT 71		<i>ppi</i> (pixels per inch)	

Table	NEW	NT72	picture final use type		
Code	NEW	NT72		<i>ICO</i> (online icon)	
Code	NEW	NT72		<i>IMG</i> (generic online image)	
Code	NEW	NT72		<i>IML</i> (online image large)	
Code	NEW	NT72		<i>IMM</i> (online image medium)	
Code	NEW	NT72		<i>IMS</i> (online image small)	
Code	NEW	NT72		<i>PRH</i> (high quality printing)	
Code	NEW	NT72		<i>PRN</i> (printing)	
Code	NEW	T21		<i>BOR</i> (blanket order)	
Code	NEW	T21		<i>CEO</i> (Certificate of origin)	
Code	NEW	T21		<i>CER</i> (Certificate)	
Code	UPDATED	T21		<i>CTR</i> (Contract)	Text_English Old value: <i>contract</i> New value: <i>Contract</i>
Code	NEW	T21		<i>MCI</i> (Visual merchandising instruction)	
Code	NEW	T21		<i>VMI</i> (visual merchandising instructions)	
Code	NEW	T41		1 (Agreed settlement)	
Code	NEW	T41		2 (Below specification goods)	
Code	NEW	T41		3 (Damaged goods)	
Code	NEW	T41		4 (Short delivery)	
Code	NEW	T41		7 (Payment on account)	
Code	NEW	T41		8 (Returnable container charge included)	
Code	NEW	T41		9 (Invoice error)	

Co de	NEW	T4 1		10 (Costs for draft)	
Co de	NEW	T4 1		11 (Bank charges)	
Co de	NEW	T4 1		12 (Agent commission)	
Co de	NEW	T4 1		14 (Wrong delivery)	
Co de	NEW	T4 1		15 (Goods returned to agent)	
Co de	NEW	T4 1		16 (Goods partly returned)	
Co de	NEW	T4 1		17 (Transport damage)	
Co de	NEW	T4 1		19 (Trade discount)	
Co de	NEW	T4 1		20 (Deduction for late delivery)	
Co de	NEW	T4 1		21 (Advertising costs)	
Co de	NEW	T4 1		22 (Customs duties)	
Co de	NEW	T4 1		23 (Telephone and postal costs)	
Co de	NEW	T4 1		24 (Repair costs)	
Co de	NEW	T4 1		25 (Attorney fees)	
Co de	NEW	T4 1		26 (Taxes)	
Co de	NEW	T4 1		30 (Direct payment to seller)	
Co de	NEW	T4 1		32 (Goods not delivered)	
Co de	NEW	T4 1		33 (Late delivery)	
Co de	NEW	T4 1		35 (Goods returned)	
Co de	NEW	T4 1		36 (Invoice not received)	
Co de	NEW	T4 1		37 (Credit note to debtor/not to us)	
Co de	NEW	T4 1		38 (Deducted bonus)	

Co de	NEW	T4 1		39 (Deducted discount)	
Co de	NEW	T4 1		40 (Deducted freight costs)	
Co de	NEW	T4 1		41 (Deduction against other invoices)	
Co de	NEW	T4 1		42 (Credit balance(s))	
Co de	NEW	T4 1		45 (Debit note to seller)	
Co de	NEW	T4 1		46 (Discount beyond terms)	
Co de	NEW	T4 1		48 (Allowance/charge error)	
Co de	NEW	T4 1		49 (Substitute product)	
Co de	NEW	T4 1		50 (Terms of sale error)	
Co de	NEW	T4 1		52 (Wrong invoice)	
Co de	NEW	T4 1		53 (Duplicate invoice)	
Co de	NEW	T4 1		54 (Weight error)	
Co de	NEW	T4 1		55 (Additional charge not authorized)	
Co de	NEW	T4 1		56 (Incorrect discount)	
Co de	NEW	T4 1		57 (Price change)	
Co de	NEW	T4 1		58 (Variation)	
Co de	NEW	T4 1		59 (Chargeback)	
Co de	NEW	T4 1		65 (Settlement to agent)	
Co de	NEW	T4 1		66 (Cash discount)	
Co de	NEW	T4 1		70 (Wrong monetary amount resulting from incorrect free goods quantity)	
Co de	NEW	T4 1		72 (Temporary special promotion)	

Code	NEW	T4 1		73 (Difference in tax rate)	
Code	NEW	T4 1		74 (Quantity discount)	
Code	NEW	T4 1		75 (Promotion discount)	
Code	NEW	T4 1		76 (Cancellation deadline passed)	
Code	NEW	T4 1		77 (Pricing discount)	
Code	NEW	T4 1		78 (Volume discount)	
Code	NEW	T4 1		79 (Sundry discount)	
Table	UPDATE	T4 1	type of Allowance or Charge		Generalities Old value: <i>coded specification of an Allowance or Charge</i> New value: <i>coded specification of an Allowance or Charge (elaborated from UNECE 4465)</i>
Code	NEW	T4 4		CO (company identification code)	